101 CMR 317.00: MEDICINE

Section

317.01: General Provisions317.02: General Definitions317.03: General Rate Provisions

317.04: Maximum Allowable Fees - Medical Services

317.05: Severability

317.01: General Provisions

(1) <u>Scope, Purpose, and Effective Date</u>. 101 CMR 317.00 governs the payment rates used by all governmental units for medical services provided to publicly aided patients. Rates under 101 CMR 317.00 are effective on and after <u>August 1, 2017March 1, 2018</u>, unless otherwise indicated. Rates for services provided to individuals covered by the Workers' Compensation Act, M.G.L. c. 152, are not set forth in 101 CMR 317.00, but are at 114.3 CMR 40.00: *Rates For Services Under M.G.L. c. 152, Worker's Compensation Act*.

(2) Coverage.

- (a) Payment rates in 101 CMR 317.00 are used to pay for medical services rendered to patients in a private medical office, licensed clinic, hospital or other inpatient or outpatient facility or department, independent diagnostic testing facility, patient's residence, or other appropriate setting by an individual eligible provider, when an eligible provider bills for the medical services rendered and no other payment method applies.
- (b) The rates of payment under 101 CMR 317.00 are full compensation for patient care rendered to publicly aided patients as well as for any related administrative or supervisory duties in connection with patient care. The rates of payment also reimburse all overhead expenses associated with the service provided, without regard to where the care is rendered.
- (3) <u>Disclaimer of Authorization of Services</u>. 101 CMR 317.00 is not authorization for or approval of the procedures for which rates are determined pursuant to 101 CMR 317.00. Governmental units that purchase care are responsible for the definition, authorization, coverage policies, and approval of care and services provided to publicly aided patients.
- (4) <u>Coding Updates and Corrections</u>. EOHHS may publish procedure code updates and corrections in the form of an Administrative Bulletin. Updates may reference coding systems including but not limited to the American Medical Association's *Current Procedural Terminology* (CPT).
 - (a) The publication of such updates and corrections will list
 - 1. codes for which the code numbers change, with the corresponding cross references between the new codes and the codes being replaced. Rates for such updated codes are set at the rate of the code that is being replaced;
 - 2. deleted codes for which there are no corresponding new codes; and
 - 3. codes for entirely new services that require pricing. EOHHS will list these codes and apply individual consideration (I.C.) reimbursement for these codes until appropriate rates can be developed.
 - (b) For entirely new codes that require new pricing and have Medicare assigned relative value units (RVUs), EOHHS may list these codes and price them according to the rate

101 CMR 317.00: MEDICINE

methodology used in setting physician rates. When RVUs are not available, EOHHS may apply Individual Consideration in reimbursing for these new codes until appropriate rates can be developed.

(5) <u>Administrative Bulletins</u>. EOHHS may issue administrative bulletins to add, delete, or otherwise update codes or modifiers, and to clarify its policy on and understanding of substantive provisions of 101 CMR 317.00. EOHHS may also issue administrative bulletins to clarify to which duly licensed or certified health care professionals or students the rate methods in this regulation apply, including in the event that the Department of Public Health issues an Order pursuant to M.G.L. c. 94C and 105 CMR 700.003(H).

317.02: General Definitions

Meaning of Terms. The descriptions, five-digit procedure codes, and two-digit modifier codes included in 101 CMR 317.00, and their corresponding descriptions, utilize the Healthcare Common Procedure Code System (HCPCS) for Level I and Level II coding. Level I CPT-4 codes are obtained from the Physicians' 20182016 Current Procedural Terminology (CPT), copyright 20172015 by the American Medical Association (AMA), or for the 2017 Level I CPT 4 code additions, the Physicians' 2017 Current Procedural Terminology (CPT), copyright 2016 by the AMA, unless otherwise specified. Level II codes are obtained from 2016 HCPCS, or for the 2017 Level II code additions, the 20182017 HCPCS, maintained jointly by the Centers for Medicare and & Medicaid Services (CMS), the Blue Cross and Blue Shield Association, and the Health Insurance Association of America. HCPCS is a listing of descriptive terms and identifying codes and modifiers for reporting medical services and procedures performed by physicians and other health care professionals, as well as associated nonphysician services. No fee schedules, basic unit value, relative value guides, conversion factors, or scales are included in any part of the Physicians' Current Procedure Terminology. For code descriptions, see the medicine services code spreadsheet on the EOHHS rates website.

In addition, terms used in 101 CMR 317.00 have the meanings set forth in 101 CMR 317.02.

<u>Child and Adolescent Needs and Strengths (CANS).</u> A tool that provides a standardized way to organize information gathered during a psychiatric diagnostic assessment and is a treatment and service decision support tool for children and adolescents younger than 21 years.

CMS. Centers for Medicare and & Medicaid Services.

<u>Early and Periodic Screening, Diagnosis and Treatment (EPSDT).</u> A program of health screening and other medical services for publicly assisted individuals younger than 21 years as required by federal law.

Eligible Provider. The rates established in these regulations apply in accordance with 101 CMR 317.01 to the following types of providers who meet conditions of participation of the governmental unit purchasing such services, and to the extent specified by such governmental unit. Eligible providers must provide such services in accordance with generally accepted professional standards and in accordance with state licensing requirements and certification by national credentialing bodies as required by law.

101 CMR 317.00: MEDICINE

A licensed physician (other than an intern, resident, fellow, or house officer), a licensed podiatrist, licensed dentist, licensed chiropractor, and licensed optometrist.

A provider of diagnostic medical services. Such medical diagnostic services may be rendered by eligible providers such as, but not limited to, independent diagnostic testing facilities (IDTFs). These eligible providers must be physically and financially independent of a hospital or a physician's office.

A provider of radiation oncology services. Radiation oncology services may be rendered by eligible providers such as, but not limited to, independent radiation oncology centers. These eligible providers must be physically and financially independent of a hospital or a physician's office.

A clinic licensed by the Massachusetts Department of Public Health in accordance with 105 CMR 140.000: *Licensure of Clinics* to provide medical diagnostic services.

A freestanding birth center facility that is not operating under a hospital's license, and is licensed as a birth center by the Massachusetts Department of Public Health pursuant to 105 CMR 142.000: *The Operation and Maintenance of Birth Centers*.

An advanced practice registered nurse who is authorized by the Board of Registration in Nursing to practice as a certified nurse practitioner, certified nurse midwife, clinical nurse specialist, psychiatric clinical nurse specialist, or a certified registered nurse anesthetist (CRNA).

A licensed physician assistant, who is authorized by the Board of Registration for Physician Assistants to practice as a physician assistant.

A registered nurse providing tobacco cessation services.

A tobacco cessation counselor, who has completed appropriate training in tobacco cessation counseling according to the qualification criteria established by the purchasing governmental unit.

A pharmacist who is registered by the Board of Registration in Pharmacy.

Eligible Provider for Administration of Vaccines. A licensed physician, certified nurse practitioner, certified nurse midwife, clinical nurse specialist, psychiatric clinical nurse specialist, physician assistant, registered pharmacist or other health care professional certified in accordance with 105 CMR 700.000: *Implementation of M.G.L. c. 94C*, and any home health agency certified as a provider of home health services under the Medicare Health Insurance Program for the Aged (Title XVIII) is eligible to administer vaccines, if it otherwise meets such conditions of participation and coverage set forth by a purchasing governmental unit. Any other providers authorized by the Massachusetts Department of Public Health to possess and administer vaccines are also eligible if they otherwise meet such conditions of participation and coverage set forth by a purchasing governmental unit.

EOHHS. The Executive Office of Health and Human Services established under M.G.L. c. 6A.

<u>Facility Setting Fee.</u> Payments for services provided by an individual eligible provider in a hospital (including without limitation a hospital inpatient department, outpatient department, emergency department, and hospital licensed health center), or skilled nursing facility or freestanding ambulatory surgical center (ASC), will be made according to a facility setting fee when an applicable facility setting fee has been established for that procedure.

101 CMR 317.00: MEDICINE

<u>Governmental Unit</u>. The Commonwealth, any department, agency, board, or commission of the Commonwealth and any political subdivision of the Commonwealth.

<u>Individual Consideration</u>. Medical services that are authorized but not listed in 101 CMR 317.00, medical services performed in unusual circumstances, and services designated "I.C." are individually considered items. The governmental unit or purchaser analyzes the eligible provider's report of services rendered and charges submitted under the appropriate unlisted services or procedures category. The governmental unit or purchaser determines appropriate payment for procedures designated I.C. in accordance with the following standards and criteria:

- (a) the amount of time required to perform the service;
- (b) the degree of skill required to perform the service;
- (c) the severity or complexity of the patient's disease, disorder, or disability;
- (d) any applicable relative-value studies;
- (e) any complications or other circumstances that may be deemed relevant;
- (f) the policies, procedures, and practices of other third party insurers;
- (g) the payment rate for prescribed drugs as set forth in 101 CMR 331.00: Prescribed Drugs; and
- (h) a copy of the current invoice from the supplier.

<u>Modifiers</u>. Listed services may be modified under certain circumstances. When applicable, the modifying circumstances should be identified by the addition of the appropriate two-digit number or letters.

<u>Physical Medicine</u>. The physical medicine procedure codes apply only when

- (a) the physician prescribed the needed therapy; and
- (b) the services are provided by the physician or a licensed physical or occupational therapist employed by the physician.

<u>Primary Care Clinician (PCC) Plan.</u> A managed care option administered by the MassHealth agency through which enrolled members receive primary care and certain other medical services.

<u>Publicly Aided Individual (or Publicly Aided Patient)</u>. A person who receives health care and services for which a governmental unit is in whole or in part liable under a statutory program of public assistance.

<u>Referral</u>. The transfer of the total or specific care from one eligible provider to another.

<u>Separate Procedure</u>. Some of the listed procedures are commonly carried out as an integral part of a total service, and as such do not warrant a separate identification. When, however, such a procedure is performed independently of, and is not immediately related to, other services, it may be listed as a separate procedure in the procedure description. Thus, when a procedure that is ordinarily a component of a larger procedure is performed alone for a specific purpose, it may be considered to be a separate procedure.

<u>Unlisted Procedure or Service.</u> A service or procedure may be provided that is not listed in 101 CMR 317.04. When reporting such a service, the appropriate "Unlisted Procedure" code may be used to indicate the service.

101 CMR 317.00: MEDICINE

317.03: General Rate Provisions

- (1) <u>Rate Determination</u>. Rates of payment for services for which 101 CMR 317.00 applies are the lowest of
 - (a) the eligible provider's usual fee to patients other than publicly aided individuals;
 - (b) the eligible provider's actual charge submitted; or
 - (c) 1. the schedule of allowable fees set forth in 101 CMR 317.04(4), taking into account appropriate modifiers and any other applicable rate provision(s) in accordance with 101 CMR 317.03 or 317.04(1); or
 - 2. for drugs, vaccines, and immune globulins administered in a physician's office, the fee specified in 101 CMR 317.04(1)(a), taking into account any other applicable rate provision(s) in accordance with 101 CMR 317.04(1).

(2) Supplemental Payment.

- (a) <u>Eligibility</u>. An eligible provider who is a physician, certified nurse practitioner, physician assistant, or CRNA is eligible for a supplemental payment for services to publicly aided individuals eligible under Titles XIX and XXI of the Social Security Act if the following conditions are met:
 - 1. the eligible provider is employed by a nonprofit group practice that was established in accordance with St. 1997, c.163 and is affiliated with a Commonwealth-owned medical school:
 - 2. such nonprofit group practice must have been established on or before January 1, 2000, in order to support the purposes of a teaching hospital affiliated with and appurtenant to a Commonwealth-owned medical school; and
 - 3. the services are provided at a teaching hospital affiliated with and appurtenant to a Commonwealth-owned medical school.
- (b) Payment Method. This supplemental payment may not exceed the difference between 1. payments to the eligible provider made pursuant to the rates applicable under 101 CMR 316.03(1), 101 CMR 317.03(1), and 101 CMR 318.03(1); and 2. the federal upper payment limit established by the Centers for Medicare & Medicaid Services.
- (3) <u>Rate Variations Based on Practice Site.</u> Payments for certain services provided by individual eligible providers that can be routinely furnished in physicians' offices are reduced when such services are furnished in facility settings. 101 CMR 317.04 establishes facility setting fees applied to services rendered in a facility when a practice site differential is warranted.
- (4) The sum of the professional and technical components of an individual procedure will not be greater than the allowable global fee set forth in 101 CMR 317.04(4).
- (5) Allowable Fee for Certain Eligible Providers. Payment for services provided by eligible providers who are certified nurse practitioners, certified nurse midwives, psychiatric clinical nurse specialists, clinical nurse specialists, physician assistants, registered nurses, tobacco cessation counselors, pharmacies that utilize pharmacists or other health care professionals certified in accordance with 105 CMR 700.000: *Implementation of M.G.L. c. 94C*, and home health agencies as specified in 101 CMR 317.02 is 85% of the fees contained in 101 CMR

- 317.04. This rule does not apply to the EPSDT add-on code S0302 described in 101 CMR 317.03(7) or for tobacco cessation services, for medical nutrition therapy (97802, 97803, 97804, G0270, G0271), for diabetes self-management training (G0108, G0109), for the administration of behavioral health screening (96110 and related modifiers), or for the perinatal depression screening (S3005 and related modifiers) services listed in 101 CMR 317.04(4). The rates listed in 101 CMR 317.04(4) for tobacco cessation services performed by certain eligible providers already reflect the appropriate rate and no further rate adjustment applies (see codes 99407, 99407-SA, -TD, -TF, -HQ, -U1, -U2, and -U3).
- (6) <u>Behavioral Health Screening Services</u>. Payment for the administration and scoring of standardized behavioral health screening tools is available to certain eligible providers (physicians, certified nurse midwives, certified nurse practitioners, physician assistants, community health centers, hospital outpatient departments, or such eligible providers employed by a physician or community health center if authorized by the governmental unit) and is allowed for MassHealth purchase only when accompanied by a modifier. Appropriate code and related modifiers for the standardized behavioral health screening tools are listed in a separate fee table in 101 CMR 317.04(4). For purposes of these modifiers, "Behavioral health need identified" means the provider administering the screening tool, in her or his professional judgment, identifies a child with a potential behavioral health services need.
- (7) <u>Early and Periodic Screening, Diagnosis and Treatment (EPSDT) Add-on Code.</u> To identify a completed well child office visit including all age appropriate components of the EPSDT schedule, use code S0302 in addition to the appropriate preventive medicine service in 101 CMR 317.04(4). S0302 is always performed in addition to the primary procedure and must never be reported as a stand-alone code.
- (8) <u>Services and Payments Covered Under Other Regulations.</u> Rules and reimbursement rates for the Medicine service codes listed in the chart below are contained in other EOHHS regulations.

Regulation Title	Regulation Number	Affected Services
Hearing Services	101 CMR 323.00	Audiologic Codes 92590 to 92595
Vision Care Services and Ophthalmic Materials	101 CMR 315.00	Ophthalmological Service Codes 92002, 92004, 92012, 92014, 92015; Spectacle
		Service Codes 92340-92342, 92370 and Screening Code 99173

- (9) <u>CPT Category III Codes</u>. All medicine related CPT category III codes are included as a part of this regulation and have an assigned fee of I.C.
- (10) PCC Plan Enhanced Fee. Primary Care Clinicians (PCCs) receive an enhanced rate for certain types of primary and preventive care visits provided to PCC Plan members enrolled with the PCC on the date of service. The enhanced fee specified in 114.3 CMR 53.03(1): PCC Plan Enhanced Fee is added to the rate for the procedure code billed. The MassHealth agency pays PCCs an enhanced fee for delivering primary care services in accordance with the terms of the PCC provider contract.

101 CMR 317.00: MEDICINE

(11) Child and Adolescent Needs and Strengths (CANS): Psychiatric Diagnostic Interview Examination for Children and Adolescents Younger Than 21 Years. Psychiatrists or psychiatric clinical nurse specialists who complete the CANS for a MassHealth child or adolescent younger than 21 years during a Psychiatric Diagnostic Interview Examination should bill using procedure code 90791 accompanied by modifier HA.

317.04: Maximum Allowable Fees

- (1) Drugs, Medications, Supplies, and Laboratory Specimen Collections.
 - (a) Payment rates for drugs, vaccines, and immune globulins administered in a physician's office are equal to the fee listed in the Quarterly Average Sales Price (ASP) Medicare Part B Drug Pricing File. For drugs, vaccines, and immune globulins administered in a physician's office that are not listed in the Quarterly ASP Medicare Part B Drug Pricing File, codes are listed in 101 CMR 317.04(4) with payment set by I.C., which shall apply until such time as the code is listed in the Quarterly ASP Medicare Part B Drug Pricing File.
 - (b) Supplies and materials used in preparation for or as part of a procedure (*e.g.*, bandages, laboratory kits, syringes, or disposable gloves) are not reimbursed separately, but included in the office visit rate. In addition, no supplemental charge can be submitted nor payment allowed for routine specimen collection in a physician's office and preparation for clinical laboratory analysis (and activities related thereto), *e.g.*, venipuncture, urine, fecal and sputum samples, culturing, swabbing, and scraping for removal of tissues.
 - (c) Where applicable, payments for drugs, medicines, supplies, and related materials dispensed to patients are in accordance with rates that are the subject matter of other regulations that may be in effect and germane to the item in question (*e.g.*, laboratory, pharmacy, medical supplies, *etc.*). In other instances where the use of another regulation is not appropriate, certain supplies and materials (except eyeglasses), provided by the physician over and above those usually included with the office visit or other services rendered should be billed under code 99070.
 - (d) Payment for drugs and/ or biologicals may be claimed in addition to an office visit. Drugs that are considered routine and integral to the delivery of a physician's professional services in the course of diagnosis or treatment are not reimbursable. Such drugs are commonly provided without charge or are included in the physician's fee for the service. Drugs and/or biologicals available free of charge from the Massachusetts Department of Public Health are not payable items. When an immunization or injection is the primary purpose of an office or other outpatient visit, the provider may bill only for the injectable material and its administration. Payment for both vaccine administration and an office visit is allowable only when the vaccine administration is a medically necessary, separately identifiable service.
- (2) Unless otherwise specified, guidelines, notes, and definitions provided in the 20182016 CPT Coding Handbook (or the 2017 CPT Coding Handbook for 2017 code additions) are applicable to the use of the procedure codes and, modifiers, and descriptions—listed below, as well as their corresponding descriptions. For code descriptions, see the medicine services code spreadsheet on the EOHHS rates website.

(3) Modifiers.

(a) 24: Unrelated Evaluation and Management Service by the Same Physician or Other Qualified Health Care Professional During Postoperative Period.

- (b) 25: Significant, Separately Identifiable Evaluation and Management Service by the Same Physician or Other Qualifed Health Care Professional on the Same Day of the Procedure or Other Service. Modifier 25 is used to facilitate billing of evaluation and management services on the day of a procedure for which separate payment may be made. The physician or other qualified health care professional may indicate that on the day a procedure or service code was performed, the patient's condition required a significant, separately identifiable evaluation and management service above and beyond the usual preoperative and postoperative care associated with the procedure or service that was performed.
- (c) <u>26: Professional Component</u>. The component of a service or procedure representing the physician's or other qualified health care professional's work interpreting or performing the service or procedure. (When the physician or other qualified health care professional component is reported separately, the addition of modifier 26 to the appropriate procedure code will allow payment of the professional component allowable fee (PC Fee) contained in 101 CMR 317.04(4), adjusted by 101 CMR 317.03 as applicable.)
- (d) <u>50</u>: <u>Bilateral Procedures</u>. Payment for bilateral procedures performed at the same operative session must be identified by the appropriate service code and modifier 50. Only one claim line is billed for both procedures. (The addition of modifier 50 to the bilateral code will allow payment of 150% of the allowable fee contained in 101 CMR 317.04(4), adjusted by 101 CMR 317.03 as applicable, to the eligible provider for performance of both bilateral procedures.)
- (e) <u>51: Multiple Procedures</u>. This modifier must be used to report multiple procedures performed at the same session. The service code for the major procedure or service must be reported without a modifier. The secondary, additional, or lesser procedure(s) must be identified by adding modifier 51 to the end of the service code for the secondary procedure(s). (The addition of modifier 51 to the second and subsequent procedure codes allows payment of 50% of the allowable fee contained in 101 CMR 317.04(4), adjusted by 101 CMR 317.03 as applicable, to the eligible provider.
- Note: This modifier should not be used with designated "add-on" codes or with codes in which the narrative begins with "each additional.")
- (f) <u>52: Reduced Services</u>. Under certain circumstances a service or procedure is partially reduced or eliminated at the physician's or other qualified health care professional's election. Under these circumstances, the service provided can be identified by its usual procedure number and addition of modifier 52 signifying that the service is reduced. This provides a means of reporting reduced services without disturbing the identification of the basic service.
- (g) 57: Decision for Surgery.
- (h) <u>59</u>: <u>Distinct Procedural Service</u>. To identify a procedure distinct or independent from other services performed on the same day add modifier 59 to the end of the appropriate service code. Modifier 59 is used to identify services/procedures that are not normally reported together, but are appropriate under certain circumstances, for example, different site or organ system. However, when another already established modifier is appropriate, it should be used rather than modifier 59.
- (i) GO: Services delivered personally by an occupational therapist or under an outpatient occupational therapy plan of care.

- (j) <u>GP: Services delivered personally by a physical therapist or under an outpatient physical therapy plan of care.</u>
- (k) HA: Child and Adolescent Needs and Strengths (CANS): Psychiatric Diagnostic Interview Examination for Children and Adolescents Younger Than 21 Years. This modifier should only be applied to service code 90791 billed by psychiatrists or psychiatric clinical nurse specialists to identify a Psychiatric Diagnostic Interview Examination for a MassHealth child or adolescent younger than 21 years using the CANS.
- (1) LM: Left main coronary artery.
- (m) <u>PA: Surgical or other invasive procedure performed on the wrong body part</u>. (This modifier is applied to report Provider Preventable Conditions in accordance with 42 CFR 447.26, and results in nonpayment for services.)
- (n) <u>PB: Surgical or other invasive procedure performed on the wrong patient</u>. (This modifier is applied to report Provider Preventable Conditions in accordance with 42 CFR 447.26, and results in nonpayment for services.)
- (o) <u>PC: Wrong surgical or other invasive procedure performed on a patient.</u> (This modifier is applied to report Provider Preventable Conditions in accordance with 42 CFR 447.26, and results in nonpayment for services.)
- (p) RI: Ramus intermedius coronary artery.
- (q) <u>SA</u>: Nurse Practitioner rendering service in collaboration with a physician. (This modifier is to be applied to service codes billed by a physician that were performed by a certified nurse practitioner employed by the physician (the physician employer must be practicing as an individual (and not practicing as a professional corporation or as a member of a group practice)). A certified nurse practitioner billing under his/her own individual provider number, or a group practice, should not use this modifier.)
- (r) <u>SL: State supplied vaccine</u>. (This modifier is to be applied to codes 90460 and 90461 to identify administration of vaccines provided at no cost by the Massachusetts Department of Public Health (DPH) for individuals 18 years old and younger, including those administered under the Vaccine for Children Program (VFC), where counseling is included. It is also to be applied to codes 90471, 90472, 90473, and 90474 to identify administration of vaccines provided at no cost by DPH for all individuals, including those administered under VFC to individuals 18 years old and younger.
- (s) <u>TC: Technical component</u>. The component of a service or procedure representing the cost of rent, equipment, utilities, supplies, administrative and technical salaries and benefits, and other overhead expenses of the service or procedures, excluding the physician's or other qualified health care professional's professional component. (When the technical component is reported separately, the addition of modifier TC to the procedure code will allow payment of the technical component allowable fee (TC Fee) contained in 101 CMR 317.04(4), as adjusted by 101 CMR 317.03 as applicable.
- (t) XE: Separate encounter. A service that is distinct because it occurred during a separate encounter.
- (u) XS: Separate structure. A service that is distinct because it was performed on a separate organ/structure.
- (v) XP: Separate practitioner. A service that is distinct because it was performed by a different practitioner.
- (w) XU: Unusual non-overlapping service. The use of a service that is distinct because it does not overlap usual components of the main service.

101 CMR 317.00: MEDICINE

(4) Fee Schedule.

- (a) NFAC "Nonfacility": These amounts apply when the service is performed in a nonfacility setting.
- (b) FAC "Facility": These amounts, also known as the Facility Setting Fee, apply when the service is performed in a facility setting
- (c) Global Fee These amounts apply when no site of service differential rate is specified.

Code	NFAC	FAC	Global	PC	ŦC	Description
						Immune globulin (Ig),
						human, for intramuscular
90281	_	-	I.C.	-	_	use
						Immune globulin (IgIV),
						human, for intravenous
90283	_	-	I.C.	-	_	use
						Immune globulin (SCIg),
						human, for use in
						subcutaneous infusions,
90284	_	_	I.C.	_	_	100 mg, each
						Botulinum antitoxin,
90287	_	_	I.C.	_	_	equine, any route
						Botulism immune
						globulin, human, for
90288	_	_	I.C.	_	_	intravenous use
						Cytomegalovirus immune
						globulin (CMV-IgIV),
						human, for intravenous
90291	_	_	I.C.	_	_	use
						Diphtheria antitoxin,
90296	_	_	I.C.	_	_	equine, any route
						Respiratory syncytial
						virus, monoclonal
						antibody, recombinant,
						for intramuscular use, 50
90378	_	_	I.C.	_	_	mg, each
						Rho(D) immune globulin
						(RhIg), human, full-dose,
90384	_	_	I.C.	_	_	for intramuscular use
						Rho(D) immune globulin
						(RhIg), human, mini-
						dose, for intramuscular
90385	_	_	I.C.	-	_	use

Code	NFAC	FAC	Global	PC	TC	Description
						Rho(D) immune globulin
						(RhIgIV), human, for
90386	_	_	I.C.	_	_	intravenous use
						Tetanus immune globulin
						(TIg), human, for
90389	_	-	I.C.	1	_	intramuscular use
						Vaccinia immune
						globulin, human, for
90393	_	1	I.C.	-		intramuscular use
						Varicella-zoster immune
						globulin, human, for
90396	_	_	I.C.	_	_	intramuscular use
90399	_	_	I.C.	_	_	Unlisted immune globulin
						Immunization
						administration through 18
						years of age via any route
						of administration, with
						counseling by physician
						or other qualified health
						care professional; first or
						only component of each
						vaccine or toxoid
90460	_	-	\$19.38	-	_	administered
						Immunization
						administration through 18
						years of age via any route
						of administration, with
						counseling by physician
						or other qualified health
						care professional; first
						vaccine/toxoid
						component (state supplied
						vaccine) (Only to be used
						for administration of
						pediatric vaccines for
						individuals ages 18 years
						and under provided at no
						cost by the Massachusetts
						Department of Public
						Health, including those
90460-						administered under the
SL	_	_	\$16.78	-	_	Vaccine for Children

Code	NFAC	FAC	Global	PC	ŦC	Description
						(VFC) Program) (Not in
						conjunction with an
						office visit or other
						outpatient visit)
						Immunization
						administration through 18
						years of age via any route
						of administration, with
						counseling by physician
						or other qualified health
						care professional; each
						additional vaccine or
						toxoid component
						administered (List
						separately in addition to
						code for primary
90461	_	_	\$9.33	_	_	procedure)
						Immunization
						administration through 18
						years of age via any route
						of administration, with
						counseling by physician
						or other qualified health care professional; each
						additional vaccine/toxoid
						component (List separately in addition to
						code for primary
						procedure) (state supplied
						vaccine) (Only to be used
						for administration of
						pediatric vaccines for
						individuals ages 18 years
						and under provided at no
						cost by the Massachusetts
						Department of Public
90461-						Health, including those
SL	_	_	\$8.08	_	_	administered under the

Code	NFAC	FAC	Global	PC	ŦC	Description
						Vaccine for Children
						(VFC) Program) (Not in
						conjunction with an
						office visit or other
						outpatient visit)
						Immunization
						administration (includes
						percutaneous,
						intradermal,
						subcutaneous, or
						intramuscular injections);
						1 vaccine (single or
						combination
90471	_	-	\$19.38	_	_	vaccine/toxoid)
						Immunization
						administration (includes
						percutaneous,
						intradermal,
						subcutaneous, or
						intramuscular injections);
						1 vaccine (single or
						combination
90471-						vaccine/toxoid) (state
SL	_	_	\$16.78	_	_	supplied vaccine)
						Immunization
						administration (includes
						percutaneous,
						intradermal,
						subcutaneous, or
						intramuscular injections);
						each additional vaccine
						(single or combination
						vaccine/toxoid) (List
						separately in addition to
						code for primary
90472			\$9.33	<u> </u>		procedure)
						Immunization
						administration by
						intranasal or oral route; 1
						vaccine (single or
						combination
90473	_	_	\$19.38	_	_	vaccine/toxoid)

Code	NFAC	FAC	Global	PC	TC	Description
						Immunization
						administration by
						intranasal or oral route; 1
						vaccine (single or
						combination
90473						vaccine/toxoid) (state
SL	_	_	\$16.78	_	_	supplied vaccine)
						Immunization
						administration by
						intranasal or oral route;
						each additional vaccine
						(single or combination
						vaccine/toxoid) (List
						separately in addition to
						code for primary
90474	_	_	\$9.33	_	_	procedure)
			7			Adenovirus vaccine, type
90476	_	_	I.C.	_	_	4, live, for oral use
						Adenovirus vaccine, type
90477	_	_	I.C.	_	_	7, live, for oral use
						Anthrax vaccine, for
						subcutaneous or
90581	_	_	I.C.	_	_	intramuscular use
						Bacillus Calmette Guerin
						vaccine (BCG) for
						bladder cancer, live, for
90586	_	_	I.C.	_	_	intravesical use
						Meningococcal
						recombinant protein and
						outer membrane vesicle
						vaccine, serogroup B
						(MenB), 2 dose schedule,
90620	_	_	I.C.	_	_	for intramuscular use
						Meningococcal
						recombinant lipoprotein
						vaccine, serogroup B
						(MenB), 3 dose schedule,
90621	_	_	I.C.	_	_	for intramuscular use
						Cholera vaccine, live,
						adult dosage, 1 dose
90625	_	_	I.C.	_	_	schedule, for oral use

Code	NFAC	FAC	Global	PC	TC	Description
						Hepatitis A vaccine
						(HepA),
						pediatric/adolescent
						dosage-2 dose schedule,
90633	_	_	I.C.	_	_	for intramuscular use
						Hepatitis A vaccine
						(HepA),
						pediatric/adolescent
						dosage-3 dose schedule,
90634	_	-	I.C.	-	_	for intramuscular use
						Hepatitis A and hepatitis
						B vaccine (HepA-HepB),
						adult dosage, for
90636	_	_	I.C.	_	_	intramuscular use
						Meningococcal conjugate
						vaccine, serogroups C &
						Y and Haemophilus
						influenzae type b vaccine
						(Hib-MenCY), 4 dose
						schedule, when
						administered to children 6
						weeks 18 months of age,
90644	_	-	I.C.	_		for intramuscular use
						Haemophilus influenzae
						type b vaccine (Hib),
						PRP-OMP conjugate, 3
						dose schedule, for
90647	_	_	I.C.	_	_	intramuscular use
						Haemophilus influenzae
						type b vaccine (Hib),
						PRP T conjugate, 4 dose
						schedule, for
90648	_		I.C.	<u> </u>	_	intramuscular use
						Human Papillomavirus
						vaccine, types 6, 11, 16,
						18, quadrivalent
						(4vHPV), 3 dose
						schedule, for
90649	_	ı	\$137.59	_	_	intramuscular use

Code	NFAC	FAC	Global	PC	TC	Description
						Human Papillomavirus
						vaccine, types 16, 18,
						bivalent (2vHPV), 3 dose
						schedule, for
90650	_	_	\$134.40	_	_	intramuscular use
						Human Papillomavirus
						vaccine types 6, 11, 16,
						18, 31, 33, 45, 52, 58,
						nonavalent (9vHPV), 3
						dose schedule, for
90651	_	-	I.C.	_	_	intramuscular use
						Influenza vaccine,
						inactivated (IIV), subunit,
						adjuvanted, for
90653	_	_	I.C.	_	_	intramuscular use
						Influenza virus vaccine,
						trivalent (IIV3), split
						virus, preservative free,
90654	_	-	I.C.		_	for intradermal use
						Influenza virus vaccine,
						trivalent (IIV3), split
						virus, preservative free,
						when administered to
						children 6-35 months of
90655	_	I	I.C.	_	_	age, for intramuscular use
						Influenza virus vaccine,
						trivalent (IIV3), split
						virus, when administered
						to children 6-35 months
						of age, for intramuscular
90657	_	_	I.C.	_	_	use
						Influenza virus vaccine,
						trivalent (HV3), split
						virus, when administered
						to individuals 3 years of
						age and older, for
90658	_	_	I.C.	_	_	intramuscular use
						Influenza virus vaccine,
						trivalent, live (LAIV3),
90660	_	_	I.C.	_	_	for intranasal use

Code	NFAC	FAC	Global	PC	TC	Description
						Influenza virus vaccine
						(ccIIV3), derived from
						cell cultures, subunit,
						preservative and
						antibiotic free, for
90661	_	_	I.C.	_	_	intramuscular use
						Influenza virus vaccine,
						live (LAIV), pandemic
						formulation, for
90664	_	_	I.C.	_	_	intranasal use
						Influenza virus vaccine
						(IIV), pandemic
						formulation, split virus,
						preservative free, for
90666	_	_	I.C.	_	_	intramuscular use
						Influenza virus vaccine
						(IIV), pandemic
						formulation, split virus,
						adjuvanted, for
90667	_	_	I.C.		_	intramuscular use
7 0 0 0 1						Influenza virus vaccine
						(IIV), pandemic
						formulation, split virus,
90668	_	_	I.C.	_	_	for intramuscular use
7 0 0 0						Rabies vaccine, for
90676	_	_	I.C.		_	intradermal use
						Rotavirus vaccine,
						pentavalent (RV5), 3 dose
						schedule, live, for oral
90680		_	I.C.	_	_	use
70000			1.0.			Rotavirus vaccine,
						human, attenuated (RV1),
						2 dose schedule, live, for
90681	_	_	I.C.	_	_	oral use
70001			1.0.			Influenza virus vaccine,
						quadrivalent (RIV4),
						derived from recombinant
						DNA, hemagglutinin
						(HA) protein only,
						preservative and
						antibiotic free, for
90682	_	_	I.C.	_	_	intramuscular use
7000 2			1. 			muamuscul ar usc

Code	NFAC	FAC	Global	PC	ŦC	Description
						Influenza virus vaccine,
						quadrivalent (HV4), split
						virus, preservative free,
						when administered to
						children 6-35 months of
90685	_	_	I.C.	_	_	age, for intramuscular use
						Influenza virus vaccine,
						quadrivalent (IIV4), split
						virus, when administered
						to children 6-35 months
						of age, for intramuscular
90687	_	_	I.C.	_	_	use
						Typhoid vaccine, live,
90690	_	_	I.C.	_	_	oral
						Diphtheria, tetanus
						toxoids, acellular
						pertussis vaccine and
						inactivated poliovirus
						vaccine (DTaP-IPV),
						when administered to
						children 4 through 6 years
						of age, for intramuscular
90696	_	_	I.C.	_	_	use
						Diphtheria, tetanus
						toxoids, acellular
						pertussis vaccine,
						inactivated poliovirus
						vaccine, Haemophilus
						influenzae type b PRP
						OMP conjugate vaccine,
						and hepatitis B vaccine
						(DTaP-IPV-Hib-HepB),
90697	_	_	I.C.	_	_	for intramuscular use
						Diphtheria, tetanus
						toxoids, acellular
						pertussis vaccine,
						Haemophilus influenzae
						type b, and inactivated
						poliovirus vaccine
						(DTaP-IPV/Hib), for
90698			I.C.	_	_	intramuscular use

Code	NFAC	FAC	Global	PC	TC	Description
						Diphtheria, tetanus
						toxoids, and acellular
						pertussis vaccine (DTaP),
						when administered to
						individuals younger than
						7 years, for intramuscular
90700	_	_	I.C.	_	_	use
						Diphtheria and tetanus
						toxoids adsorbed (DT)
						when administered to
						individuals younger than
						7 years, for intramuscular
90702	_	_	I.C.	_		use
						Measles, mumps and
						rubella virus vaccine
						(MMR), live, for
90707	_	_	I.C.	_	_	subcutaneous use
						Measles, mumps, rubella,
						and varicella vaccine
						(MMRV), live, for
90710	_	_	I.C.		_	subcutaneous use
						Poliovirus vaccine,
						inactivated (IPV), for
						subcutaneous or
90713	_	_	I.C.		_	intramuscular use
7 0 1 20						Varicella virus vaccine
						(VAR), live, for
90716	_	_	I.C.		_	subcutaneous use
70,70						Yellow fever vaccine,
90717	_	_	I.C.	_		live, for subcutaneous use
70717			1.0.		_	Diphtheria, tetanus
						toxoids, acellular
						pertussis vaccine,
						*
						hepatitis B, and
						inactivated poliovirus
						vaccine (DTaP HepB-
00722			IC			IPV), for intramuscular
90723	_	_	I.C.	_	_	use
						Meningococcal
						polysaccharide vaccine,
90733	_	_	I.C.		_	serogroups A, C, Y, W-

Code	NFAC	FAC	Global	PC	TC	Description
						135, quadrivalent
						(MPSV4), for
-1						subcutaneous use
						Meningococcal conjugate
						vaccine, serogroups A, C,
						Y and W 135,
						quadrivalent
						(MenACWY), for
90734	_	_	I.C.	_	_	intramuscular use
						Zoster (shingles) vaccine
						(HZV), live, for
90736	_	_	I.C.	_	_	subcutaneous injection
						Japanese encephalitis
						virus vaccine, inactivated,
90738		_	I.C.	_		for intramuscular use
70700			2,0,			Hepatitis B vaccine
						(HepB), adult dosage, 2
						dose schedule, for
90739	_	_	I.C.	_	_	intramuscular use
70137			1.0.			Hepatitis B vaccine
						(HepB), adolescent, 2
						dose schedule, for
90743			I.C.			intramuscular use
90743	_	_	1.U.	_	_	Hepatitis B vaccine
						-
						(HepB),
						pediatric/adolescent
00744			T. C.			dosage, 3 dose schedule,
90744	_	_	I.C.		_	for intramuscular use
						Hepatitis B and
						Haemophilus influenzae
						type b vaccine (Hib-
						HepB), for intramuscular
90748	_	_	I.C.	_	_	use
90749	_	_	I.C.	_	_	Unlisted vaccine/toxoid
						Zoster (shingles) vaccine
						(HZV), recombinant, sub-
						unit, adjuvanted, for
90750	_	<u> </u>	I.C.	_	_	intramuscular injection
						Interactive complexity
						(List separately in
90785	_	_	\$10.01		_	addition to the code for

Code	NFAC	FAC	Global	PC	TC	Description
						primary procedure)
						Psychiatric diagnostic
90791	\$95.09	\$91.72	_	_	_	evaluation evaluation
						Psychiatric diagnostic
						evaluation with medical
90792	\$105.05	\$101.68	_	_	_	services
						Psychotherapy, 30
						minutes with patient
90832	\$45.92	\$45.64		_	_	and/or family member
						Psychotherapy, 30
						minutes with patient
						and/or family member
						when performed with an
						evaluation and
						management service (List
						separately in addition to
						the code for primary
90833	\$47.48	\$46.92	_	_	-	procedure)
						Psychotherapy, 45
00004	.	↑				minutes with patient
90834	\$61.00	\$60.72		_	_	and/or family member
						Psychotherapy, 45
						minutes with patient
						and/or family member
						when performed with an
						evaluation and
						management service (List
						separately in addition to
00026	ф.co. 2 0	Φ50.73				the code for primary
90836	\$60.28	\$59.72	_	_	_	procedure)
						Psychotherapy, 60
00027	фо.1. 7.2	φοο οο				minutes with patient
90837	\$91.72	\$90.88	_	_	_	and/or family member
						Psychotherapy, 60
						minutes with patient
						and/or family member
						when performed with an
						evaluation and
00020	¢70.40	¢70.00				management service (List
90838	\$79.48	\$78.92	_	_	_	separately in addition to

Code	NFAC	FAC	Global	PC	TC	Description
						the code for primary
						procedure)
						Psychotherapy for crisis;
90839	\$95.62	\$95.05		_	_	first 60 minutes
						Psychotherapy for crisis;
						each additional 30
						minutes (List separately
00040	DAT CA	0.45.06				in addition to code for
90840	\$45.64	\$45.36	_	_	_	primary service)
90845	\$65.97	\$65.69		_	_	Psychoanalysis
						Family psychotherapy
00046	Φ 7. 4.00	Φ 7 2. 5 0				(without the patient
90846	\$74.08	\$73.52		_	_	Formilly payob otherway
						Family psychotherapy
90847	\$76.65	\$76.08				(with patient present)
70047	\$70.03	\$70.00	_	_	_	(with patient present) Multiple-family group
90849	\$25.12	\$22.31	<u></u>	_	_	psychotherapy
70077	Ψ23.12	Ψ22.51				Group psychotherapy
						(other than of a multiple
90853	\$18.51	\$18.23	_	_	_	family group)
	·					Pharmacologic
						management, including
						prescription and review
						of medication, when
						performed with
						psychotherapy services
						(List separately in
						addition to the code for
90863	_	_	I.C.	_	_	primary procedure)
						Narcosynthesis for
						psychiatric diagnostic and
						therapeutic purposes (eg,
00065	¢102.07	¢02.52				sodium amobarbital
90865	\$123.27	\$93.52	_	_	_	(Amytal) interview)

Code	NFAC	FAC	Global	PC	TC	Description
						Therapeutic repetitive
						transcranial magnetic
						stimulation (TMS)
						treatment; initial,
						including cortical
						mapping, motor threshold
						determination, delivery
90867	_	_	I.C.	_	_	and management
						Therapeutic repetitive
						transcranial magnetic
						stimulation (TMS)
						treatment; subsequent
						delivery and
90868	_	_	I.C.	_	_	management, per session
						Therapeutic repetitive
						transcranial magnetic
						stimulation (TMS)
						treatment; subsequent
						motor threshold re-
						determination with
90869	_	_	I.C.	_	_	delivery and management
70007			1.0.			Electroconvulsive therapy
						(includes necessary
90870	\$132.93	\$80.17	_	_	_	monitoring)
20070	\$102.9	Ψσσι17				Individual
						psychophysiological
						therapy incorporating
						biofeedback training by
						any modality (face to
						face with the patient),
						with psychotherapy (eg,
						insight oriented, behavior
						modifying or supportive
						psychotherapy); 30
90875	_	_	\$44.73			minutes
70075	_	_	ψ τ<i>τιο</i>	_		Individual
						psychophysiological
						therapy incorporating biofeedback training by
						any modality (face to
00076	¢70.07	\$70.95				face with the patient),
90876	\$79.27	\$70.85	_	_	_	with psychotherapy (eg,

Code	NFAC	FAC	Global	PC	TC	Description
						insight oriented, behavior modifying or supportive psychotherapy); 45 minutes
90880	\$73.60	\$67.71	_	_	_	Hypnotherapy
						Environmental intervention for medical management purposes on a psychiatric patient's behalf with agencies,
90882	_	_	I.C.	_	_	employers, or institutions
						Psychiatric evaluation of hospital records, other psychiatric reports, psychometric and/or projective tests, and other accumulated data for medical diagnostic
90885	_	_	\$36.16	_	_	purposes
						Interpretation or explanation of results of psychiatric, other medical examinations and procedures, or other accumulated data to family or other responsible persons, or advising them how to
90887	\$65.12	\$55.30	_	_		assist patient
						Preparation of report of patient's psychiatric status, history, treatment, or progress (other than for legal or consultative purposes) for other individuals, agencies, or
90889	_	_	I.C.	_	_	insurance carriers
90899		_	I.C.			Unlisted psychiatric service or procedure

Code	NFAC	FAC	Global	PC	TC	Description
						Biofeedback training by
90901	\$28.77	\$14.46	-	_	_	any modality
						Biofeedback training,
						perineal muscles,
						anorectal or urethral
						sphincter, including EMG
90911	\$63.57	\$32.42	_	_		and/or manometry
						Hemodialysis procedure
						with single evaluation by
						a physician or other
						qualified health care
90935	_	_	\$52.89	_		professional
			40 - 100			Hemodialysis procedure
						requiring repeated
						evaluation(s) with or
						without substantial
						revision of dialysis
90937	_	_	\$75.82	_	_	prescription
7 07 0 1			4.0.0			Hemodialysis access flow
						study to determine blood
						flow in grafts and
						arteriovenous fistulae by
90940	_	_	I.C.	_	_	an indicator method
						Dialysis procedure other
						than hemodialysis (eg,
						peritoneal dialysis,
						hemofiltration, or other
						continuous renal
						replacement therapies),
						with single evaluation by
						a physician or other
						qualified health care
90945	_	_	\$63.24	_	_	professional
						Dialysis procedure other
						than hemodialysis (eg,
						peritoneal dialysis,
						hemofiltration, or other
						continuous renal
						replacement therapies)
						requiring repeated
						evaluations by a
90947	_	_	\$90.44	_	_	physician or other

Code	NFAC	FAC	Global	PC	TC	Description
						qualified health care
						professional, with or
						without substantial
						revision of dialysis
						prescription
						End-stage renal disease
						(ESRD) related services
						monthly, for patients
						younger than 2 years of
						age to include monitoring
						for the adequacy of
						nutrition, assessment of
						growth and development,
						and counseling of
						parents; with 4 or more
						face-to-face visits by a
						physician or other
00071						qualified health care
90951		_	\$685.48	_	_	professional per month
						End stage renal disease
						(ESRD) related services
						monthly, for patients
						younger than 2 years of
						age to include monitoring for the adequacy of
						nutrition, assessment of
						growth and development,
						and counseling of
						parents; with 2-3 face to
						face visits by a physician
						or other qualified health
						care professional per
90952	_	_	I.C.	_	_	month
						End-stage renal disease
						(ESRD) related services
						monthly, for patients
						younger than 2 years of
						age to include monitoring
90953	-	_	I.C.	-	_	for the adequacy of

Code	NFAC	FAC	Global	PC	ŦC	Description
						nutrition, assessment of
						growth and development,
						and counseling of
						parents; with 1 face-to-
						face visit by a physician
						or other qualified health
						care professional per
						month
						End-stage renal disease
						(ESRD) related services
						monthly, for patients 2-11
						years of age to include
						monitoring for the
						adequacy of nutrition,
						assessment of growth and
						development, and
						counseling of parents;
						with 4 or more face to
						face visits by a physician
						or other qualified health
						care professional per
90954	_	_	\$594.55	_	_	month
						End-stage renal disease
						(ESRD) related services
						monthly, for patients 2-11
						years of age to include
						monitoring for the
						adequacy of nutrition,
						assessment of growth and
						development, and
						counseling of parents;
						with 2-3 face-to-face
						visits by a physician or
						other qualified health care
90955	_	_	\$334.21	_	_	professional per month
						End-stage renal disease
						(ESRD) related services
						monthly, for patients 2-11
						years of age to include
						monitoring for the
						adequacy of nutrition,
90956	_	_	\$233.58	_	_	assessment of growth and

Code	NFAC	FAC	Global	PC	TC	Description
						development, and
						counseling of parents;
						with 1 face-to-face visit
						by a physician or other
						qualified health care
						professional per month
						End stage renal disease
						(ESRD) related services
						monthly, for patients 12-
						19 years of age to include
						monitoring for the
						adequacy of nutrition,
						assessment of growth and
						development, and
						counseling of parents;
						with 4 or more face-to-
						face visits by a physician
						or other qualified health
						care professional per
90957	_	-	\$471.06	-	_	month
						End-stage renal disease
						(ESRD) related services
						monthly, for patients 12-
						19 years of age to include
						monitoring for the
						adequacy of nutrition,
						assessment of growth and
						development, and
						counseling of parents;
						with 2-3 face to face
						visits by a physician or
						other qualified health care
90958	_	_	\$319.13	_	_	professional per month
						End-stage renal disease
						(ESRD) related services
						monthly, for patients 12
						19 years of age to include
						monitoring for the
						adequacy of nutrition,
						assessment of growth and
						development, and
90959	_	_	\$217.38	_	_	counseling of parents;

Code	NFAC	FAC	Global	PC	TC	Description
						with 1 face to face visit
						by a physician or other
						qualified health care
						professional per month
						End-stage renal disease
						(ESRD) related services
						monthly, for patients 20
						years of age and older;
						with 4 or more face-to-
						face visits by a physician
						or other qualified health
000.50			\$200.50			care professional per
90960	_	_	\$208.60	_	_	month
						End stage renal disease
						(ESRD) related services
						monthly, for patients 20
						years of age and older;
						with 2-3 face to face
						visits by a physician or
00051			4.55			other qualified health care
90961	_	_	\$175.56	_	_	professional per month
						End-stage renal disease
						(ESRD) related services
						monthly, for patients 20
						years of age and older;
						with 1 face to face visit
						by a physician or other
00060			Φ125 O4			qualified health care
90962	_	_	\$135.94	_	_	professional per month
						End-stage renal disease
						(ESRD) related services
						for home dialysis per full
						month, for patients
						younger than 2 years of
						age to include monitoring
						for the adequacy of
						nutrition, assessment of growth and development,
00062			\$207.52			1
90963	_	_	\$397.52	_	_	and counseling of parents

Code	NFAC	FAC	Global	PC	TC	Description
						End stage renal disease
						(ESRD) related services
						for home dialysis per full
						month, for patients 2-11
						years of age to include
						monitoring for the
						adequacy of nutrition,
						assessment of growth and
						development, and
90964	_	_	\$347.72	_	_	counseling of parents
						End-stage renal disease
						(ESRD) related services
						for home dialysis per full
						month, for patients 12-19
						years of age to include
						monitoring for the
						adequacy of nutrition,
						assessment of growth and
						development, and
90965	_	_	\$331.09	_	_	counseling of parents
						End-stage renal disease
						(ESRD) related services
						for home dialysis per full
						month, for patients 20
90966	_	_	\$175.12	_	_	years of age and older
						End-stage renal disease
						(ESRD) related services
						for dialysis less than a
						full month of service, per
						day; for patients younger
90967	_	_	\$13.20	_	_	than 2 years of age
						End-stage renal disease
						(ESRD) related services
						for dialysis less than a
						full month of service, per
						day; for patients 2-11
90968			\$11.36			years of age
						End-stage renal disease
						(ESRD) related services
						for dialysis less than a
						full month of service, per
90969	_		\$11.10			day; for patients 12-19

Code	NFAC	FAC	Global	PC	TC	Description
						years of age
						End stage renal disease
						(ESRD) related services
						for dialysis less than a
						full month of service, per
						day; for patients 20 years
90970	_	_	\$5.71	_	_	of age and older
						Dialysis training, patient,
						including helper where
						applicable, any mode,
90989	_	_	I.C.	_	_	completed course
						Dialysis training, patient,
						including helper where
						applicable, any mode,
						course not completed, per
90993	_	_	I.C.	_	_	training session
						Hemoperfusion (eg, with
						activated charcoal or
90997		_	\$68.19	_		resin)
						Unlisted dialysis
						procedure, inpatient or
90999		_	I.C.	_	_	outpatient
91010	_	_	\$135.21	\$49.46	\$85.75	Esophagus motility study
						Esophgl motil
91013		_	\$17.67	\$7.01	\$10.66	w/stim/perfus
91020	_	_	\$180.56	\$55.64	\$124.91	Gastric motility studies
91022	_	_	\$128.05	\$55.49	\$72.56	Duodenal motility study
						Acid perfusion of
91030	_	_	\$104.90	\$34.87	\$70.03	esophagus
						Gastroesophageal reflux
91034	<u> </u>	<u>-</u>	\$146.76	\$37.71	\$109.04	test
						G-esoph reflx tst
91035		_	\$374.45	\$61.67	\$312.78	w/electrod
91037	_	_	\$123.71	\$37.40	\$86.31	Esoph imped function test
						Esoph imped funct test >
91038	_	_	\$351.71	\$42.29	\$309.42	1hr
						Esoph balloon distension
91040			\$340.90	\$37.09	\$303.80	tst

Code	NFAC	FAC	Global	PC	ŦC	Description
						Breath hydrogen/methane
91065	_	_	\$61.00	\$7.52	\$53.48	test
						Gi tract capsule
91110	_	_	\$686.88	\$140.60	\$546.27	endoscopy
						Esophageal capsule
91111	_	_	\$569.57	\$38.73	\$530.84	endoscopy
						Gi wireless capsule
91112	_	_	\$847.88	\$81.02	\$766.86	measure
						Colon motility
						(manometric) study,
						minimum 6 hours
						continuous recording
						(including provocation
						tests, eg, meal,
						intracolonic balloon
						distension, pharmacologic
						agents, if performed),
						with interpretation and
91117	_	_	\$102.27	_	_	report
91120	_	_	\$332.82	\$36.87	\$295.95	Rectal sensation test
91122	_	_	\$173.66	\$66.15	\$107.51	Anal pressure record
91132	_	_	\$120.08	\$20.30	\$99.78	Electrogastrography
						Electrogastrography
91133	_	_	\$133.99	\$25.51	\$108.48	w/test
91200	_	_	\$24.06	\$9.60	\$14.47	Liver elastography
						Gastroenterology
91299	_	_	I.C.	_	_	procedure
						Ophthalmological
						examination and
						evaluation, under general
						anesthesia, with or
						without manipulation of
						globe for passive range of
						motion or other
						manipulation to facilitate
						diagnostic examination;
92018	_	_	\$107.95	_	_	complete

Code	NFAC	FAC	Global	PC	TC	Description
						Ophthalmological
						examination and
						evaluation, under general
						anesthesia, with or
						without manipulation of
						globe for passive range of
						motion or other
						manipulation to facilitate
						diagnostic examination;
92019	_	_	\$53.13	_	_	limited
						Gonioscopy (separate
92020	\$20.01	\$15.52	_	_	_	procedure)
92025	_	_	\$28.92	\$15.01	\$13.91	Corneal topography
92060	_	_	\$49.41	\$28.49	\$20.92	Special eye evaluation
						Orthoptic/pleoptic
92065	_	_	\$40.94	\$13.28	\$27.66	training
						Fitting of contact lens for
						treatment of ocular
92071	\$28.28	\$24.91	_	_	_	surface disease
						Fitting of contact lens for
						management of
92072	\$101.21	\$76.23	_	-	_	keratoconus, initial fitting
				***		Visual field
92081	_	_	\$25.67	\$12.05	\$13.63	examination(s)
				.	400 44	Visual field
92082	_	_	\$36.65	\$16.01	\$20.64	examination(s)
				4000	440.70	Visual field
92083	_	_	\$49.32	\$20.82	\$28.50	examination(s)
						Serial tonometry
						(separate procedure) with
						multiple measurements of
						intraocular pressure over
						an extended time period
						with interpretation and
						report, same day (eg,
						diurnal curve or medical treatment of acute
						elevation of intraocular
92100	\$61.40	\$25.19				
72100	701.40	₹∠J.17		_	_	pressure)
02122			\$26.20	¢1/ 17	\$12.22	Cmptr ophth dx img ant
92132	_		\$26.39	\$14.17	\$12.22	segmt

Code	NFAC	FAC	Global	PC	ŦC	Description
						Cmptr ophth img optic
92133	_	-	\$33.32	\$20.82	\$12.50	nerve
						Cptr ophth dx img post
92134	_	_	\$34.16	\$21.38	\$12.78	segmt
92136	_	_	\$69.71	\$23.25	\$46.46	Ophthalmic biometry
92145	_	-	\$11.40	\$6.19	\$5.21	Corneal hysteresis deter
						Ophthalmoscopy,
						extended, with retinal
						drawing (eg, for retinal
						detachment, melanoma),
						with interpretation and
92225	\$20.27	\$15.78	_	_	_	report; initial
						Ophthalmoscopy,
						extended, with retinal
						drawing (eg, for retinal
						detachment, melanoma),
02226	φ10. 7 1	01400				with interpretation and
92226	\$18.71	\$14.22	_	_	_	report; subsequent
						Remote imaging for
						detection of retinal
						disease (eg, retinopathy in
						a patient with diabetes)
						with analysis and report under physician
						supervision, unilateral or
92227		_	\$11.38		_	bilateral
JEEET			Ψ11.56			Remote retinal imaging
92228	_	_	\$26.06	\$15.52	\$10.54	mgmt.
72220			Ψ20.00	Ψ13.32	Ψ10.51	Fluorescein angioscopy
						with interpretation and
92230	\$44.18	\$24.81	_	_	_	report
92235	_	_	\$84.48	\$35.21	\$49.27	Eye exam with photos
92240	_	_	\$198.70	\$47.84	\$150.86	Icg angiography
						Fluorescein angiography
						and indocyanine green
						angiography (includes
						multiframe imaging)
						performed at the same
						patient encounter with
						interpretation and report,
92242	_	_	\$177.80	\$41.78	\$136.02	unilateral or bilateral

Code	NFAC	FAC	Global	PC	ŦC	Description
92250	_	-	\$60.97	\$17.88	\$43.09	Eye exam with photos
92260	\$13.98	\$8.08	I	1	J	Ophthalmodynamometry
92265	_	-	\$60.09	\$31.87	\$28.22	Eye muscle evaluation
92270	_	_	\$69.91	\$30.47	\$39.44	Electro-oculography
92275	_	_	\$114.45	\$40.33	\$74.12	Electroretinography
92283	_	_	\$43.11	\$6.75	\$36.36	Color vision examination
92284	_	_	\$47.71	\$9.11	\$38.60	Dark adaptation eye exam
92285	_	_	\$15.90	\$2.28	\$13.63	Eye photography
92286	_	_	\$29.08	\$16.57	\$12.50	Internal eye photography
92287	_	_	\$105.96	\$34.93	\$71.03	Internal eye photography
						Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneal lens, both eyes, except for
92310	\$72.02	\$43.68	_	_	_	aphakia
92311	\$76.83	\$41.19				Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneal lens for aphakia, 1 eye
				_		Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation; corneal lens for aphakia, both
92312	\$88.45	\$46.92		_	_	eyes Prescription of optical and physical characteristics of and fitting of contact lens, with medical supervision of adaptation;
92313	\$73.98	\$34.97	_	_	_	corneoscleral lens

Code	NFAC	FAC	Global	PC	TC	Description
						Prescription of optical
						and physical
						characteristics of contact
						lens, with medical
						supervision of adaptation
						and direction of fitting by
						independent technician;
						corneal lens, both eyes
92314	\$60.67	\$25.59	_	_	_	except for aphakia
						Prescription of optical
						and physical
						characteristics of contact
						lens, with medical
						supervision of adaptation
						and direction of fitting by
						independent technician;
00015		44.504				corneal lens for aphakia,
92315	\$56.18	\$16.04		_	_	1 eye
						Prescription of optical
						and physical
						characteristics of contact
						lens, with medical
						supervision of adaptation
						and direction of fitting by
						independent technician;
00016	ф 7 0.40	Φ24.10				corneal lens for aphakia,
92316	\$70.48	\$24.18	_	_	_	both eyes
						Prescription of optical
						and physical
						characteristics of contact
						lens, with medical
						supervision of adaptation
						and direction of fitting by
00217	φ <u>ε</u> 0.70	φ1.c.22				independent technician;
92317	\$58.70	\$16.32	_	_	_	corneoscleral lens
						Modification of contact
						lens (separate procedure),
00205			¢22.00			with medical supervision
92325	_	_	\$32.99	_	_	of adaptation
00226			\$07 <<			Replacement of contact
92326	_	_	\$27.66	_	_	lens

Code	NFAC	FAC	Global	PC	TC	Description
						Fitting of spectacle
						prosthesis for aphakia;
92352	\$30.83	\$13.71	<u>-</u>	_	_	monofocal
						Fitting of spectacle
						prosthesis for aphakia;
92353	\$35.72	\$18.60	_	_	_	multifocal
						Fitting of spectacle
						mounted low vision aid;
92354	_	_	\$10.54	_	_	single element system
						Fitting of spectacle
						mounted low vision aid;
						telescopic or other
92355	_	_	\$16.43	_	_	compound lens system
						Prosthesis service for
						aphakia, temporary
						(disposable or loan,
92358	_	_	\$8.86	-	_	including materials)
						Repair and refitting
						spectacles; spectacle
92371	_	_	\$9.14	_	_	prosthesis for aphakia
92499	_	_	I.C.	1	_	Eye service or procedure
						Otolaryngologic
						examination under
92502	_	_	\$72.65	_	_	general anesthesia
						Binocular microscopy
						(separate diagnostic
92504	\$23.29	\$7.01	_	_	_	procedure)
						Treatment of speech,
						language, voice,
						communication, and/or
						auditory processing
92507	_	_	\$58.76	_	_	disorder; individual
						Treatment of speech,
						language, voice,
						communication, and/or
						auditory processing
						disorder; group, 2 or
92508	_	_	\$17.59	_	_	more individuals
						Nasopharyngoscopy with
						endoscope (separate
92511	\$87.24	\$29.43	_	_	_	procedure)

Code	NFAC	FAC	Global	PC	TC	Description
						Nasal function studies
92512	\$46.42	\$21.16	_	-	_	(eg, rhinomanometry)
						Facial nerve function
						studies (eg,
92516	\$54.42	\$17.09	_	_	_	electroneuronography)
						Laryngeal function
						studies (ie, aerodynamie
						testing and acoustic
92520	\$57.46	\$30.52	_	_	_	testing)
						Evaluation of speech
						fluency (eg, stuttering,
92521		_	\$82.54	_	_	cluttering)
						Evaluation of speech
						sound production (eg,
						articulation, phonological
						process, apraxia,
92522	_	_	\$68.69	_	_	dysarthria);
						Evaluation of speech
						sound production (eg,
						articulation, phonological
						process, apraxia,
						dysarthria); with
						evaluation of language
						comprehension and
						expression (eg, receptive
92523	_	_	\$144.51	_	_	and expressive language)
			, , , , ,			Behavioral and
						qualitative analysis of
92524	_	_	\$66.44	_	_	voice and resonance
			7 0 0 1 1 1			Treatment of swallowing
						dysfunction and/or oral
92526	_	_	\$64.28	_	_	function for feeding
72020			ψο .2 0			Spontaneous nystagmus,
92531	_	_	I.C.	_	_	including gaze
92532	_	_	I.C.			Positional nystagmus test
74334	-		1.0.	<u> </u>	_	Caloric vestibular test,
						each irrigation (binaural,
						bithermal stimulation
92533			I.C.		_	constitutes 4 tests)
72333	_		1.0.	-	_	Optokinetic nystagmus
92534			I.C.			
74334	_	_	1.C.	_	_	test

Code	NFAC	FAC	Global	PC	ŦC	Description
92537	_	_	\$30.14	\$23.53	\$6.61	Caloric vstblr test w/rec
92538	_	_	\$15.29	\$11.77	\$3.52	Caloric vstblr test w/rec
						Basic vestibular
92540	_	_	\$76.11	\$58.83	\$17.27	evaluation evaluation
						Spontaneous nystagmus
92541	_	_	\$17.85	\$15.45	\$2.40	test
92542	_	_	\$20.62	\$18.50	\$2.12	Positional nystagmus test
						Optokinetic nystagmus
92544	_	_	\$12.28	\$10.44	\$1.84	test
92545	_	_	\$11.20	\$9.64	\$1.56	Oscillating tracking test
92546	_	_	\$80.58	\$10.95	\$69.63	Sinusoidal rotational test
						Use of vertical electrodes
						(List separately in
						addition to code for
92547	_	_	\$4.77	-	-	primary procedure)
92548	_	_	\$79.50	\$19.29	\$60.21	Posturography
						Tympanometry and reflex
92550	_	_	\$15.73	_	_	threshold measurements
						Screening test, pure tone,
92551	_		\$9.42	-	-	air only
						Pure tone audiometry
92552	_	_	\$24.57	_	-	(threshold); air only
						Pure tone audiometry
92553	_	_	\$29.34	_	-	(threshold); air and bone
						Speech audiometry
92555	_	_	\$18.40	_	_	threshold;
						Speech audiometry
0077			#20.04			threshold; with speech
92556	_	_	\$29.34	_	_	recognition
						Comprehensive
						audiometry threshold
						evaluation and speech
92557	\$27.90	\$24.25				recognition (92553 and 92556 combined)
72331	\$21.70	Φ24.23	_	_		Evoked otoacoustic
						emissions, screening
						(qualitative measurement
						of distortion product or
						transient evoked
						otoacoustic emissions),
92558	_	_	I.C.	_	_	automated analysis

92559 – <u>I.C.</u> – groups Bekesy au	ric testing of
Bekesy au	
	diometry;
92560 – I.C. – screening	
Bekesy au	diometry;
92561 – <u>\$29.78</u> – <u>diagnostic</u>	
	balance test,
alternate b	inaural or
92562 – – \$36.64 – – monaural	
92563 – – \$24.29 – – Tone deca	y test
Short incre	ement
92564 – - \$22.05 – - sensitivity	index (SISI)
92565 – - \$12.50 – Stenger tes	st, pure tone
Tympanor	
92567 \$10.89 \$8.08 — — — (impedance	
Acoustic r	eflex testing,
92568 \$11.67 \$11.39 — — threshold	
Acoustic i	mmittance
testing, inc	cludes
tympanom	
(impedance	
	eflex threshold
testing, and	d acoustic
92570 \$23.81 \$22.13 — — reflex deca	ay testing
92571 – \$21.48 – Filtered sp	eech test
Staggered Staggered	spondaic word
92572 – - \$28.22 – - test	
	ural acuity level
92575 – – \$57.00 – – test	
Synthetic (
92576 – <u>\$28.22</u> – <u>identificati</u>	ion test
92577 – \$13.06 – Stenger tes	st, speech
Visual reir	nforcement
92579 \$31.05 \$27.40 — — audiometr	
Condition	ing play
92582 – – \$53.35 – – audiometr	y
92583 – – \$41.41 – – <u>Select pict</u>	ure audiometry
	chleography
	oke potent
92585 – <u>\$105.76</u> \$19.85 \$85.90 compre	•

Code	NFAC	FAC	Global	PC	ŦC	Description
						Auditory evoked
						potentials for evoked
						response audiometry
						and/or testing of the
						central nervous system;
92586	_	_	\$67.38	_	_	limited
						Evoked auditory test
92587	_	_	\$16.01	\$13.61	\$2.40	limited
						Evoked auditory tst
92588	_	_	\$24.50	\$21.54	\$2.96	complete
						Ear protector attenuation
92596	_	_	\$33.15	_	_	measurements
						Evaluation for use and/or
						fitting of voice prosthetic
						device to supplement oral
92597	_	_	\$53.28		_	speech
						Diagnostic analysis of
						cochlear implant, patient
						younger than 7 years of
92601	\$104.85	\$88.02	_	_	_	age; with programming
						Diagnostic analysis of
						cochlear implant, patient
						younger than 7 years of
						age; subsequent
92602	\$66.93	\$50.94		_	_	reprogramming
						Diagnostic analysis of
						cochlear implant, age 7
						years or older; with
92603	\$113.34	\$90.60		_	_	programming
						Diagnostic analysis of
						cochlear implant, age 7
						years or older; subsequent
92604	\$67.31	\$50.19		_	_	reprogramming
						Evaluation for
						prescription of non-
						speech generating
						augmentative and
						alternative
						communication device,
						face to face with the
92605	\$68.26	\$65.17	_	_	_	patient; first hour

Code	NFAC	FAC	Global	PC	TC	Description
						Therapeutic service(s) for
						the use of non-speech-
						generating device,
						including programming
92606	\$61.51	\$52.25	_	_	_	and modification
						Evaluation for
						prescription for speech
						generating augmentative
						and alternative
						communication device,
						face-to-face with the
92607	_	_	\$94.64	_		patient; first hour
						Evaluation for
						prescription for speech-
						generating augmentative
						and alternative
						communication device,
						face to face with the
						patient; each additional
						30 minutes (List
						separately in addition to
						code for primary
92608		_	\$39.72	_		procedure)
						Therapeutic services for
						the use of speech-
						generating device,
						including programming
92609		_	\$83.25	_		and modification
						Evaluation of oral and
						pharyngeal swallowing
92610	\$63.69	\$53.87	<u> </u>			function
						Motion fluoroscopic
						evaluation of swallowing
						function by cine or video
92611	_	_	\$64.62	_	_	recording
						Flexible fiberoptic
						endoscopic evaluation of
						swallowing by cine or
92612	\$143.78	\$50.32	-	_	_	video recording;

Code	NFAC	FAC	Global	PC	TC	Description
						Flexible fiberoptic
						endoscopic evaluation of
						swallowing by cine or
						video recording;
						interpretation and report
92613	_	_	\$28.09	_	_	only
						Flexible fiberoptic
						endoscopic evaluation,
						laryngeal sensory testing
						by cine or video
92614	\$111.78	\$50.04	_		_	recording;
						Flexible fiberoptic
						endoscopic evaluation,
						laryngeal sensory testing
						by cine or video
						recording; interpretation
92615	\$24.89	\$24.61		_	_	and report only
						Flexible fiberoptic
						endoscopic evaluation of
						swallowing and laryngeal
						sensory testing by cine or
92616	\$159.46	\$74.70		_	_	video recording;
						Flexible fiberoptic
						endoscopic evaluation of
						swallowing and laryngeal
						sensory testing by cine or
						video recording;
						interpretation and report
92617	_	_	\$30.83	_	_	only
						Evaluation for
						prescription of non-
						speech-generating
						augmentative and
						alternative
						communication device,
						face to face with the
						patient; each additional
						30 minutes (List
						separately in addition to
						code for primary
92618	\$24.84	\$24.28	_	_	_	procedure)

Code	NFAC	FAC	Global	PC	TC	Description
						Evaluation of central
						auditory function, with
92620	\$70.22	\$61.23	-	-	-	report; initial 60 minutes
						Evaluation of central
						auditory function, with
						report; each additional 15
						minutes (List separately
						in addition to code for
92621	\$16.70	\$14.17	_	_	_	primary procedure)
						Assessment of tinnitus
						(includes pitch, loudness
92625	\$52.12	\$46.22	_	_	_	matching, and masking)
						Evaluation of auditory
						rehabilitation status; first
92626	\$66.94	\$56.55	_	_	_	hour
						Evaluation of auditory
						rehabilitation status; each
						additional 15 minutes
						(List separately in
						addition to code for
92627	\$16.74	\$13.38	_	_	_	primary procedure)
						Auditory rehabilitation;
92630	_	_	I.C.	_	_	prelingual hearing loss
						Auditory rehabilitation;
92633	_	_	I.C.	_	_	postlingual hearing loss
						Diagnostic analysis with
						programming of auditory
						brainstem implant, per
92640	\$84.61	\$71.14	_	_	_	hour
						Unlisted
						otorhinolaryngological
92700	_	_	I.C.	_	_	service or procedure
						Percutaneous
						transluminal coronary
						angioplasty; single major
92920	_	_	\$391.51	_	_	coronary artery or branch
						Percutaneous
						transluminal coronary
						angioplasty; each
						additional branch of a
						major coronary artery
92921	_	_	I.C.	_	_	(List separately in

Code	NFAC	FAC	Global	PC	TC	Description
						addition to code for
						primary procedure)
						Percutaneous
						transluminal coronary
						atherectomy, with
						coronary angioplasty
						when performed; single
						major coronary artery or
92924	_	_	\$464.99	_	_	branch
						Percutaneous
						transluminal coronary
						atherectomy, with
						coronary angioplasty
						when performed; each
						additional branch of a
						major coronary artery
						(List separately in
						addition to code for
92925	_	_	I.C.	_	_	primary procedure)
						Percutaneous
						transcatheter placement
						of intracoronary stent(s),
						with coronary angioplasty
						when performed; single
						major coronary artery or
92928	_	_	\$434.51	_	_	branch
						Percutaneous
						transcatheter placement
						of intracoronary stent(s),
						with coronary angioplasty
						when performed; each
						additional branch of a
						major coronary artery
						(List separately in
						addition to code for
92929	_	_	I.C.	_	_	primary procedure)

Code	NFAC	FAC	Global	PC	TC	Description
						Percutaneous
						transluminal coronary
						atherectomy, with
						intracoronary stent, with
						coronary angioplasty
						when performed; single
						major coronary artery or
92933	_	_	\$486.02	-	_	branch
						Percutaneous Percutaneous
						transluminal coronary
						atherectomy, with
						intracoronary stent, with
						coronary angioplasty
						when performed; each
						additional branch of a
						major coronary artery
						(List separately in
						addition to code for
92934	l	-	I.C.	-	_	primary procedure)
						Percutaneous
						transluminal
						revascularization of or
						through coronary artery
						bypass graft (internal
						mammary, free arterial,
						venous), any combination
						of intracoronary stent,
						atherectomy and
						angioplasty, including
						distal protection when
92937		_	\$434.26	_	_	performed; single vessel
						Percutaneous
						transluminal
						revascularization of or
						through coronary artery
						bypass graft (internal
						mammary, free arterial,
						venous), any combination
						of intracoronary stent,
						atherectomy and
						angioplasty, including
92938	_	_	I.C.	_	_	distal protection when

Code	NFAC	FAC	Global	PC	ŦC	Description
						performed; each
						additional branch
						subtended by the bypass
						graft (List separately in
						addition to code for
						primary procedure)
						Percutaneous
						transluminal
						revascularization of acute
						total/subtotal occlusion
						during acute myocardial
						infarction, coronary
						artery or coronary artery
						bypass graft, any
						combination of
						intracoronary stent,
						atherectomy and
						angioplasty, including
						aspiration thrombectomy
						when performed, single
92941	_	_	\$486.97	_	_	vessel
						Percutaneous
						transluminal
						revascularization of
						chronic total occlusion,
						coronary artery, coronary
						artery branch, or coronary
						artery bypass graft, any
						combination of
						intracoronary stent,
						atherectomy and
92943	_	_	\$486.81	_	_	angioplasty; single vessel
						Percutaneous
						transluminal
						revascularization of
						chronic total occlusion,
						coronary artery, coronary
92944	_	_	I.C.	_	_	artery branch, or coronary

Code	NFAC	FAC	Global	PC	TC	Description
						artery bypass graft, any
						combination of
						intracoronary stent,
						atherectomy and
						angioplasty; each
						additional coronary
						artery, coronary artery
						branch, or bypass graft
						(List separately in
						addition to code for
						primary procedure)
						Cardiopulmonary
						resuscitation (eg, in
92950	\$227.30	\$135.25	_	-	_	cardiac arrest)
						Temporary
92953	_	_	\$8.17	_	_	transcutaneous pacing
						Cardioversion, elective,
						electrical conversion of
92960	\$156.21	\$90.26	_	_	_	arrhythmia; external
						Cardioversion, elective,
						electrical conversion of
						arrhythmia; internal
92961	_	_	\$188.05	_	_	(separate procedure)
						Cardioassist-method of
92970	_	_	\$135.94	_	_	circulatory assist; internal
						Cardioassist method of
92971	_	_	\$72.74	_	_	circulatory assist; external
			·			Percutaneous
						transluminal coronary
						thrombectomy
						mechanical (List
						separately in addition to
						code for primary
92973	_	_	\$127.08	_	_	procedure)
2=2.0			+- - 00			Transcatheter placement
						of radiation delivery
						device for subsequent
						coronary intravascular
						brachytherapy (List
						separately in addition to
92974	_	_	\$116.02	_	_	code for primary
7 271 7			ψ110.02			code for primary

Code	NFAC	FAC	Global	PC	TC	Description
						procedure)
						Thrombolysis, coronary;
						by intracoronary infusion,
						including selective
92975	_	_	\$280.08	_	_	coronary angiography
						Thrombolysis, coronary;
92977	_	_	\$47.48	_	_	by intravenous infusion
92978	_	_	_	\$69.09	_	Intravasc us heart add-on
92979	_	_		\$55.13	_	Intravasc us heart add on
				400.10		Percutaneous balloon
						valvuloplasty; aortic
92986	_	_	\$964.35	_	_	valve
						Percutaneous balloon
						valvuloplasty; mitral
92987	_	_	\$995.39	_	_	valve
						Percutaneous balloon
						valvuloplasty; pulmonary
92990	_	_	\$786.04	_	_	valve
						Atrial septectomy or
						septostomy; transvenous
						method, balloon (eg,
						Rashkind type) (includes
92992	_	_	I.C.	_		cardiac catheterization)
						Atrial septectomy or
						septostomy; blade method
						(Park septostomy) (includes cardiac
92993			I.C.			catheterization)
7∠773	_	_	1.C.	_	_	Percutaneous
						transluminal pulmonary
						artery balloon
92997	_	_	\$470.15	_	_	angioplasty; single vessel
) <u>-</u>))			Ψ170.10			Percutaneous
						transluminal pulmonary
						artery balloon
						angioplasty; each
						additional vessel (List
92998			\$231.90			separately in addition to

Code	NFAC	FAC	Global	PC	TC	Description
						code for primary
						procedure)
						Electrocardiogram,
						routine ECG with at least
						12 leads; with
93000	_	_	\$12.80	_	_	interpretation and report
						Electrocardiogram,
						routine ECG with at least
						12 leads; tracing only,
						without interpretation and
93005	_	_	\$6.61	_	_	report
						Electrocardiogram,
						routine ECG with at least
						12 leads; interpretation
93010	_	_	\$6.19	_	_	and report only
						Cardiovascular stress test
						using maximal or
						submaximal treadmill or
						bicycle exercise,
						continuous
						electrocardiographic
						monitoring, and/or
						pharmacological stress;
						with supervision,
93015	_	_	\$57.99	_	_	interpretation and report
						Cardiovascular stress test
						using maximal or
						submaximal treadmill or
						bicycle exercise,
						continuous
						electrocardiographic
						monitoring, and/or
						pharmacological stress;
						supervision only, without
93016	_	-	\$16.32	-	_	interpretation and report

Code	NFAC	FAC	Global	PC	ŦC	Description
						Cardiovascular stress test
						using maximal or
						submaximal treadmill or
						bicycle exercise,
						continuous
						electrocardiographic
						monitoring, and/or
						pharmacological stress;
						tracing only, without
93017	_	_	\$31.03	_	_	interpretation and report
						Cardiovascular stress test
						using maximal or
						submaximal treadmill or
						bicycle exercise,
						continuous
						electrocardiographic
						monitoring, and/or
						pharmacological stress;
						interpretation and report
93018	_	_	\$10.64	_	_	only
93024	_	_	\$85.06	\$42.09	\$42.97	Cardiac drug stress test
93025	_	-	\$123.94	\$26.97	\$96.98	Microvolt t-wave assess
						Rhythm ECG, 1-3 leads;
						with interpretation and
93040	_	_	\$9.48	_	_	report
						Rhythm ECG, 1-3 leads;
						tracing only without
93041	_	_	\$4.36	_	_	interpretation and report
						Rhythm ECG, 1-3 leads;
						interpretation and report
93042	_	_	\$5.12	_	_	only
						Art pressure waveform
93050	_	_	\$13.08	\$6.19	\$6.89	analys
						External
						electrocardiographic
						recording up to 48 hours
						by continuous rhythm
						recording and storage;
						includes recording,
						scanning analysis with
93224	_	_	\$70.35	_	_	report, review and

Code	NFAC	FAC	Global	PC	TC	Description
						interpretation by a
						physician or other
						qualified health care
						professional
						External
						electrocardiographic
						recording up to 48 hours
						by continuous rhythm
						recording and storage;
						recording (includes
						connection, recording,
93225	_	_	\$20.92	_	_	and disconnection)
						External
						electrocardiographic
						recording up to 48 hours
						by continuous rhythm
						recording and storage;
						scanning analysis with
93226	_	_	\$29.90	_	_	report
			·			External
						electrocardiographic
						recording up to 48 hours
						by continuous rhythm
						recording and storage;
						review and interpretation
						by a physician or other
						qualified health care
93227	_	_	\$19.52	_	_	professional
, , , , ,			+ - × · · · · -			External mobile
						cardiovascular telemetry
						with electrocardiographic
						recording, concurrent
						computerized real time
						data analysis and greater
						than 24 hours of
						accessible ECG data
						storage (retrievable with
						query) with ECG
93228			\$19.11		_	triggered and patient
73440	_	_	φ17.11	_	_	unggereu anu patient

Code	NFAC	FAC	Global	PC	ŦC	Description
						selected events
						transmitted to a remote
						attended surveillance
						center for up to 30 days;
						review and interpretation
						with report by a physician
						or other qualified health
						care professional
						External mobile
						cardiovascular telemetry
						with electrocardiographic
						recording, concurrent
						computerized real time
						data analysis and greater
						than 24 hours of
						accessible ECG data
						storage (retrievable with
						query) with ECG
						triggered and patient
						selected events
						transmitted to a remote
						attended surveillance
						center for up to 30 days;
						technical support for
						connection and patient
						instructions for use,
						attended surveillance,
						analysis and transmission
						of daily and emergent
						data reports as prescribed
						by a physician or other
						qualified health care
93229	_	-	\$574.55	_	-	professional
00000				000 10	4	Prgrmg dev eval impltbl
93260	_	_	\$50.45	\$33.18	\$17.27	sys
93261	_	_	\$45.80	\$28.52	\$17.27	Interrogate subq defib
						External patient and,
02260			01.00.71			when performed, auto
93268	_	_	\$160.71	_	_	activated

Code	NFAC	FAC	Global	PC	TC	Description
						electrocardiographic
						rhythm derived event
						recording with symptom-
						related memory loop with
						remote download
						capability up to 30 days,
						24-hour attended
						monitoring; includes
						transmission, review and
						interpretation by a
						physician or other
						qualified health care
						professional
						External patient and,
						when performed, auto
						activated
						electrocardiographic
						rhythm derived event
						recording with symptom-
						related memory loop with
						remote download
						capability up to 30 days,
						24 hour attended
						monitoring; recording
						(includes connection,
						recording, and
93270	_	_	\$7.17	_	_	disconnection)
						External patient and,
						when performed, auto
						activated
						electrocardiographic
						rhythm derived event
						recording with symptom-
						related memory loop with
						remote download
						capability up to 30 days,
						24-hour attended
						monitoring; transmission
93271		_	\$134.86	_	_	and analysis
						External patient and,
						when performed, auto
93272	_	_	\$18.68	_	_	activated

Code	NFAC	FAC	Global	PC	TC	Description
						electrocardiographic
						rhythm derived event
						recording with symptom-
						related memory loop with
						remote download
						capability up to 30 days,
						24-hour attended
						monitoring; review and
						interpretation by a
						physician or other
						qualified health care
93278			\$22.99	\$9.08	\$13.91	professional Ecg/signal averaged
	_	_			·	<u> </u>
93279	_	_	\$37.32	\$23.69	\$13.63	Pm device progr eval sngl
93280	_	_	\$43.63	\$28.32	\$15.31	Pm device progr eval dual
02201			ф г 1 1 7	#22.0 6	¢10.12	Pm device progr eval
93281		_	\$51.17	\$33.06	\$18.12	multi
93282			¢47.00	¢21.01	\$15.87	Prgrmg eval implantable
93202	-	_	\$47.08	\$31.21	\$13.87	dfb Prgrmg eval implantable
93283			\$61.10	\$42.42	\$18.68	dfb
73203	_	_	Ψ01.10	Ψ-7272	Ψ10.00	Prgrmg eval implantable
93284	_	_	\$67.46	\$46.26	\$21.20	dfb
93285	_	_	\$31.74	\$ 19.24	\$12.50	Ilr device eval progr
73203	_	<u>-</u>	Φ31./4	\$17.24	Ψ12.30	Peri-px pacemaker device
93286	_	_	\$20.62	\$11.21	\$9.42	evl
73200			Ψ20.02	Ψ11.21	ψ2.12	Peri-px device eval &
93287	_	_	\$27.14	\$16.89	\$10.26	prgr
93288	_	_	\$27.75	\$15.53	\$12.22	Pm device eval in person
93289	_	_	\$48.88	\$33.57	\$15.31	Interrog device eval heart
93290	_		\$23.26	\$15.81	\$7.45	Icm device eval
93291	_	_	\$27.19	\$15.81	\$11.38	Ilr device interrogate
93292	_	_	\$24.39	\$15.81	\$8.57	Wed device interrogate
						Pm phone r strip device
93293	_	_	\$41.06	\$11.44	\$29.62	eval
						Interrogation device
						evaluation(s) (remote), up
						to 90 days; single, dual,
						o r multiple lead
93294	_	_	\$24.84	_	_	pacemaker system with

Code	NFAC	FAC	Global	PC	ŦC	Description
						interim analysis, review(s) and report(s) by a physician or other qualified health care professional
93295	_		\$ 49.31	_	_	Interrogation device evaluation(s) (remote), up to 90 days; single, dual, or multiple lead implantable defibrillator system with interim analysis, review(s) and report(s) by a physician or other qualified health care professional
93296	_	_	\$20.36			Interrogation device evaluation(s) (remote), up to 90 days; single, dual, or multiple lead pacemaker system or implantable defibrillator system, remote data acquisition(s), receipt of transmissions and technician review, technical support and distribution of results
93297			\$19.40			Interrogation device evaluation(s), (remote) up to 30 days; implantable cardiovascular monitor system, including analysis of 1 or more recorded physiologic cardiovascular data elements from all internal and external sensors, analysis, review(s) and report(s) by a physician or other qualified health care professional

Code	NFAC	FAC	Global	PC	ŦC	Description
						Interrogation device
						evaluation(s), (remote) up
						to 30 days; implantable
						loop recorder system,
						including analysis of
						recorded heart rhythm
						data, analysis, review(s)
						and report(s) by a
						physician or other
						qualified health care
93298	_	_	\$19.40	_	_	professional
						Interrogation device
						evaluation(s), (remote) up
						to 30 days; implantable
						cardiovascular monitor
						system or implantable
						loop recorder system,
						remote data
						acquisition(s), receipt of
						transmissions and
						technician review,
						technical support and
93299	_	_	I.C.			distribution of results
93303	_	_	\$184.80	\$46.98	\$137.82	Echo transthoracie
93304	_	_	\$121.14	\$26.97	\$94.17	Echo transthoracie
93306	_	_	\$176.38	\$46.70	\$129.68	Tte w/doppler complete
93307		_	\$100.51	\$33.29	\$67.23	Tte w/o doppler complete
93308	_	_	\$97.11	\$18.93	\$78.17	Tte f-up or lmtd
93312	_	_	\$234.58	\$89.03	\$145.56	Echo transesophageal
						Echocardiography,
						transesophageal, real time
						with image
						documentation (2D) (with
						or without M-mode
						recording); placement of
						transesophageal probe
93313	_	_	\$16.21		_	only
93314	_	_	\$229.91	\$75.38	\$154.54	Echo transesophageal
93315	_	_	_	\$103.97	_	Echo transesophageal

Code	NFAC	FAC	Global	PC	ŦC	Description
						Transesophageal
						echocardiography for
						congenital cardiac
						anomalies; placement of
						transesophageal probe
93316	_	_	\$27.63	_	_	only
93317	_	_	_	\$76.55	_	Echo transesophageal
						Echo transesophageal
93318	_	_	_	\$84.87	-	intraop
93320	_	_	\$41.88	\$13.53	\$28.34	Doppler echo exam heart
93321	_	_	\$21.12	\$5.40	\$15.72	Doppler echo exam heart
						Doppler color flow add-
93325	_	_	\$20.03	\$2.35	\$17.68	On
93350	_	_	\$186.37	\$52.48	\$133.89	Stress tte only
93351	_	_	\$209.26	\$62.59	\$146.68	Stress tte complete
						Use of echocardiographic
						contrast agent during
						stress echocardiography
						(List separately in
						addition to code for
93352	_	_	\$26.22	_	_	primary procedure)
						Echocardiography,
						transesophageal (TEE)
						for guidance of a
						transcatheter intracardiac
						or great vessel(s)
						structural intervention(s)
						(eg,TAVR, transcathether
						pulmonary valve
						replacement, mitral valve
						repair, paravalvular
						regurgitation repair, left
						atrial appendage
						occlusion/closure,
						ventricular septal defect
						closure) (peri-and intra-
						procedural), real-time
						image acquisition and
						documentation, guidance
						with quantitative
93355	_	_	\$165.00	_	_	measurements, probe

Code	NFAC	FAC	Global	PC	TC	Description
						manipulation,
						interpretation, and report,
						including diagnostic
						transesophageal
						echocardiography and,
						when performed,
						administration of
						ultrasound contrast,
						Doppler, color flow, and
						3D
93451	_	-	\$609.73	\$103.83	\$505.89	Right heart cath
						Left hrt cath
93452	-	_	\$679.00	\$181.65	\$497.35	w/ventrclgrphy
						R&I hrt cath
93453	_	_	\$874.85	\$239.55	\$635.30	w/ventriclgrphy
						Coronary artery angio
93454	_		\$688.81	\$183.60	\$505.21	s&i
						Coronary art/grft angio
93455	_	_	\$801.99	\$212.16	\$589.83	s&i
						R hrt coronary artery
93456	_	_	\$862.41	\$235.54	\$626.88	angio
93457	_	-	\$975.06	\$263.99	\$711.07	R hrt art/grft angio
						L hrt artery/ventricle
93458	-	_	\$825.89	\$224.27	\$601.62	angio
93459	_	_	\$911.97	\$252.82	\$659.15	L hrt art/grft angio
						R&l hrt art/ventricle
93460	_	_	\$977.01	\$281.66	\$695.35	angio
						R&l hrt art/ventricle
93461	_	_	\$1,118.69	\$310.65	\$808.04	angio
						Left heart catheterization
						by transseptal puncture
						through intact septum or
						by transapical puncture
						(List separately in
						addition to code for
93462	_	_	\$150.42	_	_	primary procedure)

Code	NFAC	FAC	Global	PC	ŦC	Description
						Pharmacologic agent
						administration (eg,
						inhaled nitric oxide,
						intravenous infusion of
						nitroprusside,
						dobutamine, milrinone, or
						other agent) including
						assessing hemodynamic
						measurements before,
						during, after and repeat
						pharmacologic agent
						administration, when
						performed (List
						separately in addition to
						code for primary
93463	_	-	\$72.32	_	_	procedure)
						Exercise w/hemodynamic
93464	_	-	\$212.23	\$64.30	\$147.93	meas
						Insertion and placement
						of flow directed catheter
						(eg, Swan-Ganz) for
93503	_	-	\$93.56	_	-	monitoring purposes
93505	_	_	\$585.58	\$167.24	\$418.33	Biopsy of heart lining
93530	_	-	_	\$159.64	_	Rt heart cath congenital
						R & I heart cath
93531	_	_	_	\$313.01	_	congenital
						R & I heart cath
93532	_	_	_	\$382.85	_	congenital
						R & I heart cath
93533	_	-	_	\$255.59	_	congenital
						Cardiac output
93561	_	-	_	\$18.63	_	measurement
						Card output measure
93562	_	_	_	\$5.94	_	subsq
						Injection procedure
						during cardiac
						catheterization including
						imaging supervision,
						interpretation, and report;
						for selective coronary
93563	_	_	\$42.35	_	_	angiography during

Code	NFAC	FAC	Global	PC	ŦC	Description
						congenital heart
						catheterization (List
						separately in addition to
						code for primary
						procedure)
						Injection procedure
						during cardiac
						catheterization including
						imaging supervision,
						interpretation, and report;
						for selective opacification
						of aortocoronary venous
						or arterial bypass graft(s)
						(eg, aortocoronary
						saphenous vein, free
						radial artery, or free
						mammary artery graft) to
						one or more coronary
						arteries and in situ arterial
						conduits (eg, internal
						mammary), whether
						native or used for bypass
						to one or more coronary
						arteries during congenital
						heart catheterization,
						when performed (List
						separately in addition to
						code for primary
93564	_	_	\$43.92	_	_	procedure)
						Injection procedure
						during cardiac
						eatheterization including
						imaging supervision,
						interpretation, and report;
						for selective left
						ventricular or left atrial
						angiography (List
						separately in addition to
						code for primary
93565	_	_	\$33.08	_	_	procedure)

Code	NFAC	FAC	Global	PC	ŦC	Description
						Injection procedure
						during cardiac
						catheterization including
						imaging supervision,
						interpretation, and report;
						for selective right
						ventricular or right atrial
						angiography (List
						separately in addition to
						code for primary
93566	\$131.90	\$33.11	_	_	_	procedure)
						Injection procedure
						during cardiac
						catheterization including
						imaging supervision,
						interpretation, and report;
						for supravalvular
						aortography (List
						separately in addition to
						code for primary
93567	\$107.40	\$37.52	-	I	-	procedure)
						Injection procedure
						during cardiac
						catheterization including
						imaging supervision,
						interpretation, and report;
						for pulmonary
						angiography (List
						separately in addition to
						code for primary
93568	\$117.82	\$33.91	_	ļ	_	procedure)
						Heart flow reserve
93571	_	_	_	\$68.81	_	measure
						Heart flow reserve
93572	<u> </u>	_	<u> </u>	\$55.13	_	measure
						Percutaneous
						transcatheter closure of
						congenital interatrial
						communication (ie,
						Fontan fenestration, atrial
						septal defect) with
93580			\$703.41			implant

Code	NFAC	FAC	Global	PC	TC	Description
						Percutaneous
						transcatheter closure of a
						congenital ventricular
93581	_	_	\$955.18	_	_	septal defect with implant
						Percutaneous
						transcatheter closure of
93582	_	_	\$479.84	_	_	patent ductus arteriosus
						Percutaneous
						transcatheter septal
						reduction therapy (eg,
						alcohol septal ablation)
						including temporary
						pacemaker insertion when
93583	_	_	\$542.61	_	_	performed
						Percutaneous
						transcatheter closure of
						paravalvular leak; initial
						occlusion device, mitral
93590	_	_	\$889.13	_	_	valve
						Percutaneous
						transcatheter closure of
						paravalvular leak; initial
0.2.504						occlusion device, aortic
93591	_	_	\$738.06	_		valve
						Percutaneous
						transcatheter closure of
						paravalvular leak; each
						additional occlusion
						device (List separately in
02502			ф 22. 4.0.4			addition to code for
93592		_	\$324.84	Φ07.20	_	primary procedure)
93600		_		\$85.39		Bundle of his recording
93602	_	_	_	\$83.55	-	Intra-atrial recording
02602				φοο σ σ		Right ventricular
93603	_	_	_	\$83.55	_	recording
93609	_	_	_	\$199.89	_	Map tachycardia add-on
93610	_	_	_	\$118.65	_	Intra-atrial pacing
93612	_	_	_	\$117.66	_	Intraventricular pacing
						Intracardiac
						electrophysiologic 3
93613	_	_	\$286.12	_	_	dimensional mapping

Code	NFAC	FAC	Global	PC	TC	Description
						(List separately in
						addition to code for
						primary procedure)
93615	_	_	_	\$38.88	_	Esophageal recording
93616	_		_	\$46.82		Esophageal recording
93618	_	-	_	\$170.75	-	Heart rhythm pacing
						Electrophysiology
93619	_	_	_	\$291.30	_	evaluation
						Electrophysiology
93620	_	_	_	\$462.30	_	evaluation
						Electrophysiology
93621	_	_	_	\$84.31	_	evaluation
						Electrophysiology
93622	_	_	_	\$123.13	_	evaluation
93623	_		_	\$114.55	_	Stimulation pacing heart
93624	_	_	_	\$188.94	-	Electrophysiologic study
93631	_	_	_	\$285.15	-	Heart pacing mapping
93640	-	_	_	\$138.40	ļ	Evaluation heart device
						Electrophysiology
93641	_	_	_	\$235.63	_	evaluation
						Electrophysiology
93642	_	_	\$315.68	\$195.51	\$120.17	evaluation
						Electrophysiology
93644	_	_	\$211.56	\$128.46	\$83.10	evaluation
						Intracardiac catheter
						ablation of
						atrioventricular node
						function, atrioventricular
						conduction for creation of
						complete heart block,
						with or without
						temporary pacemaker
93650	_		\$434.92	_	_	placement

Code	NFAC	FAC	Global	PC	TC	Description
						Comprehensive
						electrophysiologic
						evaluation including
						insertion and
						repositioning of multiple
						electrode catheters with
						induction or attempted
						induction of an
						arrhythmia with right
						atrial pacing and
						recording, right
						ventricular pacing and
						recording (when
						necessary), and His
						bundle recording (when
						necessary) with
						intracardiac catheter
						ablation of
						arrhythmogenic focus;
						with treatment of
						supraventricular
						tachycardia by ablation of
						fast or slow
						atrioventricular pathway,
						accessory atrioventricular
						connection, cavo-
						tricuspid isthmus or other
						single atrial focus or
93653	_	-	\$610.51	-	_	source of atrial re-entry

Code	NFAC	FAC	Global	PC	TC	Description
						Comprehensive
						electrophysiologic
						evaluation including
						insertion and
						repositioning of multiple
						electrode catheters with
						induction or attempted
						induction of an
						arrhythmia with right
						atrial pacing and
						recording, right
						ventricular pacing and
						recording (when
						necessary), and His
						bundle recording (when
						necessary) with
						intracardiac catheter
						ablation of
						arrhythmogenic focus;
						with treatment of
						ventricular tachycardia or
						focus of ventricular
						ectopy including
						intracardiac
						electrophysiologic 3D
93654	_	_	\$813.13	-	_	
						Intracardiac catheter
						ablation of a discrete
						mechanism of arrhythmia
						which is distinct from the
						maneuvers, to treat a
						spontaneous or induced
						separately in addition to
93655	_	_	\$305.25	_	_	•
93654	-	1	\$ 813.13	-		with treatment of ventricular tachycardi focus of ventricular ectopy including intracardiae electrophysiologic 3D mapping, when performed, and left ventricular pacing and recording, when performed Intracardiae catheter ablation of a discrete mechanism of arrhyth which is distinct from primary ablated mechanism, including repeat diagnostic maneuvers, to treat a spontaneous or induce arrhythmia (List

Code	NFAC	FAC	Global	PC	TC	Description
						procedure)
						Comprehensive
						electrophysiologic
						evaluation including
						transseptal
						catheterizations, insertion
						and repositioning of
						multiple electrode
						catheters with induction
						or attempted induction of
						an arrhythmia including
						left or right atrial
						pacing/recording when
						necessary, right
						ventricular
						pacing/recording when
						necessary, and His bundle
						recording when necessary
						with intracardiac catheter
						ablation of atrial
						fibrillation by pulmonary
93656	_	_	\$813.65	_	_	vein isolation
75050			ψ013.03			Additional linear or focal
						intracardiac catheter
						ablation of the left or
						right atrium for treatment
						of atrial fibrillation
						remaining after
						completion of pulmonary
						vein isolation (List
						separately in addition to
						1 2
02657			\$205.12			code for primary
93657	_	_	\$305.13	<u>-</u>	<u>-</u>	procedure)
93660	_	_	\$119.40	\$69.41	\$49.98	Tilt table evaluation
93662	_	_	-	\$105.53	_	Intracardiac ecg (ice)
						Peripheral arterial disease
						(PAD) rehabilitation, per
93668	_	_	\$15.03	_	_	session
						Bioimpedance-derived
						physiologic
93701	_	_	\$18.96	_		cardiovascular analysis

Code	NFAC	FAC	Global	PC	ŦC	Description
93702	_	_	\$ 85.47	_	_	Bioimpedance spectroscopy (BIS), extracellular fluid analysis for lymphedema assessment(s)
93724	_	_	\$200.61	\$178.56	\$22.05	Analyze pacemaker system
93740	_	_	\$5.94		_	Temperature gradient studies
93745	_	_	I.C.		_	Set-up cardiovert-defibrill
93750	\$40. 83	\$33.53				Interrogation of ventricular assist device (VAD), in person, with physician or other qualified health care professional analysis of device parameters (eg, drivelines, alarms, power surges), review of device function (eg, flow and volume status, septum status, recovery), with programming, if performed, and report
93770	_		\$5.94	_	_	Determination of venous
93784			\$41.35	_	-	Ambulatory blood pressure monitoring, utilizing a system such as magnetic tape and/or computer disk, for 24 hours or longer; including recording, scanning analysis, interpretation and report Ambulatory blood pressure monitoring, utilizing a system such as magnetic tape and/or computer disk, for 24 hours or longer; recording
93786	_		\$23.45		<u>-</u>	only

Code	NFAC	FAC	Global	PC	ŦC	Description
						Ambulatory blood
						pressure monitoring,
						utilizing a system such as
						magnetic tape and/or
						computer disk, for 24
						hours or longer; scanning
93788	_	_	\$4.08	_	_	analysis with report
						Ambulatory blood
						pressure monitoring,
						utilizing a system such as
						magnetic tape and/or
						computer disk, for 24
						hours or longer; review
93790			\$13.82			with interpretation and
73170	_	-	\$13.02		-	report Physician or other
						qualified health care
						professional services for
						outpatient cardiac
						rehabilitation; without
						continuous ECG
93797	\$12.34	\$6.45	_		_	monitoring (per session)
20.73.	ψ1 2. 0 .	Ψ σ ι ι ι ι ι				Physician or other
						qualified health care
						professional services for
						outpatient cardiac
						rehabilitation; with
						continuous ECG
93798	\$18.99	\$10.29	-	_	-	monitoring (per session)
93799	_	_	I.C.	_	_	Cardiovascular procedure
93880	_	_	\$149.01	\$29.15	\$119.86	Extracranial bilat study
93882	_	_	\$101.04	\$18.10	\$82.94	Extracranial uni/ltd study
						Intracranial complete
93886	_	_	\$154.48	\$34.77	\$119.71	study
93888	_	_	\$116.01	\$18.76	\$97.26	Intracranial limited study
93890	_		\$158.03	\$38.05	\$119.99	Tcd vasoreactivity study
93892	_	_	\$116.63	\$44.63	\$72.00	Tcd emboli detect w/o inj
93893	_	_	\$115.88	\$43.88	\$72.00	Tcd emboli detect w/ini
			, 2122	,	1 : 2:00	Carotid intima atheroma
93895	_	_	I.C.	_	_	eval
93922	_	_	\$69.89	\$9.11	\$60.77	Upr/l xtremity art 2 levels

Code	NFAC	FAC	Global	PC	ŦC	Description
93923	_	_	\$108.59	\$16.23	\$92.36	Upr/lxtr art stdy 3+ lvls
93924	_	-	\$136.53	\$18.07	\$118.46	Lwr xtr vasc stdy bilat
93925	_	_	\$148.42	\$28.72	\$119.71	Lower extremity study
93926	_	_	\$120.25	\$17.51	\$102.74	Lower extremity study
93930	_	-	\$148.89	\$29.03	\$119.86	Upper extremity study
93931	_	_	\$101.30	\$18.07	\$83.22	Upper extremity study
93970	_	_	\$145.17	\$25.31	\$119.86	Extremity study
93971	_	_	\$94.53	\$16.35	\$78.17	Extremity study
93975	_	_	\$161.91	\$42.20	\$119.71	Vascular study
93976	_	-	\$127.50	\$29.40	\$98.10	Vascular study
93978	_	-	\$148.76	\$28.90	\$119.86	Vascular study
93979	_	_	\$93.87	\$17.95	\$75.93	Vascular study
93980	_	_	\$92.16	\$45.14	\$47.02	Penile vascular study
93981	_	-	\$56.54	\$15.97	\$40.57	Penile vascular study
						Noninvasive physiologic study of implanted wireless pressure sensor in aneurysmal sac following endovascular repair, complete study including recording, analysis of pressure and waveform tracings,
93982	_	_	\$33.00	_		interpretation and report
93990	_	-	\$89.41	\$17.70	\$71.72	Doppler flow testing
						Unlisted noninvasive
93998	_	ŀ	I.C.	_	_	vascular diagnostic study
0.4002			ФСТ 20			Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or controlled breathing; hospital inpatient/observation,
94002	_	_	\$67.20	_	_	initial day
0.4002			0.40.70			Ventilation assist and management, initiation of pressure or volume preset ventilators for assisted or
94003	_	_	\$48.58	_	_	controlled breathing;

Code	NFAC	FAC	Global	PC	TC	Description
						hospital
						inpatient/observation,
						each subsequent day
						Ventilation assist and
						management, initiation of
						pressure or volume preset
						ventilators for assisted or
						controlled breathing;
94004	-	-	\$35.68	-	-	nursing facility, per day
						Home ventilator
						management care plan
						oversight of a patient
						(patient not present) in
						home, domiciliary or rest
						home (eg, assisted living)
						requiring review of status, review of laboratories and
						other studies and revision
						of orders and respiratory
						care plan (as appropriate),
						within a calendar month,
94005	_	_	\$68.72		_	30 minutes or more
94010	_	_	\$27.96	\$6.19	\$21.76	Breathing capacity test
94010			Ψ21.90	Ψ0.17	Ψ21.70	Measurement of
						spirometric forced
						expiratory flows in an
						infant or child through 2
94011		_	\$75.13	_	_	years of age
7			7.0.20			Measurement of
						spirometric forced
						expiratory flows, before
						and after bronchodilator,
						in an infant or child
94012	_	_	\$115.27	_	_	through 2 years of age
						Measurement of lung
						volumes (ie, functional
						residual capacity [FRC],
						forced vital capacity
						[FVC], and expiratory
94013	_	_	\$24.50	_	_	reserve volume [ERV]) in

Code	NFAC	FAC	Global	PC	ŦC	Description
						an infant or child through
						2 years of age
						The state of the s
						Patient initiated
						spirometric recording per 30 day period of time;
						includes reinforced
						education, transmission
						of spirometric tracing,
						data capture, analysis of
						transmitted data, periodic
						recalibration and review
						and interpretation by a
						physician or other
						qualified health care
94014	_	-	\$42.97	_	_	professional
						Patient initiated
						spirometric recording per
						30-day period of time;
						recording (includes hook-
						up, reinforced education,
						data transmission, data
						capture, trend analysis,
94015			\$24.29			and periodic recalibration)
74013	_		Φ24.27	_	_	Patient initiated
						spirometric recording per
						30-day period of time;
						review and interpretation
						only by a physician or
						other qualified health care
94016		<u> </u>	\$18.68			professional
94060	_		\$47.36	\$9.60	\$37.76	Evaluation of wheezing
94070	_	-	\$45.45	\$21.16	\$24.29	Evaluation of wheezing
94150	_	_	\$19.50	\$2.79	\$16.71	Vital capacity test
			_			Lung function test
94200	_	_	\$19.40	\$4.09	\$15.31	(mbc/mvv)
94250	_	-	\$20.25	\$3.81	\$16.43	Expired gas collection
						Respiratory flow volume
94375	_	-	\$30.14	\$10.90	\$19.24	loop

Code	NFAC	FAC	Global	PC	ŦC	Description
						Co2 breathing response
94400	-	-	\$42.98	\$14.48	\$28.50	curve
94450	_	_	\$52.81	\$14.76	\$38.04	Hypoxia response curve
94452	_	-	\$44.73	\$10.62	\$34.11	Hast w/report
94453	_	1	\$62.07	\$13.92	\$48.14	Hast w/oxygen titrate
94610		ı	\$43.70		I	Intrapulmonary surfactant administration by a physician or other qualified health care professional through endotracheal tube
						Pulmonary stress
94620	_	1	\$42.55	\$22.47	\$20.08	test/simple
94621	_	_	\$125.17	\$50.77	\$74.40	Pulm stress test/complex
94640			\$14.47			Pressurized or nonpressurized inhalation treatment for acute airway obstruction for therapeutic purposes and/or for diagnostic purposes such as sputum induction with an aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device
94642			I.C.			Aerosol inhalation of pentamidine for pneumocystis carinii pneumonia treatment or prophylogis
94644	_		\$34.67	_		continuous inhalation treatment with aerosol medication for acute airway obstruction; first
94645	_	_	\$11.10	_	_	Continuous inhalation treatment with aerosol medication for acute airway obstruction; each

Code	NFAC	FAC	Global	PC	TC	Description
						additional hour (List
						separately in addition to
						code for primary
						procedure)
						Continuous positive
						airway pressure
						ventilation (CPAP),
						initiation and
94660	\$47.62	\$27.69	_	_	_	management
						Continuous negative
						pressure ventilation
						(CNP), initiation and
94662	_	_	\$27.00	_	-	management
						Demonstration and/or
						evaluation of patient
						utilization of an aerosol
						generator, nebulizer,
						metered dose inhaler or
94664	_	-	\$13.63	-		IPPB device
						Manipulation chest wall,
						such as cupping,
						percussing, and vibration
						to facilitate lung function;
						initial demonstration
94667	_	-	\$20.52	-		and/or evaluation
						Manipulation chest wall,
						such as cupping,
						percussing, and vibration
						to facilitate lung function;
94668	_	_	\$22.76	_	_	subsequent
						Mechanical chest wall
						oscillation to facilitate
94669	_	-	\$25.85	_	_	lung function, per session
94680	_	_	\$44.57	\$9.34	\$35.23	Exhaled air analysis o2
						Exhaled air analysis
94681	-	-	\$41.07	\$7.24	\$33.83	02/c02
94690	_	_	\$39.15	\$2.79	\$36.36	Exhaled air analysis
						Pulm funct tst
94726			and the second second	40.00	001.05	I a a a
71720	_	_	\$40.93	\$9.06	\$31.87	plethysmograph
94727	<u> </u>	-	\$40.93 \$32.51	\$9.06 \$9.06	\$31.87 \$23.45	Pulm function test by gas

Code	NFAC	FAC	Global	PC	TC	Description
						oscillometry
						Co/membane diffuse
94729	_	_	\$42.50	\$6.70	\$35.80	capacity
						Pulmonary compliance
94750		_	\$63.17	\$8.29	\$54.88	study
						Noninvasive ear or pulse
						oximetry for oxygen
						saturation; single
94760	_	_	\$2.40	_	_	determination
						Noninvasive ear or pulse
						oximetry for oxygen
						saturation; multiple
						determinations (eg,
94761	_	_	\$3.80	_	_	during exercise)
						Noninvasive ear or pulse
						oximetry for oxygen
						saturation; by continuous
0.45.60			#10.54			overnight monitoring
94762	_	_	\$19.24	_	_	(separate procedure)
						Carbon dioxide, expired
0.4770			Φ7.40			gas determination by
94770	_	_	\$5.40	_	_	infrared analyzer
94772	_	_	I.C.	_	_	Breath recording infant
						Pediatric home apnea
						monitoring event
						recording including
						respiratory rate, pattern
						and heart rate per 30-day
						period of time; includes
						monitor attachment,
						download of data, review,
						interpretation, and
						preparation of a report by
						a physician or other
0.455.4			. ~			qualified health care
94774	_	_	I.C.	_	_	professional
						Pediatric home apnea
						monitoring event
						recording including
						respiratory rate, pattern
94775	_	_	I.C.	_	_	and heart rate per 30-day

Code	NFAC	FAC	Global	PC	ŦC	Description
						period of time; monitor attachment only (includes hook-up, initiation of recording and disconnection)
04776						Pediatric home apnea monitoring event recording including respiratory rate, pattern and heart rate per 30-day period of time; monitoring, download of information, receipt of transmission(s) and analyses by computer
94776	_	_	I.C.	_	_	only Dedictric home onne
						Pediatric home apnea monitoring event recording including respiratory rate, pattern and heart rate per 30 day period of time; review, interpretation and preparation of report only by a physician or other qualified health care
94777	-	_	I.C.		_	professional Consect/had testing for
						Car seat/bed testing for airway integrity, neonate, with continual nursing observation and continuous recording of pulse oximetry, heart rate and respiratory rate, with interpretation and report;
94780	\$42.94	\$16.56				60 minutes

Code	NFAC	FAC	Global	PC	TC	Description
						Car seat/bed testing for
						airway integrity, neonate,
						with continual nursing
						observation and
						continuous recording of
						pulse oximetry, heart rate
						and respiratory rate, with
						interpretation and report;
						each additional full 30
						minutes (List separately
						in addition to code for
94781	\$17.70	\$6.19	_	_	_	primary procedure)
						Pulmonary
94799	_	_	I.C.	_	_	service/procedure
						Percutaneous tests
						(scratch, puncture, prick)
						with allergenic extracts,
						immediate type reaction,
						including test
						interpretation and report,
95004	_	_	\$5.18	_	_	specify number of tests
						Nitric oxide expired gas
95012	_	_	\$15.03	_	_	determination
			,			Allergy testing, any
						combination of
						percutaneous (scratch,
						puncture, prick) and
						intracutaneous
						(intradermal), sequential
						and incremental, with
						venoms, immediate type
						reaction, including test
						interpretation and report,
95017	\$5.88	\$2.51	_		_	specify number of tests
75011	Ψ2.00	Ψ2.21				Allergy testing, any
						combination of
						percutaneous (scratch,
						puncture, prick) and
						intracutaneous
						(intradermal), sequential
						and incremental, with
95018	\$15.81	\$5.14	_	_	_	drugs or biologicals,
510CC	⊅13.61	₱3.14	_	_	_	urugs or prorogreats,

Code	NFAC	FAC	Global	PC	TC	Description
						immediate type reaction,
						including test
						interpretation and report,
						specify number of tests
						Intracutaneous
						(intradermal) tests with
						allergenic extracts,
						immediate type reaction,
						including test
						interpretation and report,
95024	\$6.02	\$0.69	-	_	_	specify number of tests
						Intracutaneous
						(intradermal) tests,
						sequential and
						incremental, with
						allergenic extracts for
						airborne allergens,
						immediate type reaction,
						including test
						interpretation and report,
95027	_	-	\$3.50	-	_	specify number of tests
						Intracutaneous
						(intradermal) tests with
						allergenic extracts,
						delayed type reaction,
						including reading, specify
95028	_	_	\$10.54	_	_	number of tests
						Patch or application
						test(s) (specify number of
95044	_	_	\$4.36	-	_	tests)
						Photo patch test(s)
95052	_	_	\$5.21	<u> </u>	_	(specify number of tests)
95056	_	_	\$34.83	_	_	Photo tests
						Ophthalmic mucous
95060	_	_	\$27.66	_	_	membrane tests
						Direct nasal mucous
95065	_	_	\$20.08	_	_	membrane test
						Inhalation bronchial
						challenge testing (not
						including necessary
95070	_	_	\$23.88	_	_	pulmonary function

Code	NFAC	FAC	Global	PC	ŦC	Description
						tests); with histamine,
						methacholine, or similar
						compounds
						Inhalation bronchial
						challenge testing (not
						including necessary
						pulmonary function
						tests); with antigens or
95071	_	_	\$27.53	_	_	gases, specify
			·			Ingestion challenge test
						(sequential and
						incremental ingestion of
						test items, eg, food, drug
						or other substance); initial
95076	\$87.90	\$53.94	_	_	_	120 minutes of testing
						Ingestion challenge test
						(sequential and
						incremental ingestion of
						test items, eg, food, drug
						or other substance); each
						additional 60 minutes of
						testing (List separately in
						addition to code for
95079	\$61.65	\$49.31	_	_	_	primary procedure)
						Professional services for
						allergen immunotherapy
						not including provision of
						allergenic extracts; single
95115	_	_	\$6.89	_	_	injection
						Professional services for
						allergen immunotherapy
						not including provision of
						allergenic extracts; 2 or
95117	_	_	\$8.01	_	_	more injections
						Professional services for
						allergen immunotherapy
						in the office or institution
						of the prescribing
						physician or other
						qualified health care
						professional, including
95120	_	_	I.C.	_	_	provision of allergenic

Code	NFAC	FAC	Global	PC	ŦC	Description
						extract; single injection
						Professional services for
						allergen immunotherapy
						in the office or institution
						of the prescribing
						physician or other
						qualified health care
						professional, including
						provision of allergenic
						extract; 2 or more
95125	_	_	I.C.	_	_	injections
						Professional services for
						allergen immunotherapy
						in the office or institution
						of the prescribing
						physician or other
						qualified health care
						professional, including
						provision of allergenic
						extract; single stinging
95130	_	_	I.C.	_	_	insect venom
						Professional services for
						allergen immunotherapy
						in the office or institution
						of the prescribing
						physician or other
						qualified health care
						professional, including
						provision of allergenic
						extract; 2 stinging insect
95131	_	_	I.C.	_	_	venoms
70101			2.0.			Professional services for
						allergen immunotherapy
						in the office or institution
						of the prescribing
						physician or other
						qualified health care
						professional, including
						provision of allergenic
						extract; 3 stinging insect
95132	_	_	I.C.	_		venoms
73132	_	_	1.C.		_	venoms

Code	NFAC	FAC	Global	PC	TC	Description
						Professional services for
						allergen immunotherapy
						in the office or institution
						of the prescribing
						physician or other
						qualified health care
						professional, including
						provision of allergenic
						extract; 4 stinging insect
95133	_	_	I.C.	_	_	venoms
						Professional services for
						allergen immunotherapy
						in the office or institution
						of the prescribing
						physician or other
						qualified health care
						professional, including
						provision of allergenic
						extract; 5 stinging insect
95134	-	_	I.C.	_	_	venoms
						Professional services for
						the supervision of
						preparation and provision
						of antigens for allergen
						immunotherapy, single
						dose vial(s) (specify
95144	\$9.55	\$2.25	_	_	_	number of vials)
						Professional services for
						the supervision of
						preparation and provision
						of antigens for allergen
						immunotherapy (specify
0.51.45	4. - 0 -	ΦΦ Φ Τ				number of doses); single
95145	\$16.85	\$2.25	_	_	_	stinging insect venom
						Professional services for
						the supervision of
						preparation and provision
						of antigens for allergen
						immunotherapy (specify
						number of doses); 2
05145	Φ20 50	Φ2.27				single stinging insect
95146	\$30.60	\$2.25	-	-		venoms

Code	NFAC	FAC	Global	PC	TC	Description
						Professional services for
						the supervision of
						preparation and provision
						of antigens for allergen
						immunotherapy (specify
						number of doses); 3
						single stinging insect
95147	\$27.51	\$2.25	-	_	_	venoms
						Professional services for
						the supervision of
						preparation and provision
						of antigens for allergen
						immunotherapy (specify
						number of doses); 4
						single stinging insect
95148	\$40.98	\$2.25	_	_	_	venoms
						Professional services for
						the supervision of
						preparation and provision
						of antigens for allergen
						immunotherapy (specify
						number of doses); 5
						single stinging insect
95149	\$55.29	\$2.25	_	_	_	venoms
						Professional services for
						the supervision of
						preparation and provision
						of antigens for allergen
						immunotherapy; single or
						multiple antigens (specify
95165	\$9.83	\$2.25	_	_	_	number of doses)
						Professional services for
						the supervision of
						preparation and provision
						of antigens for allergen
						immunotherapy; whole
						body extract of biting
						insect or other arthropod
95170	\$7.30	\$2.25	<u> </u>	<u> </u>		(specify number of doses)
						Rapid desensitization
						procedure, each hour (eg,
95180	\$100.14	\$74.61	<u> </u>			insulin, penicillin, equine

Code	NFAC	FAC	Global	PC	ŦC	Description
						serum)
						Unlisted allergy/clinical
						immunologic service or
95199		_	I.C.	_	_	procedure
						Ambulatory continuous
						glucose monitoring of
						interstitial tissue fluid via
						a subcutaneous sensor for
						a minimum of 72 hours;
						sensor placement, hook-
						up, calibration of
						monitor, patient training, removal of sensor, and
95250			\$124.66			printout of recording
75250	<u> </u>	<u> </u>	Ψ12-1.00	_	_	Ambulatory continuous
						glucose monitoring of
						interstitial tissue fluid via
						a subcutaneous sensor for
						a minimum of 72 hours;
95251	_	_	\$31.81	_	-	interpretation and report
						Polysom <6 yrs 4/>
95782	_	_	\$804.95	\$93.14	\$711.81	paramtrs
						Polysom <6 yrs
95783	_	_	\$843.93	\$103.34	\$740.59	cpap/bilvl
95800	_	_	\$138.24	\$38.17	\$100.06	Slp stdy unattended
95801	_	_	\$68.64	\$36.21	\$32.43	Slp stdy unatnd w/anal
95803	_	_	\$109.42	\$32.09	\$77.33	Actigraphy testing
						Multiple sleep latency
95805	_	-	\$334.84	\$43.57	\$291.27	test
						Sleep study unatt&resp
95806	_	_	\$129.76	\$44.85	\$84.91	efft
95807	_	_	\$374.93	\$45.78	\$329.15	Sleep study attended
						Polysom any age 1-3>
95808	_	_	\$494.38	\$64.89	\$429.49	param
0.5040			0.40	400.70	400 < 70	Polysom 6/> yrs 4/>
95810	_	_	\$486.12	\$89.58	\$396.53	param
05011			Φ ε 10.00	φο2 1 4	¢417.74	Polysom 6/>yrs cpap 4/>
95811	_	_	\$510.88	\$93.14	\$417.74	parm
95812	_	_	\$272.93	\$42.62	\$230.31	Eeg 41-60 minutes
95813	_	_	\$329.61	\$68.15	\$261.46	Eeg over 1 hour

Code	NFAC	FAC	Global	PC	TC	Description
95816	_	_	\$283.59	\$42.62	\$240.97	Eeg awake and drowsy
95819	_	_	\$324.72	\$42.62	\$282.10	Eeg awake and asleep
95822	_	_	\$292.29	\$42.62	\$249.67	Eeg coma or sleep only
95824	_	-	-	\$29.11	_	Eeg cerebral death only
95827	_	-	\$548.92	\$42.34	\$506.57	Eeg all night recording
						Surgery
95829		l	\$1,471.90	\$247.39	\$1,224.51	electrocorticogram
						Insertion by physician or other qualified health care professional of sphenoidal electrodes for electroencephalographic
95830	\$189.12	\$67.60	_	_	_	(EEG) recording
95831	\$23.07	\$11.00				Muscle testing, manual (separate procedure) with report; extremity (excluding hand) or trunk
73031	\$43.01	\$11.00	-	_	-	Muscle testing, manual
95832	\$22.08	¢11 40				(separate procedure) with report; hand, with or without comparison with normal side
93034	\$22.08	\$11.42	_	_	-	Muscle testing, manual
95833	\$28.06	\$15.71	-	_	_	(separate procedure) with report; total evaluation of body, excluding hands
95834	\$38.72	\$23.00	ŀ	_	_	Muscle testing, manual (separate procedure) with report; total evaluation of body, including hands
95851	\$14.08	\$5.66				Range of motion measurements and report (separate procedure); each extremity (excluding hand) or each trunk section (spine)
95852	\$12.51	\$4.38	_	_	_	Range of motion measurements and report (separate procedure); hand, with or without comparison with normal

Code	NFAC	FAC	Global	PC	ŦC	Description
						side
						Cholinesterase inhibitor
05057	641 14	001.77				challenge test for
95857	\$41.14	\$21.77	<u> </u>	— ••••••	— • • • • • • • • • • • • • • • • • • •	myasthenia gravis
95860	_	_	\$93.84	\$38.40	\$55.44	Muscle test one limb
95861	_		\$131.08	\$61.32	\$69.75	Muscle test 2 limbs
95863	_	_	\$163.10	\$73.98	\$89.12	Muscle test 3 limbs
95864	_	_	\$184.07	\$79.80	\$104.27	Muscle test 4 limbs
95865	_	_	\$109.14	\$62.40	\$46.74	Muscle test larynx
						Muscle test
95866	_	_	\$102.26	\$49.91	\$52.35	hemidiaphragm
0.50.55			\$50.0 £	#20.0 5	.	Muscle test cran nerv
95867	_	_	\$72.36	\$30.96	\$41.41	unilat
05060			¢101.24	Φ46 7 4	Φ 5 4.60	Muscle test cran nerve
95868	_	_	\$101.34	\$46.74	\$54.60	bilat Myssels test then
95869			\$72.52	\$14.84	\$57.69	Muscle test thor
95870	_	-	\$72.52	\$14.56		paraspinal Musels test perpensional
	_	_			\$57.97	Muscle test nonparaspinal
95872	_		\$146.55	\$113.56	\$32.99	Muscle test one fiber
95873	_	_	\$57.34	\$14.96	\$42.38	Guide nerv destr elec stim
95874			\$56.93	\$14.84	\$42.10	Guide nerv destr needle
95875		_	\$95.36	\$43.57	\$51.79	emg Limb exercise test
930/3	_	_	ФУЭ.ЭО	\$43.37	фЭ1./У	Musc tst done w/nerv tst
95885	_	_	\$45.48	\$14.04	\$31.43	lim
75005	_	_	Ψ-3το	Ψ17.07	Ψ31. 1 3	Musc test done w/n test
95886			\$69.79	\$34.43	\$35.36	comp
7000			Ψ 0, 1, 1	φεε	400.00	Musc tst done w/n tst
95887	_	_	\$62.02	\$28.06	\$33.96	nonext
					·	Motor &/ sens nrve endi
95905	_	_	\$55.19	\$2.00	\$53.20	test
95907	_	_	\$72.57	\$39.58	\$32.99	Nvr cndj tst 1-2 studies
95908	_	_	\$90.07	\$49.50	\$40.57	Nrv endj tst 3-4 studies
95909	_	_	\$109.81	\$59.43	\$50.39	Nrv endj tst 5-6 studies
95910	_	_	\$146.38	\$79.43	\$66.95	Nrv endj test 7-8 studies
95911	_	_	\$176.61	\$99.28	\$77.33	Nrv endj test 9-10 studies
			+=I	+22. 2 0	ŢO	Nrv endj test 11-12
95912	_	_	\$196.90	\$117.60	\$79.29	studies
95913	_	_	\$224.90	\$139.15	\$85.75	Nrv endj test 13/> studies

Code	NFAC	FAC	Global	PC	TC	Description
						Autonomic nrv parasym
95921	_	_	\$65.64	\$33.49	\$32.15	inervj
						Autonomic nrv adrenrg
95922		_	\$77.00	\$35.87	\$41.13	inervj
						Autonomic nrv syst funj
95923	_	_	\$127.13	\$34.08	\$93.05	test
						Ans parasymp & symp
95924	_	_	\$112.40	\$65.66	\$46.74	w/tilt
95925	_	_	\$121.53	\$20.75	\$100.78	Somatosensory testing
95926	_	_	\$107.22	\$20.19	\$87.03	Somatosensory testing
95927	_	_	\$110.74	\$20.19	\$90.55	Somatosensory testing
						C motor evoked uppr
95928	_	_	\$173.39	\$59.30	\$114.09	limbs
95929	_	_	\$174.55	\$59.61	\$114.94	C motor evoked lwr limbs
						Visual evoked potential
95930	_	_	\$101.48	\$13.89	\$87.59	test
95933		_	\$57.55	\$23.15	\$34.39	Blink reflex test
			·		·	Neuromuscular junction
95937	_	_	\$62.45	\$25.53	\$36.92	test
95938	_	_	\$267.98	\$34.03	\$233.96	Somatosensory testing
				,		C motor evoked upr&lwr
95939	_	_	\$389.85	\$88.67	\$301.18	limbs
			1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	,		Continuous intraoperative
						neurophysiology
						monitoring in the
						operating room, one on
						one monitoring requiring
						personal attendance, each
						15 minutes (List
						separately in addition to
						code for primary
95940	_	_	\$24.00	_	_	procedure)
						Continuous intraoperative
						neurophysiology
						monitoring, from outside
						the operating room
						(remote or nearby) or for
						monitoring of more than
						one case while in the
05041			1.0			operating room, per hour
95941	_	_	I.C.	_	_	(List separately in

Code	NFAC	FAC	Global	PC	ŦC	Description
						addition to code for
						primary procedure)
						Parasymp&symp hrt rate
95943	_	_	I.C.	_	_	test
						Ambulatory eeg
95950	_	_	\$257.59	\$59.28	\$198.32	monitoring
						Eeg
95951	_	_	_	\$236.54	_	monitoring/videorecord
95953	_		\$324.89	\$121.24	\$203.65	Eeg monitoring/computer
						Eeg monitoring/giving
95954	_	-	\$349.54	\$91.98	\$257.56	drugs
95955	_	-	\$168.39	\$39.99	\$128.41	Eeg during surgery
						Eeg monitor technol
95956	_	_	\$1,289.81	\$141.58	\$1,148.23	attended
95957	_	_	\$243.56	\$77.67	\$165.89	Eeg digital analysis
0.50.50			* 400 5 4	41.55 7.5	***	Eeg monitoring/function
95958	_	_	\$439.71	\$166.56	\$273.15	test
05061			¢222.72	¢110.72	¢102.00	Electrode stimulation
95961	_	_	\$222.72	\$118.73	\$103.99	brain Electrode stim brain add-
95962			\$ 197.35	\$127.87	\$69.47	
95965	-	_	\$177.33	\$310.76	\$03.47	Mag spontaneous
	- -	_	_		-	Meg spontaneous
95966	-	_	_	\$157.51	_	Meg evoked single
95967	_	_	_	\$137.23	_	Meg evoked each addl
						Electronic analysis of
						implanted neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude,
						pulse duration,
						configuration of wave
						form, battery status,
						electrode selectability,
						output modulation,
						eyeling, impedance and
95970	\$52.28	\$17.48		_	_	patient compliance

Code	NFAC	FAC	Global	PC	ŦC	Description
						measurements); simple or
						complex brain, spinal
						cord, or peripheral (ie,
						cranial nerve, peripheral
						nerve, sacral nerve,
						neuromuscular)
						neurostimulator pulse
						generator/transmitter,
						without reprogramming
						Electronic analysis of
						implanted
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude,
						pulse duration,
						configuration of wave
						form, battery status,
						electrode selectability,
						output modulation,
						cycling, impedance and
						patient compliance
						measurements); simple
						spinal cord, or peripheral
						(ie, peripheral nerve,
						sacral nerve,
						neuromuscular)
						neurostimulator pulse
						generator/transmitter,
						with intraoperative or
95971	\$37.06	\$29.76	_	_	_	subsequent programming
						Electronic analysis of
						implanted
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude,
						pulse duration,
						configuration of wave
						form, battery status,
						electrode selectability,
						output modulation,
						eycling, impedance and
95972	\$43.34	\$30.43	_	_	_	patient compliance

Code	NFAC	FAC	Clobal	PC	TC	Description
						measurements); complex
						spinal cord, or peripheral
						(ie, peripheral nerve,
						sacral nerve,
						neuromuscular) (except
						cranial nerve)
						neurostimulator pulse
						generator/transmitter,
						with intraoperative or
						subsequent programming
						Electronic analysis of
						implanted
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude,
						pulse duration,
						configuration of wave
						form, battery status,
						electrode selectability,
						output modulation,
						eyeling, impedance and
						patient compliance
						measurements); complex
						cranial nerve
						neurostimulator pulse
						generator/transmitter,
						with intraoperative or
						subsequent programming,
						with or without nerve
						interface testing, first
95974	\$154.30	\$119.78	-	_	_	hour

Code	NFAC	FAC	Global	PC	ŦC	Description
						Electronic analysis of
						implanted
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude,
						pulse duration,
						configuration of wave
						form, battery status,
						electrode selectability,
						output modulation,
						cycling, impedance and
						patient compliance
						measurements); complex
						cranial nerve
						neurostimulator pulse
						generator/transmitter,
						with intraoperative or
						subsequent programming,
						each additional 30
						minutes after first hour
						(List separately in
						addition to code for
95975	\$82.91	\$68.04	_	_	_	primary procedure)
	·	·				Electronic analysis of
						implanted
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude and
						duration, battery status,
						electrode selectability and
						polarity, impedance and
						patient compliance
						measurements), complex
						deep brain
						neurostimulator pulse
						generator/transmitter,
						with initial or subsequent
95978	\$185.31	\$140.97	_	_	_	programming; first hour

Code	NFAC	FAC	Global	PC	ŦC	Description
						Electronic analysis of
						implanted
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude and
						duration, battery status,
						electrode selectability and
						polarity, impedance and
						patient compliance
						measurements), complex
						deep brain
						neurostimulator pulse
						generator/transmitter,
						with initial or subsequent
						programming; each
						additional 30 minutes
						after first hour (List
						separately in addition to
						code for primary
95979	\$80.25	\$65.66	_	-	_	procedure)
						Electronic analysis of
						implanted
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude and
						duration, configuration of
						wave form, battery status,
						electrode selectability,
						output modulation,
						eyeling, impedance and
						patient measurements)
						gastric neurostimulator
						pulse
						generator/transmitter;
						intraoperative, with
95980	_	_	\$32.95	-	_	programming

Code	NFAC	FAC	Global	PC	TC	Description
						Electronic analysis of
						implanted
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude and
						duration, configuration of
						wave form, battery status,
						electrode selectability,
						output modulation,
						cycling, impedance and
						patient measurements)
						gastric neurostimulator
						pulse
						generator/transmitter;
						subsequent, without
95981	\$24.02	\$13.07	_	_	_	reprogramming
						Electronic analysis of
						implanted
						neurostimulator pulse
						generator system (eg,
						rate, pulse amplitude and
						duration, configuration of
						wave form, battery status,
						electrode selectability,
						output modulation,
						cycling, impedance and
						patient measurements)
						gastric neurostimulator
						pulse
						generator/transmitter;
						subsequent, with
95982	\$39.09	\$26.46	_	_	_	reprogramming
						Refilling and
						maintenance of
						implantable pump or
						reservoir for drug
						delivery, spinal
						(intrathecal, epidural) or
						brain (intraventricular),
						includes electronic
						analysis of pump, when
95990	_	_	\$72.31	_	_	performed;

Code	NFAC	FAC	Global	PC	TC	Description
						Refilling and
						maintenance of
						implantable pump or
						reservoir for drug
						delivery, spinal
						(intrathecal, epidural) or
						brain (intraventricular),
						includes electronic
						analysis of pump, when
						performed; requiring skill
						of a physician or other
						qualified health care
95991	\$93.62	\$29.07	_	_	_	professional
						Canalith repositioning
						procedure(s) (eg, Epley
						maneuver, Semont
95992	\$31.90	\$27.41	_		_	maneuver), per day
						Unlisted neurological or
						neuromuscular diagnostic
95999	_	_	I.C.		_	procedure
						Comprehensive
						computer based motion
						analysis by video taping
96000	-	_	\$69.85	_	_	and 3D kinematics;
						Comprehensive
						computer-based motion
						analysis by video-taping
						and 3D kinematics; with
						dynamic plantar pressure
						measurements during
96001	_	_	\$77.28	_	_	walking
						Dynamic surface
						electromyography, during
						walking or other
						functional activities, 1-12
96002	_	_	\$16.02	_	_	muscles
			_			Dynamic fine wire
						electromyography, during
						walking or other
						functional activities, 1
96003			\$12.72			muscle

Code	NFAC	FAC	Global	PC	TC	Description
						Review and interpretation
						by physician or other
						qualified health care
						professional of
						comprehensive computer
						based motion analysis,
						dynamic plantar pressure
						measurements, dynamic
						surface electromyography
						during walking or other
						functional activities, and
						dynamic fine wire
						electromyography, with
96004	_	_	\$85.91	_	ļ	written report
96020	_	_	1	\$120.07	ı	Functional brain mapping
						Medical genetics and
						genetic counseling
						services, each 30 minutes
						face to face with
96040	_	_	\$36.67	_	_	patient/family
						Psychological testing
						(includes
						psychodiagnostic
						assessment of
						emotionality, intellectual
						abilities, personality and
						psychopathology, eg,
						MMPI, Rorschach,
						WAIS), per hour of the
						psychologist's or
						physician's time, both
						face to face time
						administering tests to the
						patient and time
						interpreting these test
						results and preparing the
96101	\$57.70	\$57.42	_	_	_	report

Code	NFAC	FAC	Global	PC	TC	Description
						Psychological testing
						(includes
						psychodiagnostic
						assessment of
						emotionality, intellectual
						abilities, personality and
						psychopathology, eg,
						MMPI and WAIS), with
						qualified health care
						professional
						interpretation and report,
						administered by
						technician, per hour of
						technician time, face-to-
96102	\$48.63	\$16.92	1	-	_	face
						Psychological testing
						(includes
						psychodiagnostic
						assessment of
						emotionality, intellectual
						abilities, personality and
						psychopathology, eg,
						MMPI), administered by
						a computer, with
						qualified health care
						professional
96103	\$20.14	\$19.58	_	_	_	interpretation and report
						Assessment of aphasia
						(includes assessment of
						expressive and receptive
						speech and language
						function, language
						comprehension, speech
						production ability,
						reading, spelling, writing,
						eg, by Boston Diagnostic
						Aphasia Examination)
						with interpretation and
96105	_	_	\$79.73	-	_	report, per hour

Code	NFAC	FAC	Global	PC	TC	Description
						Developmental screening
						(eg, developmental
						milestone survey, speech
						and language delay
						screen), with scoring and
						documentation, per
96110	_	_	\$9.73		_	standardized instrument
						Developmental testing,
						(includes assessment of
						motor, language, social,
						adaptive, and/or cognitive
						functioning by
						standardized
						developmental
						instruments) with
96111	\$94.42	\$89.37	_	-	_	interpretation and report
						Neurobehavioral status
						exam (clinical assessment
						of thinking, reasoning and
						judgment, eg, acquired
						knowledge, attention,
						language, memory,
						planning and problem
						solving, and visual spatial
						abilities), per hour of the
						psychologist's or
						physician's time, both
						face-to-face time with the
						patient and time
						interpreting test results
96116	\$67.71	\$63.22	-	_	_	and preparing the report
						Neuropsychological
						testing (eg, Halstead-
						Reitan
						Neuropsychological
						Battery, Wechsler
						Memory Scales and
						Wisconsin Card Sorting
						Test), per hour of the
						psychologist's or
						physician's time, both
96118	\$72.01	\$56.86				face to face time

Code	NFAC	FAC	Global	PC	ŦC	Description
						administering tests to the
						patient and time
						interpreting these test
						results and preparing the
						report
						Neuropsychological
						testing (eg, Halstead-
						Reitan
						Neuropsychological
						Battery, Wechsler
						Memory Scales and
						Wisconsin Card Sorting
						Test), with qualified
						health care professional
						interpretation and report,
						administered by
						technician, per hour of
96119	\$61.82	\$17.20				technician time, face to face
30113	⊅01.0∠	\$17.20	-	_	_	Neuropsychological
						testing (eg, Wisconsin
						Card Sorting Test),
						administered by a
						computer, with qualified
						health care professional
96120	\$36.41	\$19.01	_	_	_	interpretation and report
						Standardized cognitive
						performance testing (eg,
						Ross Information
						Processing Assessment)
						per hour of a qualified
						health care professional's
						time, both face to face
						time administering tests
						to the patient and time
						interpreting these test
06105			¢07.04			results and preparing the
96125	_	_	\$87.84	_	_	report

Code	NFAC	FAC	Global	PC	TC	Description
						Brief
						emotional/behavioral
						assessment (eg.,
						depression inventory,
						attention-
						deficit/hyperactivity
						disorder [ADHD] scale),
						with scoring and
						documentation, per
96127	_	_	\$9.73	_	_	standardized instrument
						Health and behavior
						assessment (eg, health-
						focused clinical
						interview, behavioral
						observations,
						psychophysiological
						monitoring, health-
						oriented questionnaires),
						each 15 minutes face-to-
						face with the patient;
96150	\$15.64	\$15.36	ļ	-	_	initial assessment
						Health and behavior
						assessment (eg, health-
						focused clinical
						interview, behavioral
						observations,
						psychophysiological
						monitoring, health-
						oriented questionnaires),
						each 15 minutes face to-
						face with the patient; re-
96151	\$14.85	\$14.57	_	-	_	assessment
						Health and behavior
						intervention, each 15
						minutes, face to face;
96152	\$14.34	\$14.06	_	_	_	individual
						Health and behavior
						intervention, each 15
						minutes, face to face;
96153	_	_	\$3.28	_	_	group (2 or more patients)

Code	NFAC	FAC	Global	PC	TC	Description
						Health and behavior
						intervention, each 15
						minutes, face-to-face;
						family (with the patient
96154	\$14.08	\$13.80	_	_	_	present)
						Health and behavior
						intervention, each 15
						minutes, face to face;
						family (without the
96155	_	_	\$16.50		_	patient present)
7 3 1 6 6			Ψ10.03			Administration of patient
						focused health risk
						assessment instrument
						(eg, health hazard
						appraisal) with scoring
						and documentation, per
96160			\$3.66			standardized instrument
70100		_	Ψ2.00		_	Administration of
						caregiver-focused health
						risk assessment
						instrument (eg,
						depression inventory) for
						the benefit of the patient,
						with scoring and
0.54.54			40.55			documentation, per
96161	_	_	\$3.66	-	_	standardized instrument
						Intravenous infusion,
						hydration; initial, 31
96360	_	_	\$44.39	_	_	minutes to 1 hour
						Intravenous infusion,
						hydration; each additional
						hour (List separately in
						addition to code for
96361	_	_	\$11.72	_	_	primary procedure)
						Intravenous infusion, for
						therapy, prophylaxis, or
						diagnosis (specify
						substance or drug); initial,
96365	_	_	\$53.71	_	_	up to 1 hour

Code	NFAC	FAC	Global	PC	TC	Description
						Intravenous infusion, for
						therapy, prophylaxis, or
						diagnosis (specify
						substance or drug); each
						additional hour (List
						separately in addition to
						code for primary
96366	_		\$14.31	-		procedure)
						Intravenous infusion, for
						therapy, prophylaxis, or
						diagnosis (specify
						substance or drug);
						additional sequential
						infusion of a new
						drug/substance, up to 1
						hour (List separately in
						addition to code for
96367	_	_	\$23.42	_	_	primary procedure)
						Intravenous infusion, for
						therapy, prophylaxis, or
						diagnosis (specify
						substance or drug);
						concurrent infusion (List
						separately in addition to
						code for primary
96368	_	_	\$15.73	-	_	procedure)
						Subcutaneous infusion for
						therapy or prophylaxis
						(specify substance or
						drug); initial, up to 1
						hour, including pump set
						up and establishment of
						subcutaneous infusion
96369	_	_	\$151.21	_	_	site(s)
						Subcutaneous infusion for
						therapy or prophylaxis
						(specify substance or
						drug); each additional
						hour (List separately in
						addition to code for
96370	_	_	\$11.22	_	_	primary procedure)

Code	NFAC	FAC	Global	PC	TC	Description
			330,300			Subcutaneous infusion for therapy or prophylaxis (specify substance or drug); additional pump set up with establishment of new subcutaneous infusion site(s) (List separately in addition to code for primary
96371	_	_	\$57.53	_	_	procedure)
						Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); subcutaneous or
96372	_	_	\$19.38	_	_	intramuscular
96373	_	_	\$14.89	_	_	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intra-arterial
96374	_	_	\$43.96	_	_	Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); intravenous push, single or initial substance/drug
96375			\$ 17.31			Therapeutic, prophylactic, or diagnostic injection (specify substance or drug); each additional sequential intravenous push of a new substance/drug (List separately in addition to code for primary procedure)

Code	NFAC	FAC	Global	PC	TC	Description
						Therapeutic,
						prophylactic, or
						diagnostic injection
						(specify substance or
						drug); each additional
						sequential intravenous
						push of the same
						substance/drug provided
						in a facility (List
						separately in addition to
						code for primary
96376	_	_	I.C.	_	_	procedure)
						Application of on body
						injector (includes cannula
						insertion) for timed
96377	_	_	I.C.	_	_	subcutaneous injection
						Unlisted therapeutic,
						prophylactic, or
						diagnostic intravenous or
						intra arterial injection or
96379	_	_	I.C.	_	_	infusion
						Chemotherapy
						administration,
						subcutaneous or
						intramuscular; non-
96401	_	_	\$57.79	_	_	hormonal anti-neoplastic
70101			40			Chemotherapy
						administration,
						subcutaneous or
						intramuscular; hormonal
96402	_	_	\$24.82	_	_	anti-neoplastic
20.02			2			Chemotherapy
						administration;
						intralesional, up to and
96405	\$63.17	\$22.20	_	_	_	including 7 lesions
73.32	400.17	4-2.2 0				Chemotherapy
						administration;
						intralesional, more than 7
96406	\$89.74	\$34.45	_	_	_	lesions
70.00	+02.11	4515				Chemotherapy
						administration;
96409	_	_	\$86.09		_	intravenous, push
70107	<u> </u>		Ψου.σ>			maravenous, push

Code	NFAC	FAC	Global	PC	TC	Description
						technique, single or initial
						substance/drug
						Chemotherapy
						administration;
						intravenous, push
						technique, each additional
						substance/drug (List
						separately in addition to
						code for primary
96411	_	1	\$48.12	-	_	procedure)
						Chemotherapy
						administration,
						intravenous infusion
						technique; up to 1 hour,
						single or initial
96413	_	1	\$105.23	_	_	substance/drug
						Chemotherapy
						administration,
						intravenous infusion
						technique; each additional
						hour (List separately in
						addition to code for
96415	_	-	\$21.73	-	_	primary procedure)
						Chemotherapy
						administration,
						intravenous infusion
						technique; initiation of
						prolonged chemotherapy
						infusion (more than 8
						hours), requiring use of a
						portable or implantable
96416	_	_	\$109.61	_	_	pump
						Chemotherapy
						administration,
						intravenous infusion
						technique; each additional
						sequential infusion
						(different
						substance/drug), up to 1
						hour (List separately in
						addition to code for
96417	_	_	\$48.38	_	_	primary procedure)

Code	NFAC	FAC	Global	PC	ŦC	Description
						Chemotherapy
						administration, intra-
96420	1	1	\$82.05	1	_	arterial; push technique
						Chemotherapy
						administration, intra-
						arterial; infusion
96422	_	_	\$132.47	_	_	technique, up to 1 hour
						Chemotherapy
						administration, intra-
						arterial; infusion
						technique, each additional
						hour (List separately in
						addition to code for
96423	_	_	\$60.98	_	_	primary procedure)
						Chemotherapy
						administration, intra-
						arterial; infusion
						technique, initiation of
						prolonged infusion (more
						than 8 hours), requiring
						the use of a portable or
96425	_	_	\$141.48	_	_	implantable pump
						Chemotherapy
						administration into
						pleural cavity, requiring
						and including
96440	\$657.33	\$99.70	_	_	_	thoracentesis
						Chemotherapy
						administration into the
						peritoneal cavity via
						indwelling port or
96446	\$154.55	\$18.72	_	_	_	catheter
						Chemotherapy
						administration, into CNS
						(eg, intrathecal), requiring
						and including spinal
96450	\$138.99	\$59.29	_	_	_	puncture
						Refilling and
						maintenance of portable
96521	_	_	\$107.78	_	_	pump

Code	NFAC	FAC	Global	PC	ŦC	Description
						Refilling and
						maintenance of
						implantable pump or
						reservoir for drug
						delivery, systemic (eg,
96522	_	_	\$88.01	_	_	intravenous, intra arterial)
						Irrigation of implanted
						venous access device for
96523	_	_	\$19.42	_	_	drug delivery systems
						Chemotherapy injection,
						subarachnoid or
						intraventricular via
						subcutaneous reservoir,
96542	\$93.38	\$31.08	1	_	_	single or multiple agents
						Unlisted chemotherapy
96549	_	_	I.C.	_		procedure
						Photodynamic therapy by
						external application of
						light to destroy
						premalignant and/or
						malignant lesions of the
						skin and adjacent mucosa
						(eg, lip) by activation of
						photosensitive drug(s),
						each phototherapy
96567	_	_	\$106.67	_	-	exposure session
						Photodynamic therapy by
						endoscopic application of
						light to ablate abnormal
						tissue via activation of
						<pre>photosensitive drug(s);</pre>
						first 30 minutes (List
						separately in addition to
						code for endoscopy or
						bronchoscopy procedures
						of lung and
96570	_	_	\$41.10	_	_	gastrointestinal tract)

Code	NFAC	FAC	Global	PC	TC	Description
						Photodynamic therapy by
						endoscopic application of
						light to ablate abnormal
						tissue via activation of
						<pre>photosensitive drug(s);</pre>
						each additional 15
						minutes (List separately
						in addition to code for
						endoscopy or
						bronchoscopy procedures
						of lung and
96571	_	_	\$19.63	_	_	gastrointestinal tract)
						Actinotherapy (ultraviolet
96900	_	-	\$16.15	-	_	light)
						Microscopic examination
						of hairs plucked or
						clipped by the examiner
						(excluding hair collected
						by the patient) to
						determine telogen and
						anagen counts, or
	***	*				structural hair shaft
96902	\$15.86	\$15.30		_	_	abnormality
						Whole body
						integumentary
						photography, for
						monitoring of high risk
						patients with dysplastic
						nevus syndrome or a
						history of dysplastic nevi,
						or patients with a
0.500			4.0.15			personal or familial
96904	_	-	\$49.42	-	_	history of melanoma
						Photochemotherapy; tar
						and ultraviolet B
						(Goeckerman treatment)
0.6010			Φ .			or petrolatum and
96910	_	_	\$56.28	_	_	ultraviolet B
						Photochemotherapy;
0.6012			ф ло 00			psoralens and ultraviolet
96912	_	_	\$72.00	_	_	A (PUVA)

Code	NFAC	FAC	Global	PC	ŦC	Description
						Photochemotherapy
						(Goeckerman and/or
						PUVA) for severe
						photoresponsive
						dermatoses requiring at
						least 4-8 hours of care
						under direct supervision
						of the physician (includes
						application of medication
96913	_	_	\$103.18	_	_	and dressings)
						Laser treatment for
						inflammatory skin disease
						(psoriasis); total area less
96920	\$119.62	\$49.75	_	_	_	than 250 sq cm
						Laser treatment for
						inflammatory skin disease
						(psoriasis); 250 sq cm to
96921	\$131.60	\$56.39	_	_	_	500 sq cm
						Laser treatment for
						inflammatory skin disease
						(psoriasis); over 500 sq
96922	\$181.49	\$90.85	_	_	_	em
						Reflectance confocal
						microscopy (RCM) for
						cellular and sub-cellular
						imaging of skin; image
						acquisition and
						interpretation and report,
96931	_	_	I.C.	_	_	first lesion
						Reflectance confocal
						microscopy (RCM) for
						cellular and sub-cellular
						imaging of skin; image
						acquisition only, first
96932	<u> </u>		I.C.		<u> </u>	lesion
						Reflectance confocal
						microscopy (RCM) for
						cellular and sub-cellular
						imaging of skin;
						interpretation and report
96933	_	_	I.C.	_	_	only, first lesion

Code	NFAC	FAC	Global	PC	TC	Description
						Reflectance confocal
						microscopy (RCM) for
						cellular and sub-cellular
						imaging of skin; image
						acquisition and
						interpretation and report,
						each additional lesion
						(List separately in
						addition to code for
96934	_	_	I.C.	_	_	primary procedure)
						Reflectance confocal
						microscopy (RCM) for
						cellular and sub-cellular
						imaging of skin; image
						acquisition only, each
						additional lesion (List
						separately in addition to
						code for primary
96935	_	_	I.C.	_	_	procedure)
						Reflectance confocal
						microscopy (RCM) for
						cellular and sub-cellular
						imaging of skin;
						interpretation and report
						only, each additional
						lesion (List separately in
						addition to code for
96936	-	_	I.C.	-	_	primary procedure)
						Unlisted special
						dermatological service or
96999	_	_	I.C.	_	_	procedure
						Application of a modality
						to 1 or more areas; hot or
97010	_		\$4.50	_	_	cold packs
						Application of a modality
						to 1 or more areas;
97012			\$11.89			traction, mechanical
						Application of a modality
						to 1 or more areas;
						electrical stimulation
97014	_	_	\$12.06	_	_	(unattended)

Code	NFAC	FAC	Global	PC	TC	Description
						Application of a modality
						to 1 or more areas;
97016	_	_	\$14.59	_	_	vasopneumatic devices
						Application of a modality
						to 1 or more areas;
97018			\$8.43	-	_	paraffin bath
						Application of a modality
						to 1 or more areas;
97022	_	_	\$17.98		_	whirlpool
						Application of a modality
						to 1 or more areas;
						diathermy (eg,
97024	_	_	\$4.78	_	_	microwave)
						Application of a modality
						to 1 or more areas;
97026	_	_	\$4.50	_	_	infrared
						Application of a modality
						to 1 or more areas;
97028	_	_	\$5.57	_	_	ultraviolet
						Application of a modality
						to 1 or more areas;
						electrical stimulation
						(manual), each 15
97032	_	_	\$14.42	_	_	minutes
						Application of a modality
						to 1 or more areas;
						iontophoresis, each 15
97033	_	_	\$20.00	_	_	minutes
						Application of a modality
						to 1 or more areas;
						contrast baths, each 15
97034	_	_	\$13.67	_	_	minutes
			, 5.75.			Application of a modality
						to 1 or more areas;
						ultrasound, each 15
97035	_	_	\$9.46		_	minutes
			,,,,,,,			Application of a modality
						to 1 or more areas;
						Hubbard tank, each 15
97036	_	_	\$25.29	_	_	minutes
97039		_	I.C.	_	_	Unlisted modality
71007			1.0.			Children modulity

Code	NFAC	FAC	Global	PC	TC	Description
						(specify type and time if
						constant attendance)
						Therapeutic procedure, 1
						or more areas, each 15
						minutes; therapeutic
						exercises to develop
						strength and endurance,
						range of motion and
97110	_	_	\$24.18	_	_	flexibility
						Therapeutic procedure, 1
						or more areas, each 15
						minutes; neuromuscular
						reeducation of movement,
						balance, coordination,
						kinesthetic sense, posture,
						and/or proprioception for
						sitting and/or standing
97112	_	_	\$25.31	_	_	activities
						Therapeutic procedure, 1
						or more areas, each 15
						minutes; aquatic therapy
97113	_	_	\$32.75	_	_	with therapeutic exercises
						Therapeutic procedure, 1
						or more areas, each 15
						minutes; gait training
97116	_	_	\$21.34	_		(includes stair climbing)
						Therapeutic procedure, 1
						or more areas, each 15
						minutes; massage,
						including effleurage,
						petrissage and/or
						tapotement (stroking,
97124	_	_	\$19.78	_	_	compression, percussion)
						Unlisted therapeutic
97139	_	_	I.C.		_	procedure (specify)
						Manual therapy
						techniques (eg,
						mobilization/
						manipulation, manual
						lymphatic drainage,
						manual traction), 1 or
97140			\$22.39			more regions, each 15

Code	NFAC	FAC	Global	PC	TC	Description
						minutes
						Therapeutic procedure(s),
						group (2 or more
97150	_	_	\$12.91	-	_	individuals)
						Physical therapy
						evaluation: low
						complexity, requiring
						these components: A
						history with no personal
						factors and/or
						comorbidities that impact
						the plan of care; An
						examination of body
						system(s) using
						standardized tests and
						measures addressing 1-2
						elements from any of the
						following: body
						structures and functions,
						activity limitations,
						and/or participation
						restrictions; A clinical
						presentation with stable
						and/or uncomplicated
						characteristics; and
						Clinical decision making
						of low complexity using
						standardized patient
						assessment instrument
						and/or measurable
						assessment of functional
						outcome. Typically, 20
						minutes are spent face-to-
						face with the patient
97161	_	_	\$60.61	_	_	and/or family.
						Physical therapy
						evaluation: moderate
						complexity, requiring
						these components: A
						history of present
						problem with 1-2
97162	_	_	\$60.61	-	_	personal factors and/or

Code	NFAC	FAC	Global	PC	TC	Description
						comorbidities that impact
						the plan of care; An
						examination of body
						systems using
						standardized tests and
						measures in addressing a
						total of 3 or more
						elements from any of the
						following: body
						structures and functions,
						activity limitations,
						and/or participation
						restrictions; An evolving
						clinical presentation with
						changing characteristics;
						and Clinical decision
						making of moderate
						complexity using
						standardized patient
						assessment instrument
						and/or measurable
						assessment of functional
						outcome. Typically, 30
						minutes are spent face-to-
						face with the patient
						and/or family.
						Physical therapy
						evaluation: high
						complexity, requiring
						these components: A
						history of present
						problem with 3 or more
						personal factors and/or
						comorbidities that impact
						the plan of care; An
						examination of body
						systems using
						standardized tests and
						measures addressing a
						total of 4 or more
						elements from any of the
97163	_	_	\$60.61	_	_	following: body

Code	NFAC	FAC	Global	PC	TC	Description
						structures and functions,
						activity limitations,
						and/or participation
						restrictions; A clinical
						presentation with unstable
						and unpredictable
						characteristics; and
						Clinical decision making
						of high complexity using
						standardized patient
						assessment instrument
						and/or measurable
						assessment of functional
						outcome. Typically, 45
						minutes are spent face to
						face with the patient
						and/or family.
						Re evaluation of physical
						therapy established plan
						of care, requiring these
						components: An
						examination including a
						review of history and use
						of standardized tests and
						measures is required; and
						Revised plan of care
						using a standardized
						patient assessment
						instrument and/or
						measurable assessment of
						functional outcome
						Typically, 20 minutes are
						spent face to face with
97164	_	_	\$41.35	_	_	the patient and/or family.
						Occupational therapy
						evaluation, low
						complexity, requiring
						these components: An
						occupational profile and
						medical and therapy
						history, which includes a
97165	_		\$58.64	_	_	brief history including

Code	NFAC	FAC	Global	PC	ŦC	Description
						review of medical and/or
						therapy records relating
						to the presenting
						problem; An
						assessment(s) that
						identifies 1-3
						performance deficits (ie,
						relating to physical,
						cognitive, or psychosocial
						skills) that result in
						activity limitations and/or
						participation restrictions;
						and Clinical decision
						making of low
						complexity, which
						includes an analysis of
						the occupational profile,
						analysis of data from
						problem-focused
						assessment(s), and
						consideration of a limited
						number of treatment
						options. Patient presents
						with no comorbidities
						that affect occupational
						performance.
						Modification of tasks or
						assistance (eg, physical or
						verbal) with
						assessment(s) is not
						necessary to enable
						completion of evaluation
						component. Typically, 30
						minutes are spent face-to-
						face with the patient
						and/or family.
						Occupational therapy
						evaluation, moderate
						complexity, requiring
						these components: An
						occupational profile and
97166	_	_	\$58.64	_	_	medical and therapy

Code	NFAC	FAC	Global	PC	TC	Description
						history, which includes an
						expanded review of
						medical and/or therapy
						records and additional
						review of physical,
						cognitive, or psychosocial
						history related to current
						functional performance;
						An assessment(s) that
						identifies 3-5
						performance deficits (ie,
						relating to physical,
						cognitive, or psychosocial
						skills) that result in
						activity limitations and/or
						participation restrictions;
						and Clinical decision
						making of moderate
						analytic complexity,
						which includes an
						analysis of the
						occupational profile,
						analysis of data from
						detailed assessment(s),
						and consideration of
						several treatment options.
						Patient may present with
						comorbidities that affect
						occupational
						performance. Minimal to
						moderate modification of
						tasks or assistance (eg,
						physical or verbal) with
						assessment(s) is
						necessary to enable
						patient to complete
						evaluation component.
						Typically, 45 minutes are
						spent face-to-face with
						the patient and/or family.
						Occupational therapy
97167	_	_	\$58.64	_		evaluation, high
JIIUT			ψ <i>υ</i> υ . υ τ			Cyaruation, mgn

Code	NFAC	FAC	Global	PC	TC	Description
						complexity, requiring
						these components: An
						occupational profile and
						medical and therapy
						history, which includes
						review of medical and/or
						therapy records and
						extensive additional
						review of physical,
						cognitive, or psychosocial
						history related to current
						functional performance;
						An assessment(s) that
						identifies 5 or more
						performance deficits (ie,
						relating to physical,
						cognitive, or psychosocial
						skills) that result in
						activity limitations and/or
						participation restrictions;
						and Clinical decision
						making of high analytic
						complexity, which
						includes an analysis of
						the patient profile,
						analysis of data from
						comprehensive
						assessment(s), and
						consideration of multiple
						treatment options. Patient
						presents with
						comorbidities that affect
						occupational
						performance. Significant
						modification of tasks or
						assistance (eg, physical or
						verbal) with
						assessment(s) is
						necessary to enable
						patient to complete
						evaluation component.
						Typically 60 minutes are
						Typically, 60 minutes are

Code	NFAC	FAC	Global	PC	TC	Description
						structures, physical
						activity, and/or
						participation deficiencies;
						and Clinical decision
						making of low
						complexity using
						standardized patient
						assessment instrument
						and/or measurable
						assessment of functional
						outcome. Typically, 15
						minutes are spent face to-
						face with the patient
						and/or family.
						Athletic training
						evaluation, moderate
						complexity, requiring
						these components: A
						medical history and
						physical activity profile
						with 1-2 comorbidities
						that affect physical
						activity; An examination
						of affected body area and
						other symptomatic or
						related systems
						addressing a total of 3 or
						more elements from any
						of the following: body
						structures, physical
						activity, and/or
						participation deficiencies;
						and Clinical decision
						making of moderate
						complexity using
						standardized patient
						assessment instrument
						and/or measurable
						assessment of functional
						outcome. Typically, 30
						minutes are spent face-to-
97170	_	_	I.C.	_	_	face with the patient

Code	NFAC	FAC	Global	PC	TC	Description
						and/or family.
						Athletic training
						evaluation, high
						complexity, requiring
						these components: A
						medical history and
						physical activity profile,
						with 3 or more
						comorbidities that affect
						physical activity; A
						comprehensive
						examination of body
						systems using
						standardized tests and
						measures addressing a
						total of 4 or more
						elements from any of the
						following: body
						structures, physical
						activity, and/or
						participation deficiencies;
						Clinical presentation with
						unstable and
						unpredictable
						characteristics; and
						Clinical decision making
						of high complexity using
						standardized patient
						assessment instrument
						and/or measurable
						assessment of functional
						outcome. Typically, 45
						minutes are spent face to
						face with the patient
97171	_	_	I.C.	_	_	and/or family.
						Re evaluation of athletic
						training established plan
						of care requiring these
						components: An
						assessment of patient's
97172	_	_	I.C.	_	_	current functional status

Code	NFAC	FAC	Global	PC	TC	Description
						when there is a
						documented change; and
						A revised plan of care
						using a standardized
						patient assessment
						instrument and/or
						measurable assessment of
						functional outcome with
						an update in management
						options, goals, and
						interventions. Typically,
						20 minutes are spent face
						to-face with the patient
						and/or family.
						Therapeutic activities,
						direct (one-on-one)
						patient contact (use of
						dynamic activities to
						improve functional
						performance), each 15
97530	_	_	\$26.30	_	_	minutes
77330			Ψ20.50			Development of cognitive
						skills to improve
						attention, memory,
						problem solving (includes
						compensatory training),
						direct (one-on-one)
						patient contact, each 15
97532			\$19.84	_	_	minutes
71002			Ψ12.01			Sensory integrative
						techniques to enhance
						sensory processing and
						promote adaptive
						responses to
						environmental demands,
						direct (one on one)
						patient contact, each 15
97533			\$21.81			*
7/333		_	\$∠1.81			minutes

Code	NFAC	FAC	Global	PC	TC	Description
						Self-care/home
						management training (eg,
						activities of daily living
						(ADL) and compensatory
						training, meal
						preparation, safety
						procedures, and
						instructions in use of
						assistive technology
						devices/adaptive
						equipment) direct one on-
						one contact, each 15
97535	_	_	\$26.43	_	_	minutes
						Community/work
						reintegration training (eg,
						shopping, transportation,
						money management,
						avocational activities
						and/or work
						environment/modification
						analysis, work task
						analysis, use of assistive
						technology
						device/adaptive
						equipment), direct one-
						on-one contact, each 15
97537	_	_	\$22.50	_	_	minutes
						Wheelchair management
						(eg, assessment, fitting,
97542	_	_	\$23.06	_	_	training), each 15 minutes
						Work
						hardening/conditioning;
97545	_	_	I.C.	_	_	initial 2 hours
						Work
						hardening/conditioning;
						each additional hour (List
						separately in addition to
						code for primary
97546	_	_	I.C.	_	_	procedure)
2.2.0	1			i e	1	I T/

Code	NFAC	FAC	Global	PC	TC	Description
						Debridement (eg, high
						pressure waterjet
						with/without suction,
						sharp selective
						debridement with
						scissors, scalpel and
						forceps), open wound,
						(eg, fibrin, devitalized
						epidermis and/or dermis,
						exudate, debris, biofilm),
						including topical
						application(s), wound
						assessment, use of a
						whirlpool, when
						performed and
						instruction(s) for ongoing
						care, per session, total
						wound(s) surface area;
97597	\$57.99	\$17.02	_	_		first 20 sq cm or less
7,651	φο,ισσ	ψ1110 <u>2</u>				Debridement (eg, high
						pressure waterjet
						with/without suction,
						sharp selective
						debridement with
						scissors, scalpel and
						forceps), open wound,
						(eg, fibrin, devitalized
						epidermis and/or dermis,
						exudate, debris, biofilm),
						including topical
						application(s), wound
						assessment, use of a
						whirlpool, when
						performed and
						instruction(s) for ongoing
						care, per session, total
						wound(s) surface area;
						each additional 20 sq cm,
						or part thereof (List
						separately in addition to
						code for primary
97598	\$18.65	\$7.99	_	_	_	procedure)

Code	NFAC	FAC	Global	PC	TC	Description
						Removal of devitalized
						tissue from wound(s),
						non-selective
						debridement, without
						anesthesia (eg, wet to-
						moist dressings,
						enzymatic, abrasion),
						including topical
						application(s), wound
						assessment, and
						instruction(s) for ongoing
97602	_	_	I.C.	-	1	care, per session
						Negative pressure wound
						therapy (eg, vacuum
						assisted drainage
						collection), utilizing
						durable medical
						equipment (DME),
						including topical
						application(s), wound
						assessment, and
						instruction(s) for ongoing
						care, per session; total
						wound(s) surface area
						less than or equal to 50
97605	\$30.95	\$18.32	_	1	-	square centimeters
						Negative pressure wound
						therapy (eg, vacuum
						assisted drainage
						collection), utilizing
						durable medical
						equipment (DME),
						including topical
						application(s), wound
						assessment, and
						instruction(s) for ongoing
						care, per session; total
						wound(s) surface area
						greater than 50 square
97606	\$36.72	\$19.89	_	_	_	centimeters

Code	NFAC	FAC	Global	PC	TC	Description
						Negative pressure wound
						therapy, (eg, vacuum
						assisted drainage
						collection), utilizing
						disposable, non durable
						medical equipment
						including provision of
						exudate management
						collection system, topical
						application(s), wound
						assessment, and
						instructions for ongoing
						care, per session; total
						wound(s) surface area
						less than or equal to 50
97607	1	_	I.C.	1	-	square centimeters
						Negative pressure wound
						therapy, (eg, vacuum
						assisted drainage
						collection), utilizing
						disposable, non-durable
						medical equipment
						including provision of
						exudate management
						collection system, topical
						application(s), wound
						assessment, and
						instructions for ongoing
						care, per session; total
						wound(s) surface area
						greater than 50 square
97608	_	_	I.C.	_	_	centimeters
						Low frequency, non-
						contact, non-thermal
						ultrasound, including
						topical application(s),
						when performed, wound
						assessment, and
						instruction(s) for ongoing
97610	\$93.59	\$11.64	-	_	_	care, per day

Code	NFAC	FAC	Global	PC	ŦC	Description
						Physical performance test
						or measurement (eg,
						musculoskeletal,
						functional capacity), with
						written report, each 15
97750	_	_	\$24.74	_	_	minutes
						Assistive technology
						assessment (eg, to restore,
						augment or compensate
						for existing function,
						optimize functional tasks
						and/or maximize
						environmental
						accessibility), direct one-
						on-one contact, with
						written report, each 15
97755	_	_	\$26.57	_	_	minutes
						Orthotic(s) management
						and training (including
						assessment and fitting
						when not otherwise
						reported), upper
						extremity(s), lower
						extremity(s) and/or trunk,
97760	_	_	\$28.67	_	_	each 15 minutes
						Prosthetic training, upper
0== 44						and/or lower extremity(s),
97761	_	_	\$24.74	_	_	each 15 minutes
						Checkout for
						orthotic/prosthetic use,
077.63			Φ2607			established patient, each
97762	_	_	\$36.87	_	_	15 minutes
						Unlisted physical
0.5500			* ~			medicine/rehabilitation
97799	_	_	I.C.	_	_	service or procedure
						Medical nutrition therapy;
						initial assessment and
						intervention, individual,
		****				face-to-face with the
97802	\$25.95	\$24.27	_	-	_	patient, each 15 minutes

Code	NFAC	FAC	Global	PC	TC	Description
						Medical nutrition therapy;
						re-assessment and
						intervention, individual,
						face-to-face with the
97803	\$22.50	\$20.53	_	_		patient, each 15 minutes
						Medical nutrition therapy;
						group (2 or more
						individual(s)), each 30
97804	\$11.89	\$11.33	_	-	_	minutes
						Acupuncture, 1 or more
						needles; without electrical
						stimulation, initial 15
						minutes of personal one-
						on one contact with the
97810	\$26.93	\$22.44	_	_	_	patient
						Acupuncture, 1 or more
						needles; without electrical
						stimulation, each
						additional 15 minutes of
						personal one-on-one
						contact with the patient,
						with re-insertion of
						needle(s) (List separately
						in addition to code for
97811	\$20.01	\$18.60	-	_	_	primary procedure)
						Acupuncture, 1 or more
						needles; with electrical
						stimulation, initial 15
						minutes of personal one-
						on-one contact with the
97813	\$28.77	\$24.28	_	-	_	patient
						Acupuncture, 1 or more
						needles; with electrical
						stimulation, each
						additional 15 minutes of
						personal one on one
						contact with the patient,
						with re-insertion of
						needle(s) (List separately
						in addition to code for
97814	\$22.69	\$20.44	_	_	_	primary procedure)

Code	NFAC	FAC	Global	PC	TC	Description
						Osteopathic manipulative
						treatment (OMT); 1-2
98925	\$23.47	\$17.30	ļ		_	body regions involved
						Osteopathic manipulative
						treatment (OMT); 3-4
98926	\$33.96	\$26.38	1	_	_	body regions involved
						Osteopathic manipulative
						treatment (OMT); 5-6
98927	\$43.88	\$34.62	_	_	_	body regions involved
						Osteopathic manipulative
						treatment (OMT); 7-8
98928	\$53.81	\$43.71	_	_	_	body regions involved
						Osteopathic manipulative
						treatment (OMT); 9-10
98929	\$64.29	\$52.51	-	_	_	body regions involved
						Chiropractic manipulative
						treatment (CMT); spinal,
98940	\$21.07	\$16.58	-	_	_	1-2 regions
						Chiropractic manipulative
						treatment (CMT); spinal,
98941	\$30.28	\$25.51	-	_	_	3-4 regions
						Chiropractic manipulative
						treatment (CMT); spinal,
98942	\$39.36	\$34.31	_	_		5 regions
						Chiropractic manipulative
						treatment (CMT);
						extraspinal, 1 or more
98943	\$20.10	\$17.30	-	-	_	regions
						Education and training
						for patient self-
						management by a
						qualified, nonphysician
						health care professional
						using a standardized
						curriculum, face to face
						with the patient (could
						include caregiver/family)
00000			¢21.02			each 30 minutes;
98960	_	_	\$21.92	-	_	individual patient

Code	NFAC	FAC	Global	PC	TC	Description
						Education and training
						for patient self-
						management by a
						qualified, nonphysician
						health care professional
						using a standardized
						curriculum, face-to-face
						with the patient (could
						include caregiver/family)
						each 30 minutes; 2-4
98961	_	_	\$10.54	_	_	patients
			·			Education and training
						for patient self
						management by a
						qualified, nonphysician
						health care professional
						using a standardized
						curriculum, face to face
						with the patient (could
						include caregiver/family)
						each 30 minutes; 5-8
98962		_	\$7.73			patients
3030 2			Ψπ			Telephone assessment
						and management service
						provided by a qualified
						nonphysician health care
						professional to an
						established patient,
						parent, or guardian not
						originating from a related
						assessment and
						management service
						provided within the
						previous 7 days nor
						leading to an assessment
						and management service
						or procedure within the
						next 24 hours or soonest
						available appointment; 5-10 minutes of medical
00066	¢10.21	\$0.26				
98966	\$10.21	\$9.36	-	_	_	discussion

Code	NFAC	FAC	Global	PC	TC	Description
						Telephone assessment
						and management service
						provided by a qualified
						nonphysician health care
						professional to an
						established patient,
						parent, or guardian not
						originating from a related
						assessment and
						management service
						provided within the
						previous 7 days nor
						leading to an assessment
						and management service
						or procedure within the
						next 24 hours or soonest
						available appointment;
						11-20 minutes of medical
98967	\$19.73	\$18.60	_	_	_	discussion
						Telephone assessment
						and management service
						provided by a qualified
						nonphysician health care
						professional to an
						established patient,
						parent, or guardian not
						originating from a related
						assessment and
						management service
						provided within the
						previous 7 days nor
						leading to an assessment
						and management service
						or procedure within the
						next 24 hours or soonest
						available appointment;
						21-30 minutes of medical
98968	\$28.81	\$27.97	_	_	_	discussion

Code	NFAC	FAC	Global	PC	TC	Description
						Online assessment and
						management service
						provided by a qualified
						nonphysician health care
						professional to an
						established patient or
						guardian, not originating
						from a related assessment
						and management service
						provided within the
						previous 7 days, using the
						Internet or similar
						electronic
98969	_	_	I.C.	_	_	communications network
						Handling and/or
						conveyance of specimen
						for transfer from the
99000	_	_	I.C.	_	_	office to a laboratory
						Handling and/or
						conveyance of specimen
						for transfer from the
						patient in other than an
						office to a laboratory
						(distance may be
99001	_	_	I.C.	_	_	indicated)
						Handling, conveyance,
						and/or any other service
						in connection with the
						implementation of an
						order involving devices
						(eg, designing, fitting,
						packaging, handling,
						delivery or mailing) when
						devices such as orthotics,
						protectives, prosthetics
						are fabricated by an
						outside laboratory or shop
						but which items have
						been designed, and are to
						be fitted and adjusted by
						the attending physician or
99002	_	_	I.C.	_	_	other qualified health care

Code	NFAC	FAC	Global	PC	TC	Description
						professional
						Postoperative follow-up
						visit, normally included
						in the surgical package, to
						indicate that an
						evaluation and
						management service was
						performed during a
						postoperative period for a
						reason(s) related to the
99024	_	_	I.C.	_	_	original procedure
						Hospital mandated on call
						service; in-hospital, each
99026	_	-	I.C.	_	-	hour
						Hospital mandated on call
						service; out-of-hospital,
99027	_	_	I.C.	_	_	each hour
						Services provided in the
						office at times other than
						regularly scheduled office
						hours, or days when the
						office is normally closed
						(eg, holidays, Saturday or
00050			IC			Sunday), in addition to
99050	_	_	I.C.	-	_	Saming(s) mayidad in the
						Service(s) provided in the
						office during regularly scheduled evening,
						weekend, or holiday
						office hours, in addition
99051	_		I.C.		_	to basic service
77031			1.0.			Service(s) provided
						between 10:00 PM and
						8:00 AM at 24-hour
						facility, in addition to
99053	_	_	I.C.	_	_	basic service
						Service(s) typically
						provided in the office,
						provided out of the office
						at request of patient, in
99056	_	_	I.C.	_	_	addition to basic service

Code	NFAC	FAC	Global	PC	ŦC	Description
						Service(s) provided on an
						emergency basis in the
						office, which disrupts
						other scheduled office
						services, in addition to
99058	_	_	I.C.	_	_	basic service
						Service(s) provided on an
						emergency basis, out of
						the office, which disrupts
						other scheduled office
						services, in addition to
99060	_	1	I.C.	1	-	basic service
						Supplies and materials
						(except spectacles),
						provided by the physician
						or other qualified health
						care professional over
						and above those usually
						included with the office
						visit or other services
						rendered (list drugs, trays,
						supplies, or materials
99070	_	_	I.C.	_	_	provided)
						Educational supplies,
						such as books, tapes, and
						pamphlets, for the
						patient's education at cost
						to physician or other
						qualified health care
99071	_	_	I.C.	_	_	professional
99075	_	ı	I.C.	I	-	Medical testimony
						Physician or other
						qualified health care
						professional qualified by
						education, training,
						licensure/regulation
						(when applicable)
						educational services
						rendered to patients in a
						group setting (eg,
						prenatal, obesity, or
99078	_	-	I.C.	_	_	diabetic instructions)

Code	NFAC	FAC	Global	PC	TC	Description
						Special reports such as
						insurance forms, more
						than the information
						conveyed in the usual
						medical communications
						or standard reporting
99080	_	_	I.C.	_	_	form
						Unusual travel (eg,
						transportation and escort
99082	_	_	I.C.	_	_	of patient)
						Analysis of clinical data
						stored in computers (eg,
						ECGs, blood pressures,
99090	_		I.C.	_	_	hematologic data)
						Collection and
						interpretation of
						physiologic data (eg,
						ECG, blood pressure,
						glucose monitoring)
						digitally stored and/or
						transmitted by the patient
						and/or caregiver to the
						physician or other
						qualified health care
						professional, qualified by
						education, training,
						licensure/regulation
						(when applicable)
						requiring a minimum of
99091			\$41.04		_	30 minutes of time
<i>)</i>			Ψ11.01			Anesthesia for patient of
						extreme age, younger
						than 1 year and older than
						70 (List separately in
						addition to code for
						primary anesthesia
99100	_	_	I.C.	_	_	procedure)
<i>)</i> /100			1.0.		_	Anesthesia complicated
						by utilization of total
						body hypothermia (List
						separately in addition to
99116	_	_	I.C.	_		
77110	_	_	1.C.	_		code for primary

Code	NFAC	FAC	Global	PC	TC	Description
						anesthesia procedure)
						Anesthesia complicated
						by utilization of
						controlled hypotension
						(List separately in
						addition to code for
00125			I.C			primary anesthesia
99135		_	I.C.	_	_	procedure)
						Anesthesia complicated
						by emergency conditions (specify) (List separately
						in addition to code for
						primary anesthesia
99140	_	_	I.C.	_		procedure)
77140			1.0.			Moderate sedation
						services provided by the
						same physician or other
						qualified health care
						professional performing
						the diagnostic or
						therapeutic service that
						the sedation supports,
						requiring the presence of
						an independent trained
						observer to assist in the
						monitoring of the
						patient's level of
						consciousness and
						physiological status;
						initial 15 minutes of
						intraservice time, patient
0045	47 6 27					younger than 5 years of
99151	\$59.85	\$17.30	_	_	_	age
						Moderate sedation
						services provided by the
						same physician or other
						qualified health care
00152	¢40.10	¢0.11				professional performing
99152	\$40.10	\$9.11	_	_	_	the diagnostic or

Code	NFAC	FAC	Global	PC	ŦC	Description
						therapeutic service that
						the sedation supports,
						requiring the presence of
						an independent trained
						observer to assist in the
						monitoring of the
						patient's level of
						consciousness and
						physiological status;
						initial 15 minutes of
						intraservice time, patient
						age 5 years or older
						Moderate sedation
						services provided by the
						same physician or other
						qualified health care
						professional performing
						the diagnostic or
						therapeutic service that
						the sedation supports,
						requiring the presence of
						an independent trained
						observer to assist in the
						monitoring of the
						patient's level of
						consciousness and
						physiological status; each
						additional 15 minutes
						intraservice time (List
						separately in addition to
99153	_	_	\$8.66	-		code for primary service)
						Moderate sedation
						services provided by a
						physician or other
						qualified health care
						professional other than
						the physician or other
						qualified health care
						professional performing
						the diagnostic or
						therapeutic service that
99155	_	_	\$68.27	_	_	the sedation supports;

Code	NFAC	FAC	Global	PC	TC	Description
						initial 15 minutes of
						intraservice time, patient
						younger than 5 years of
						age
						Moderate sedation
						services provided by a
						physician or other
						qualified health care
						professional other than
						the physician or other
						qualified health care
						professional performing
						the diagnostic or
						therapeutic service that
						the sedation supports;
						initial 15 minutes of
						intraservice time, patient
99156	_	_	\$55.49	_	_	age 5 years or older
						Moderate sedation
						services provided by a
						physician or other
						qualified health care
						professional other than
						the physician or other
						qualified health care
						professional performing
						the diagnostic or
						therapeutic service that
						the sedation supports;
						each additional 15
						minutes intraservice time
						(List separately in
						addition to code for
99157	_	_	\$42.10	_	_	primary service)
						Anogenital examination,
						magnified, in childhood
						for suspected trauma,
						including image
						recording when
99170	\$131.84	\$65.33	_	_	_	performed

Code	NFAC	FAC	Global	PC	ŦC	Description
						Visual function
						screening, automated or
						semi-automated bilateral
						quantitative
						determination of visual
						acuity, ocular alignment,
						color vision by
						pseudoisochromatic
						plates, and field of vision
						(may include all or some
						screening of the
						determination[s] for
						contrast sensitivity, vision
99172	_	_	I.C.	_	_	under glare)
						Instrument-based ocular
						screening (eg,
						photoscreening,
						automated refraction),
						bilateral; with remote
99174	_	_	I.C.	_	_	analysis and report
						Ipecae or similar
						administration for
						individual emesis and
						continued observation
						until stomach adequately
99175	_	_	\$13.35	_	_	emptied of poison
						Instrument based ocular
						screening (eg,
						photoscreening,
						automated refraction),
						bilateral; with on site
99177	_	_	I.C.	_	_	analysis
						Physician or other
						qualified health care
						professional attendance
						and supervision of
						hyperbaric oxygen
99183	_	_	\$79.53	_	_	therapy, per session

Code	NFAC	FAC	Global	PC	TC	Description
						Initiation of selective
						head or total body
						hypothermia in the
						critically ill neonate,
						includes appropriate
						patient selection by
						review of clinical,
						imaging and laboratory
						data, confirmation of
						esophageal temperature
						probe location, evaluation
						of amplitude EEG,
						supervision of controlled
						hypothermia, and
						assessment of patient
99184	1	_	\$167.70	-		tolerance of cooling
						Application of topical
						fluoride varnish by a
						physician or other
						qualified health care
99188	_	_	I.C.	-	-	professional
						Assembly and operation
						of pump with oxygenator
						or heat exchanger (with
						or without ECG and/or
						pressure monitoring);
99190	_	_	I.C.	_	_	each hour
						Assembly and operation
						of pump with oxygenator
						or heat exchanger (with
						or without ECG and/or
						pressure monitoring); 45
99191	_	_	I.C.	_	_	minutes
						Assembly and operation
						of pump with oxygenator
						or heat exchanger (with
						or without ECG and/or
						pressure monitoring); 30
99192	_	_	I.C.	_	_	minutes
						Phlebotomy, therapeutic
99195	_	_	\$78.39	_	_	(separate procedure)
99199	_	_	I.C.	_	_	Unlisted special service,

Code	NFAC	FAC	Global	PC	TC	Description
						procedure or report
						Office or other outpatient
						visit for the evaluation
						and management of a new
						patient, which requires
						these 3 key components:
						A problem focused
						history; A problem
						focused examination;
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						self limited or minor.
						Typically, 10 minutes are
						spent face to face with
99201	\$32.71	\$19.24	_	_	_	the patient and/or family.

Code	NFAC	FAC	Global	PC	TC	Description
						Office or other outpatient
						visit for the evaluation
						and management of a new
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						focused examination;
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of low to moderate
						severity. Typically, 20
						minutes are spent face-to-
						face with the patient
99202	\$55.65	\$36.57	-	1	_	and/or family.
						Office or other outpatient
						visit for the evaluation
						and management of a new
						patient, which requires
						these 3 key components:
						A detailed history; A
						detailed examination;
						Medical decision making
						of low complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
99203	\$79.95	\$55.53	_	_	_	are provided consistent

Code	NFAC	FAC	Global	PC	TC	Description
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate severity.
						Typically, 30 minutes are
						spent face-to-face with
						the patient and/or family.
•						•
1						Office or other outpatient
						visit for the evaluation
						and management of a new
						patient, which requires
						-
						these 3 key components:
						A comprehensive history;
						A comprehensive
						examination; Medical
						decision making of
						moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. Typically, 45
						minutes are spent face to
						face with the patient
99204	\$121.49	\$94.27	_	-	_	and/or family.

Code	NFAC	FAC	Global	PC	ŦC	Description
						Office or other outpatient
						visit for the evaluation
						and management of a new
						patient, which requires
						these 3 key components:
						A comprehensive history;
						A comprehensive
						examination; Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. Typically, 60
						minutes are spent face-to-
						face with the patient
99205	\$151.92	\$122.45	_	_	_	and/or family.
						Office or other outpatient
						visit for the evaluation
						and management of an
						established patient, that
						may not require the
						presence of a physician or
						other qualified health care
						professional. Usually, the
						presenting problem(s) are
						minimal. Typically, 5
						minutes are spent
						performing or supervising
99211	\$15.15	\$6.73	_	_	_	these services.

Code	NFAC	FAC	Global	PC	TC	Description
Code	NFAC	FAC	Global	PC	TC	Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: A problem focused history; A problem focused examination; Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are
99212	\$32.56	\$18.25			_	self limited or minor. Typically, 10 minutes are spent face-to-face with
99212	\$32.30	\$18.23	_			the patient and/or family. Office or other outpatient visit for the evaluation and management of an established patient, which requires at least 2 of these 3 key components: An expanded problem focused history; An expanded problem focused examination; Medical decision making of low complexity. Counseling and coordination of care with other physicians, other
99213	\$54.27	\$37.15	-		_	qualified health care

Code	NFAC	FAC	Global	PC	ŦC	Description
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of low to moderate
						severity. Typically, 15
						minutes are spent face to
						face with the patient
						and/or family.
,						0.00
						Office or other outpatient
						visit for the evaluation
						and management of an
						established patient, which
						requires at least 2 of these
						3 key components: A
						detailed history; A detailed examination;
						Medical decision making
						of moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. Typically, 25
						minutes are spent face to
						face with the patient
99214	\$79.82	\$57.09	_	_	_	and/or family.

Code	NFAC	FAC	Global	PC	ŦC	Description
						Office or other outpatient
						visit for the evaluation
						and management of an
						established patient, which
						requires at least 2 of these
						3 key components: A
						comprehensive history; A
						comprehensive
						examination; Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. Typically, 40
						minutes are spent face-to-
						face with the patient
99215	\$107.16	\$80.78	_	-	_	and/or family.
						Observation care
						discharge day
						management (This code
						is to be utilized to report
						all services provided to a
						patient on discharge from
						"observation status" if the
						discharge is on other than
						the initial date of
						"observation status." To
						report services to a
						patient designated as
						"observation status" or
00017			453.5			"inpatient status" and
99217	_	_	\$53.26	_	_	discharged on the same

Code	NFAC	FAC	Global	PC	TC	Description
						date, use the codes for
						Observation or Inpatient
						Care Services [including
						Admission and Discharge
						Services, 99234-99236 as
						appropriate.])
,						Tutated about at
						Initial observation care,
						per day, for the
						evaluation and
						management of a patient which requires these 3
						key components: A
						detailed or
						comprehensive history; A
						detailed or
						comprehensive
						examination; and Medical
						decision making that is
						straightforward or of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						problem(s) requiring
						admission to "observation
						status" are of low
						severity. Typically, 30
						minutes are spent at the
99218	_	_	\$72.27	_	_	bedside and on the

Code	NFAC	FAC	Global	PC	TC	Description
						patient's hospital floor or
						unit.
1						T 1/1 1 1 1
						Initial observation care,
						per day, for the evaluation and
						management of a patient,
						which requires these 3
						key components: A
						comprehensive history; A
						comprehensive
						examination; and Medical
						decision making of
						moderate complexity.
						Counseling and/or coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						problem(s) requiring
00210			\$98.57			admission to "observation
99219	_	_	\$98.3 /	_	_	status" are of moderate

Code	NFAC	FAC	Global	PC	TC	Description
						severity. Typically, 50
						minutes are spent at the
						bedside and on the
						patient's hospital floor or
						unit.
						Initial observation care,
						per day, for the
						evaluation and
						management of a patient,
						which requires these 3
						key components: A
						comprehensive history; A
						comprehensive
						examination; and Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						problem(s) requiring
						admission to "observation
						status" are of high
						severity. Typically, 70
99220	_	_	\$134.75	_	_	minutes are spent at the

Code	NFAC	FAC	Global	PC	ŦC	Description
						bedside and on the
						patient's hospital floor or
						unit.
						Initial hospital care, per
						day, for the evaluation
						and management of a
						patient, which requires
						these 3 key components:
						A detailed or
						comprehensive history; A
						detailed or
						comprehensive
						examination; and Medical
						decision making that is
						straightforward or of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						problem(s) requiring
						admission are of low
99221	_	_	\$73.17	_	_	severity. Typically, 30

Code	NFAC	FAC	Global	PC	TC	Description
						minutes are spent at the
						bedside and on the
						patient's hospital floor or unit.
						um.
						Initial hospital care, per
						day, for the evaluation
						and management of a
						patient, which requires
						these 3 key components:
						A comprehensive history;
						A comprehensive
						examination; and Medical
						decision making of
						moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						problem(s) requiring
						admission are of
						moderate severity.
						Typically, 50 minutes are
						spent at the bedside and
99222	_	_	\$99.29	_	_	on the patient's hospital

Code	NFAC	FAC	Global	PC	TC	Description
						floor or unit.
						Initial hospital care non
						Initial hospital care, per day, for the evaluation
						and management of a
						patient, which requires
						these 3 key components:
						A comprehensive history;
						A comprehensive
						examination; and Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						problem(s) requiring admission are of high
						severity. Typically, 70
						minutes are spent at the
						bedside and on the
						patient's hospital floor or
99223	_	_	\$147.13	_	_	unit.
77443	_	_	\$147.13	_	_	unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Subsequent observation
						care, per day, for the
						evaluation and
						management of a patient,
						which requires at least 2
						of these 3 key
						components: Problem
						focused interval history;
						Problem focused
						examination; Medical
						decision making that is
						straightforward or of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is stable,
						recovering, or improving.
						Typically, 15 minutes are
						spent at the bedside and
						on the patient's hospital
99224	_	-	\$28.81	-	_	floor or unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Subsequent observation
						care, per day, for the
						evaluation and
						management of a patient,
						which requires at least 2
						of these 3 key
						components: An
						expanded problem
						focused interval history;
						An expanded problem
						focused examination;
						Medical decision making
						of moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is responding
						inadequately to therapy or
						has developed a minor
						complication. Typically,
						25 minutes are spent at
						the bedside and on the
						patient's hospital floor or
99225	_	1	\$52.99	1	_	unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Subsequent observation
						care, per day, for the
						evaluation and
						management of a patient,
						which requires at least 2
						of these 3 key
						components: A detailed
						interval history; A
						detailed examination;
						Medical decision making
						of high complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is unstable or has
						developed a significant
						complication or a
						significant new problem.
						Typically, 35 minutes are
						spent at the bedside and
						on the patient's hospital
99226	_	_	\$76.53	ı	_	floor or unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Subsequent hospital care,
						per day, for the
						evaluation and
						management of a patient,
						which requires at least 2
						of these 3 key
						components: A problem
						focused interval history;
						A problem focused
						examination; Medical
						decision making that is
						straightforward or of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is stable,
						recovering or improving.
						Typically, 15 minutes are
						spent at the bedside and
						on the patient's hospital
99231	_	-	\$28.53	-	-	floor or unit.

Code	NFAC	FAC	Clobal	PC	TC	Description
						Subsequent hospital care,
						per day, for the
						evaluation and
						management of a patient,
						which requires at least 2
						of these 3 key
						components: An
						expanded problem
						focused interval history;
						An expanded problem
						focused examination;
						Medical decision making
						of moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is responding
						inadequately to therapy or
						has developed a minor
						complication. Typically,
						25 minutes are spent at
						the bedside and on the
						patient's hospital floor or
99232	_	_	\$52.43	_	_	unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Subsequent hospital care,
						per day, for the
						evaluation and
						management of a patient,
						which requires at least 2
						of these 3 key
						components: A detailed
						interval history; A
						detailed examination;
						Medical decision making
						of high complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is unstable or has
						developed a significant
						complication or a
						significant new problem.
						Typically, 35 minutes are
						spent at the bedside and
						on the patient's hospital
99233	_	ı	\$75.56	-		floor or unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Observation or inpatient
						hospital care, for the
						evaluation and
						management of a patient
						including admission and
						discharge on the same
						date, which requires these
						3 key components: A
						detailed or
						comprehensive history; A
						detailed or
						comprehensive
						examination; and Medical
						decision making that is
						straightforward or of low
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually the
						presenting problem(s)
						requiring admission are
						of low severity.
						Typically, 40 minutes are
						spent at the bedside and
						on the patient's hospital
99234			\$97.01			floor or unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Observation or inpatient
						hospital care, for the
						evaluation and
						management of a patient
						including admission and
						discharge on the same
						date, which requires these
						3 key components: A
						comprehensive history; A
						comprehensive
						examination; and Medical
						decision making of
						moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually the
						presenting problem(s)
						requiring admission are
						of moderate severity.
						Typically, 50 minutes are
						spent at the bedside and
						on the patient's hospital
99235	_	_	\$122.75	_	_	floor or unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Observation or inpatient
						hospital care, for the
						evaluation and
						management of a patient
						including admission and
						discharge on the same
						date, which requires these
						3 key components: A
						comprehensive history; A
						comprehensive
						examination; and Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually the
						presenting problem(s)
						requiring admission are
						of high severity.
						Typically, 55 minutes are
						spent at the bedside and
						on the patient's hospital
99236	_	_	\$158.09	_	-	floor or unit.
						Hospital discharge day
						management; 30 minutes
99238	_	_	\$53.11	_	_	or less
						Hospital discharge day
						management; more than
99239	_	_	\$78.58	_	_	30 minutes

Code	NFAC	FAC	Global	PC	TC	Description
						Office consultation for a
						new or established
						patient, which requires
						these 3 key components:
						A problem focused
						history; A problem
						focused examination; and
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						self limited or minor.
						Typically, 15 minutes are
						spent face-to-face with
99241	\$35.53	\$23.75	_	ı	ļ	the patient and/or family.
						Office consultation for a
						new or established
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						focused examination; and
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
99242	\$66.43	\$49.87	_	_	_	problem(s) and the

Code	NFAC	FAC	Global	PC	TC	Description
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of low severity.
						Typically, 30 minutes are
						spent face to face with
						the patient and/or family.
						Office consultation for a
						new or established
						patient, which requires
						these 3 key components:
						A detailed history; A
						detailed examination; and
						Medical decision making
						of low complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate severity.
						Typically, 40 minutes are
						spent face to face with
99243	\$90.83	\$69.78	_	_	_	the patient and/or family.

Code	NFAC	FAC	Global	PC	ŦC	Description
						Office consultation for a
						new or established
						patient, which requires
						these 3 key components:
						A comprehensive history;
						A comprehensive
						examination; and Medical
						decision making of
						moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. Typically, 60
						minutes are spent face-to-
						face with the patient
99244	\$135.14	\$112.13	-	-	_	and/or family.
						Office consultation for a
						new or established
						patient, which requires
						these 3 key components:
						A comprehensive history;
						A comprehensive
						examination; and Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
99245	\$164.51	\$138.69	_	_	_	problem(s) and the

Code	NFAC	FAC	Global	PC	TC	Description
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. Typically, 80
						minutes are spent face to-
						face with the patient
						and/or family.
						Inpatient consultation for
						a new or established
						patient, which requires
						these 3 key components:
						A problem focused
						history; A problem
						focused examination; and
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						self limited or minor.
						Typically, 20 minutes are
						spent at the bedside and
						on the patient's hospital
99251			\$35.52	_	_	floor or unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Inpatient consultation for
						a new or established
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						focused examination; and
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of low severity.
						Typically, 40 minutes are
						spent at the bedside and
			+			on the patient's hospital
99252	_	_	\$54.40	_	_	floor or unit.
						Inpatient consultation for
						a new or established
						patient, which requires
						these 3 key components:
						A detailed history; A
						detailed examination; and
						Medical decision making
						of low complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
			404			with the nature of the
99253	_	_	\$83.72	_	_	problem(s) and the

Code	NFAC	FAC	Global	PC	ŦC	Description
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate severity.
						Typically, 55 minutes are
						spent at the bedside and
						on the patient's hospital
						floor or unit.
						Inpatient consultation for
						a new or established
						patient, which requires
						these 3 key components:
						A comprehensive history;
						A comprehensive
						examination; and Medical
						decision making of
						moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. Typically, 80
						minutes are spent at the
						bedside and on the
						patient's hospital floor or
99254	_	_	\$121.72	_	_	unit.

	scription
	patient consultation for
	ew or established
pat	cient, which requires
the	ese 3 key components:
A-c	comprehensive history;
A-c	comprehensive
	amination; and Medical
dec	cision making of high
cor	mplexity. Counseling
	d/or coordination of
car	e with other
phy	ysicians, other
II I I I I I I I I I I I I I I I I I I	alified health care
11	ofessionals, or agencies
	provided consistent
wit	th the nature of the
pro	oblem(s) and the
II I I I I I I I I I I I I I I I I I I	cient's and/or family's
nee	eds. Usually, the
	esenting problem(s) are
	moderate to high
	verity. Typically, 110
	nutes are spent at the
	dside and on the
pat	cient's hospital floor or
99255 – – \$146.57 – – uni	
	nergency department
	it for the evaluation
anci	d management of a
	ient, which requires
II I I I I I I I I I I I I I I I I I I	ese 3 key components:
	problem focused
	tory; A problem
	cused examination; and
	raightforward medical
	eision making.
	unseling and/or
	ordination of care with
	ner physicians, other
	alified health care
	ofessionals, or agencies
99281 – - \$15.23 – - are	provided consistent

Code	NFAC	FAC	Global	PC	ŦC	Description
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						self limited or minor.
						Emergency department
						visit for the evaluation
						and management of a
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						focused examination; and
						Medical decision making
						of low complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of low to moderate
99282	_	_	\$29.67	_	_	severity.

Code	NFAC	FAC	Global	PC	TC	Description
						Emergency department
						visit for the evaluation
						and management of a
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						focused examination; and
						Medical decision making
						of moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
99283	_	_	\$44.32	_	_	of moderate severity.
						Emergency department
						visit for the evaluation
						and management of a
						patient, which requires
						these 3 key components:
						A detailed history; A
						detailed examination; and
						Medical decision making
						of moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
00204			ΦΩ 4. Q 1			patient's and/or family's
99284	_	_	\$84.01	_	_	needs. Usually, the

Code	NFAC	FAC	Global	PC	TC	Description
						presenting problem(s) are
						of high severity, and
						require urgent evaluation
						by the physician, or other
						qualified health care
						professionals but do not
						pose an immediate
						significant threat to life or
_						physiologic function.
						Emergency department
						visit for the evaluation
						and management of a
						patient, which requires
						these 3 key components
						within the constraints
						imposed by the urgency
						of the patient's clinical
						condition and/or mental
						status: A comprehensive
						history; A comprehensive
						examination; and Medical
						decision making of high
						complexity. Counseling and/or coordination of
						care with other
						physicians, other qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of high severity and pose
						an immediate significant
						threat to life or
99285	_	_	\$123.80	<u>_</u>	_	physiologic function.
						Physician or other
						qualified health care
						professional direction of
99288	_	_	I.C.	_	_	emergency medical

Code NFAC FAC Global	PC	TC	Description
			systems (EMS)
			emergency care,
			advanced life support
			Critical care, evaluation
			and management of the
			critically ill or critically
			injured patient; first 30-
99291 \$201.56 \$161.15 –	_	_	74 minutes
			Critical care, evaluation
			and management of the
			eritically ill or critically
			injured patient; each
			additional 30 minutes
			(List separately in
			addition to code for
99292 \$89.20 \$80.78 —	_	_	primary service)
			Initial nursing facility
			care, per day, for the
			evaluation and
			management of a patient,
			which requires these 3
			key components: A
			detailed or
			comprehensive history; A
			detailed or
			comprehensive
			examination; and Medical
			decision making that is
			straightforward or of low
			complexity. Counseling
			and/or coordination of
			care with other
			physicians, other
			qualified health care
			professionals, or agencies
			are provided consistent
			with the nature of the
			problem(s) and the
			patient's and/or family's
			needs. Usually, the
			problem(s) requiring
99304 – – \$67.00	_	_	admission are of low

Code	NFAC	FAC	Global	PC	TC	Description
						severity. Typically, 25
						minutes are spent at the
						bedside and on the
						patient's facility floor or
						unit.
						Initial nursing facility
						care, per day, for the
						evaluation and
						management of a patient,
						which requires these 3
						key components: A
						comprehensive history; A
						comprehensive
						examination; and Medical
						decision making of
						moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						problem(s) requiring
						admission are of
						moderate severity.
						Typically, 35 minutes are
						spent at the bedside and
						on the patient's facility
99305	_	_	\$95.35	_	_	floor or unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Initial nursing facility
						care, per day, for the
						evaluation and
						management of a patient,
						which requires these 3
						key components: A
						comprehensive history; A
						comprehensive
						examination; and Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						problem(s) requiring
						admission are of high
						severity. Typically, 45
						minutes are spent at the
						bedside and on the
						patient's facility floor or
99306	_	-	\$121.45	-	_	unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Subsequent nursing
						facility care, per day, for
						the evaluation and
						management of a patient,
						which requires at least 2
						of these 3 key
						components: A problem
						focused interval history;
						A problem focused
						examination;
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is stable,
						recovering, or improving.
						Typically, 10 minutes are
						spent at the bedside and
						on the patient's facility
99307	_	_	\$32.87	_	_	floor or unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Subsequent nursing
						facility care, per day, for
						the evaluation and
						management of a patient,
						which requires at least 2
						of these 3 key
						components: An
						expanded problem
						focused interval history;
						An expanded problem
						focused examination;
						Medical decision making
						of low complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is responding
						inadequately to therapy or
						has developed a minor
						complication. Typically,
						15 minutes are spent at
						the bedside and on the
						patient's facility floor or
99308	_	-	\$50.87	_	_	unit.

Code	NFAC	FAC	Global	PC	TC	Description
						Subsequent nursing
						facility care, per day, for
						the evaluation and
						management of a patient,
						which requires at least 2
						of these 3 key
						components: A detailed
						interval history; A
						detailed examination;
						Medical decision making
						of moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient has developed a
						significant complication
						or a significant new
						problem. Typically, 25
						minutes are spent at the
						bedside and on the
						patient's facility floor or
99309	_	-	\$67.07	_	_	unit.

Code	NFAC	FAC	Global	PC	ŦC	Description
						Subsequent nursing
						facility care, per day, for
						the evaluation and
						management of a patient,
						which requires at least 2
						of these 3 key
						components: A
						comprehensive interval
						history; A comprehensive
						examination; Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. The patient may be
						unstable or may have
						developed a significant
						new problem requiring
						immediate physician
						attention. Typically, 35
						minutes are spent at the
						bedside and on the
						patient's facility floor or
99310	_	_	\$99.43	_	_	unit.
						Nursing facility discharge
						day management; 30
99315	_	_	\$53.67	_	_	minutes or less
						Nursing facility discharge
						day management; more
99316	_	_	\$77.34	_	_	than 30 minutes

Code	NFAC	FAC	Global	PC	TC	Description
						Evaluation and
						management of a patient
						involving an annual
						nursing facility
						assessment, which
						requires these 3 key
						components: A detailed
						interval history; A
						comprehensive
						examination; and Medical
						decision making that is of
						low to moderate
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is stable,
						recovering, or improving.
						Typically, 30 minutes are
						spent at the bedside and
						on the patient's facility
99318	_	ı	\$70.20	ı	_	floor or unit.

Code	NFAC	FAC	Global	PC	ŦC	Description
99324			\$40.4 2			Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components: A problem focused history; A problem focused examination; and Straightforward medical decision making. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the problem(s) and the patient's and/or family's needs. Usually, the presenting problem(s) are of low severity. Typically, 20 minutes are spent with the patient and/or family or caregiver.
99325		_	\$58.72			Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components: An expanded problem focused history; An expanded problem focused examination; and Medical decision making of low complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies

Code	NFAC	FAC	Global	PC	TC	Description
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate severity.
						Typically, 30 minutes are
						spent with the patient
						and/or family or
						caregiver.
						Domiciliary or rest home
						visit for the evaluation
						and management of a new
						patient, which requires
						these 3 key components:
						A detailed history; A
						detailed examination; and
						Medical decision making
						of moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. Typically, 45
						minutes are spent with the
						patient and/or family or
99326	_		\$101.42	_	_	caregiver.
77320			ψ101.42			caregiver.

Code	NFAC	FAC	Global	PC	TC	Description
99327			\$ 135.52			Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of moderate complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent with the nature of the patient's and/or family's needs. Usually, the presenting problem(s) are of high severity. Typically, 60 minutes are spent with the patient and/or family or caregiver.
99328			\$ 158.17	-		Domiciliary or rest home visit for the evaluation and management of a new patient, which requires these 3 key components: A comprehensive history; A comprehensive examination; and Medical decision making of high complexity. Counseling and/or coordination of care with other physicians, other qualified health care professionals, or agencies are provided consistent

Code	NFAC	FAC	Global	PC	TC	Description
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is unstable or has
						developed a significant
						new problem requiring
						immediate physician
						attention. Typically, 75
						minutes are spent with the
						patient and/or family or
						caregiver.
,						D 191
						Domiciliary or rest home visit for the evaluation
						,
						and management of an
						established patient, which
						requires at least 2 of these
						3 key components: A problem focused interval
						history; A problem
						focused examination;
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						self-limited or minor.
						Typically, 15 minutes are
						spent with the patient
99334	_	_	\$44.20	-	_	and/or family or

Code	NFAC	FAC	Global	PC	TC	Description
						caregiver.
						Domiciliary or rest home
						visit for the evaluation
						and management of an
						established patient, which
						requires at least 2 of these
						3 key components: An
						expanded problem
						focused interval history;
						An expanded problem
						focused examination;
						Medical decision making
						of low complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of low to moderate
						severity. Typically, 25
99335	_		\$69.61	_	_	minutes are spent with the

Code	NFAC	FAC	Global	PC	TC	Description
						patient and/or family or
						caregiver.
						Domiciliary or rest home
						visit for the evaluation
						and management of an
						established patient, which
						requires at least 2 of these
						3 key components: A
						detailed interval history;
						A detailed examination;
						Medical decision making
						of moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. Typically, 40
						minutes are spent with the
						patient and/or family or
99336	_	_	\$98.32	_	_	caregiver.

Code	NFAC	FAC	Global	PC	TC	Description
						Domiciliary or rest home
						visit for the evaluation
						and management of an
						established patient, which
						requires at least 2 of these
						3 key components: A
						comprehensive interval
						history; A comprehensive
						examination; Medical
						decision making of
						moderate to high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. The patient may
						be unstable or may have
						developed a significant
						new problem requiring
						immediate physician
						attention. Typically, 60
						minutes are spent with the
						patient and/or family or
99337	_	<u>-</u>	\$140.59	-		caregiver.

Code	NFAC	FAC	Global	PC	TC	Description
						Individual physician
						supervision of a patient
						(patient not present) in
						home, domiciliary or rest
						home (eg, assisted living
						facility) requiring
						complex and
						multidisciplinary care
						modalities involving
						regular physician
						development and/or
						revision of care plans,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health care
						professional(s), family
						member(s), surrogate
						decision maker(s) (eg,
						legal guardian) and/or
						key caregiver(s) involved
						in patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within a
						calendar month; 15-29
99339	_	_	\$57.23	_	_	minutes

Code	NFAC	FAC	Global	PC	TC	Description
						Individual physician
						supervision of a patient
						(patient not present) in
						home, domiciliary or rest
						home (eg, assisted living
						facility) requiring
						complex and
						multidisciplinary care
						modalities involving
						regular physician
						development and/or
						revision of care plans,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health care
						professional(s), family
						member(s), surrogate
						decision maker(s) (eg,
						legal guardian) and/or
						key caregiver(s) involved
						in patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within a
						calendar month; 30
99340	_	_	\$80.08	_	_	minutes or more

Code	NFAC	FAC	Global	PC	TC	Description
						Home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						A problem focused
						history; A problem
						focused examination; and
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of low severity.
						Typically, 20 minutes are
						spent face-to-face with
99341	_	-	\$40.14	-	_	the patient and/or family.
						Home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						An expanded problem
						focused history; An
						expanded problem
						focused examination; and
						Medical decision making
						of low complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
99342	_	_	\$57.60	_	_	are provided consistent

Code	NFAC	FAC	Global	PC	TC	Description
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate severity.
						Typically, 30 minutes are
						spent face-to-face with
						the patient and/or family.
						Home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						A detailed history; A
						detailed examination; and
						Medical decision making
						of moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. Typically, 45
						minutes are spent face-to-
						face with the patient
99343	_	_	\$94.37	_	_	and/or family.

Code	NFAC	FAC	Global	PC	ŦC	Description
						Home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						A comprehensive history;
						A comprehensive
						examination; and Medical
						decision making of
						moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of high severity.
						Typically, 60 minutes are
						spent face-to-face with
99344	_	_	\$132.79	_	_	the patient and/or family.
						Home visit for the
						evaluation and
						management of a new
						patient, which requires
						these 3 key components:
						A comprehensive history;
						A comprehensive
						examination; and Medical
						decision making of high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
99345	_	_	\$160.88	_	_	with the nature of the

Code	NFAC	FAC	Global	PC	ŦC	Description
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						patient is unstable or has
						developed a significant
						new problem requiring
						immediate physician
						attention. Typically, 75
						minutes are spent face-to-
						face with the patient
						and/or family.
						Home visit for the
						evaluation and
						management of an
						established patient, which
						requires at least 2 of these
						3 key components: A
						problem focused interval
						history; A problem
						focused examination;
						Straightforward medical
						decision making.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						self limited or minor.
						Typically, 15 minutes are
						spent face to face with
99347		_	\$40.45	<u>-</u>		the patient and/or family.

Code	NFAC	FAC	Global	PC	TC	Description
						Home visit for the
						evaluation and
						management of an
						established patient, which
						requires at least 2 of these
						3 key components: An
						expanded problem
						focused interval history;
						An expanded problem
						focused examination;
						Medical decision making
						of low complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of low to moderate
						severity. Typically, 25
						minutes are spent face to
						face with the patient
99348	_	-	\$61.30	-	_	and/or family.

Code	NFAC	FAC	Global	PC	TC	Description
						Home visit for the
						evaluation and
						management of an
						established patient, which
						requires at least 2 of these
						3 key components: A
						detailed interval history;
						A detailed examination;
						Medical decision making
						of moderate complexity.
						Counseling and/or
						coordination of care with
						other physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						moderate to high severity.
						Typically, 40 minutes are
						spent face-to-face with
99349	_	_	\$93.59	_	-	the patient and/or family.

Code	NFAC	FAC	Clobal	PC	TC	Description
						Home visit for the
						evaluation and
						management of an
						established patient, which
						requires at least 2 of these
						3 key components: A
						comprehensive interval
						history; A comprehensive
						examination; Medical
						decision making of
						moderate to high
						complexity. Counseling
						and/or coordination of
						care with other
						physicians, other
						qualified health care
						professionals, or agencies
						are provided consistent
						with the nature of the
						problem(s) and the
						patient's and/or family's
						needs. Usually, the
						presenting problem(s) are
						of moderate to high
						severity. The patient may
						be unstable or may have
						developed a significant
						new problem requiring
						immediate physician
						attention. Typically, 60
						minutes are spent face to
						face with the patient
99350			\$129.67			and/or family.

Code	NFAC	FAC	Global	PC	ŦC	Description
						Prolonged evaluation and
						management or
						psychotherapy service(s)
						(beyond the typical
						service time of the
						primary procedure) in the
						office or other outpatient
						setting requiring direct
						patient contact beyond
						the usual service; first
						hour (List separately in
						addition to code for office
						or other outpatient
						Evaluation and
						Management or
99354	\$73.17	\$67.55	_	_	_	psychotherapy service)
						Prolonged evaluation and
						management or
						psychotherapy service(s)
						(beyond the typical
						service time of the
						primary procedure) in the
						office or other outpatient
						setting requiring direct
						patient contact beyond
						the usual service; each
						additional 30 minutes
						(List separately in
						addition to code for
99355	\$71.05	\$65.43	_	_		prolonged service)
						Prolonged service in the
						inpatient or observation
						setting, requiring
						unit/floor time beyond the
						usual service; first hour
						(List separately in
						addition to code for
						inpatient Evaluation and
99356	_	_	\$67.11	_	_	Management service)

Code	NFAC	FAC	Global	PC	ŦC	Description
						Prolonged service in the
						inpatient or observation
						setting, requiring
						unit/floor time beyond the
						usual service; each
						additional 30 minutes
						(List separately in
						addition to code for
99357	_	-	\$66.55	-		prolonged service)
						Prolonged evaluation and
						management service
						before and/or after direct
99358	_	-	\$79.22	-	_	patient care; first hour
						Prolonged evaluation and
						management service
						before and/or after direct
						patient care; each
						additional 30 minutes
						(List separately in
						addition to code for
99359	_	-	\$38.33	I	_	prolonged service)
						Standby service,
						requiring prolonged
						attendance, each 30
						minutes (eg, operative
						standby, standby for
						frozen section, for
						cesarean/high risk
						delivery, for monitoring
99360	_	_	\$44.73	_	_	EEG)
						Anticoagulant
						management for an
						outpatient taking
						warfarin, physician
						review and interpretation
						of International
						Normalized Ratio (INR)
						testing, patient
						instructions, dosage
						adjustment (as needed),
						and ordering of additional
99363	\$95.16	\$61.49	<u> </u>			tests; initial 90 days of

Code	NFAC	FAC	Global	PC	TC	Description
						therapy (must include a
						minimum of 8 INR
						measurements)
						Anticoagulant
						management for an
						outpatient taking
						warfarin, physician
						review and interpretation
						of International
						Normalized Ratio (INR)
						testing, patient
						instructions, dosage
						adjustment (as needed),
						and ordering of additional
						tests; each subsequent 90
						days of therapy (must
						include a minimum of 3
99364	\$32.19	\$23.49	_	_	_	INR measurements)
						Medical team conference
						with interdisciplinary
						team of health care
						professionals, face-to-
						face with patient and/or
						family, 30 minutes or
						more, participation by
						nonphysician qualified
99366	\$31.32	\$30.48	_	_	_	health care professional
	70 - 10 -	400110				Medical team conference
						with interdisciplinary
						team of health care
						professionals, patient
						and/or family not present,
						30 minutes or more;
99367	_	_	\$41.04	_	_	participation by physician
77501			ψ11.01			Medical team conference
						with interdisciplinary
						team of health care
						professionals, patient
						and/or family not present,
						30 minutes or more;
						participation by
99368	_	_	\$26.92	_		nonphysician qualified
77308	-	_	\$20.92	_	_	nonphysician quanned

Code	NFAC	FAC	Global	PC	TC	Description
						health care professional
						Supervision of a patient
						under care of home health
						agency (patient not
						present) in home,
						domiciliary or equivalent
						environment (eg,
						Alzheimer's facility)
						requiring complex and
						multidisciplinary care
						modalities involving
						regular development
						and/or revision of care
						plans by that individual,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health care
						professional(s), family
						member(s), surrogate
						decision maker(s) (eg,
						legal guardian) and/or
						key caregiver(s) involved
						in patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within a
						calendar month; 15-29
99374	\$51.71	\$41.04	_	_	_	minutes

Code	NFAC	FAC	Global	PC	TC	Description
						Supervision of a patient
						under care of home health
						agency (patient not
						present) in home,
						domiciliary or equivalent
						environment (eg,
						Alzheimer's facility)
						requiring complex and
						multidisciplinary care
						modalities involving
						regular development
						and/or revision of care
						plans by that individual,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health care
						professional(s), family
						member(s), surrogate
						decision maker(s) (eg,
						legal guardian) and/or
						key caregiver(s) involved
						in patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within a
						calendar month; 30
99375	\$77.29	\$64.38	_	_	_	minutes or more

Code	NFAC	FAC	Global	PC	TC	Description
						Supervision of a hospice
						patient (patient not
						present) requiring
						complex and
						multidisciplinary care
						modalities involving
						regular development
						and/or revision of care
						plans by that individual,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health care
						professional(s), family
						member(s), surrogate
						decision maker(s) (eg,
						legal guardian) and/or
						key caregiver(s) involved
						in patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within a
						calendar month; 15-29
99377	\$51.71	\$41.04			_	minutes

Code	NFAC	FAC	Global	PC	TC	Description
						Supervision of a hospice
						patient (patient not
						present) requiring
						complex and
						multidisciplinary care
						modalities involving
						regular development
						and/or revision of care
						plans by that individual,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health care
						professional(s), family
						member(s), surrogate
						decision maker(s) (eg,
						legal guardian) and/or
						key caregiver(s) involved
						in patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within a
						calendar month; 30
99378	\$77.29	\$64.38	_	_	_	minutes or more

Code	NFAC	FAC	Global	PC	TC	Description
						Supervision of a nursing
						facility patient (patient
						not present) requiring
						complex and
						multidisciplinary care
						modalities involving
						regular development
						and/or revision of care
						plans by that individual,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health care
						professional(s), family
						member(s), surrogate
						decision maker(s) (eg,
						legal guardian) and/or
						key caregiver(s) involved
						in patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within a
						calendar month; 15-29
99379	\$51.71	\$41.04	_		_	minutes

Code	NFAC	FAC	Global	PC	TC	Description
						Supervision of a nursing
						facility patient (patient
						not present) requiring
						complex and
						multidisciplinary care
						modalities involving
						regular development
						and/or revision of care
						plans by that individual,
						review of subsequent
						reports of patient status,
						review of related
						laboratory and other
						studies, communication
						(including telephone
						calls) for purposes of
						assessment or care
						decisions with health care
						professional(s), family
						member(s), surrogate
						decision maker(s) (eg,
						legal guardian) and/or
						key caregiver(s) involved
						in patient's care,
						integration of new
						information into the
						medical treatment plan
						and/or adjustment of
						medical therapy, within a
						calendar month; 30
99380	\$77.29	\$64.38	_	_	_	minutes or more
	,	, , , , , ,				Initial comprehensive
						preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
99381	\$82.19	\$55.81	_	_	_	reduction interventions,
77301	ψυ2.17	φυυ.01	_		_	reduction interventions,

Code	NFAC	FAC	Global	PC	TC	Description
						and the ordering of
						laboratory/diagnostic
						procedures, new patient;
						infant (age younger than
						1 year)
						Initial comprehensive
						preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, new patient;
						early childhood (age 1
99382	\$85.87	\$59.49	_	-	_	through 4 years)
						Initial comprehensive
						preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, new patient;
						late childhood (age 5
99383	\$89.43	\$63.33	_	-	_	through 11 years)

Code	NFAC	FAC	Global	PC	TC	Description
						Initial comprehensive
						preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, new patient;
						adolescent (age 12
99384	\$100.79	\$74.41	_	_	_	through 17 years)
						Initial comprehensive
						preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						_
99385	\$97.46	\$71.36	_	_	_	
						evaluation and
						_
99386	\$112.92	\$86.82	_	_	_	
99385 99386	\$97.46 \$112.92	\$71.36 \$86.82	_	-		laboratory/diagnostic procedures, new patient; 18-39 years Initial comprehensive preventive medicine evaluation and management of an individual including an age and gender appropriate history, examination, counseling/anticipatory guidance/risk factor reduction interventions,

Code	NFAC	FAC	Global	PC	TC	Description
						and the ordering of
						laboratory/diagnostic
						procedures, new patient;
						40-64 years
						Initial comprehensive
						preventive medicine
						evaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, new patient;
99387	\$122.48	\$93.29	_	_	_	65 years and older
						Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; infant (age
99391	\$73.93	\$50.92				younger than 1 year)

Code	NFAC	FAC	Global	PC	TC	Description
						Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; early childhood
99392	\$78.82	\$55.81	1	1	_	(age 1 through 4 years)
						Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; late childhood
99393	\$78.54	\$55.81	_	_	_	(age 5 through 11 years)
						Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
99394	\$86.06	\$63.33		-	_	guidance/risk factor

Code	NFAC	FAC	Global	PC	TC	Description
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; adolescent (age
						12 through 17 years)
						Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
99395	\$87.90	\$65.17	_	-	-	patient; 18-39 years
						Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
99396	\$93.58	\$70.85	_	_	_	patient; 40-64 years

Code	NFAC	FAC	Global	PC	TC	Description
						Periodic comprehensive
						preventive medicine
						reevaluation and
						management of an
						individual including an
						age and gender
						appropriate history,
						examination,
						counseling/anticipatory
						guidance/risk factor
						reduction interventions,
						and the ordering of
						laboratory/diagnostic
						procedures, established
						patient; 65 years and
99397	\$100.79	\$74.41		_	_	older
						Preventive medicine
						counseling and/or risk
						factor reduction
						intervention(s) provided
						to an individual (separate
						procedure);
99401	\$27.07	\$17.81	_	_	_	approximately 15 minutes
						Preventive medicine
						counseling and/or risk
						factor reduction
						intervention(s) provided
						to an individual (separate
						procedure);
99402	\$45.67	\$36.41	_	_	_	approximately 30 minutes
						Preventive medicine
						counseling and/or risk
						factor reduction
						intervention(s) provided
						to an individual (separate
						procedure);
99403	\$63.48	\$54.50	_	_	_	approximately 45 minutes
						Preventive medicine
						counseling and/or risk
						factor reduction
						intervention(s) provided
99404	\$81.83	\$72.85	_		_	to an individual (separate

Code	NFAC	FAC	Global	PC	TC	Description
						procedure);
						approximately 60 minutes
						Smoking and tobacco use
						cessation counseling visit;
						intermediate, greater than
						3 minutes up to 10
99406	\$10.39	\$8.98	_	-	_	minutes
						Smoking and tobacco use
						cessation counseling visit;
						intensive, greater than 10
99407	\$55.05	\$51.22	_	_	_	minutes
						Alcohol and/or substance
						(other than tobacco)
						abuse structured
						screening (eg, AUDIT,
						DAST), and brief
						intervention (SBI)
99408	\$25.69	\$24.28	_	_	_	services; 15 to 30 minutes
						Alcohol and/or substance
						(other than tobacco)
						abuse structured
						screening (eg, AUDIT,
						DAST), and brief
						intervention (SBI)
						services; greater than 30
99409	\$49.97	\$48.57	_	_	_	minutes
						Preventive medicine
						counseling and/or risk
						factor reduction
						intervention(s) provided
						to individuals in a group
						setting (separate
						procedure);
99411	\$12.42	\$5.68	_		_	approximately 30 minutes
						Preventive medicine
						counseling and/or risk
						factor reduction
						intervention(s) provided
99412	\$16.10	\$9.36		_	_	to individuals in a group

Code	NFAC	FAC	Global	PC	TC	Description
						setting (separate
						procedure);
						approximately 60 minutes
						Prolonged clinical staff
						service (the service
						beyond the typical service
						time) during an
						evaluation and
						management service in
						the office or outpatient
						setting, direct patient
						contact with physician
						supervision; first hour
						(List separately in
						addition to code for
			4.00			outpatient Evaluation and
99415	-	-	\$6.89	_	_	Management service)
						Prolonged clinical staff
						service (the service
						beyond the typical service
						time) during an evaluation and
						management service in
						the office or outpatient
						setting, direct patient
						contact with physician supervision; each
						additional 30 minutes
						(List separately in
						addition to code for
99416	_	_	\$3.80	_	_	prolonged service)
77110			ψυίου			Unlisted preventive
99429	_	_	I.C.	_	_	medicine service

Code	NFAC	FAC	Global	PC	TC	Description
						Telephone evaluation and
						management service by a
						physician or other
						qualified health care
						professional who may
						report evaluation and
						management services
						provided to an established
						patient, parent, or
						guardian not originating
						from a related E/M
						service provided within
						the previous 7 days nor
						leading to an E/M service
						or procedure within the
						next 24 hours or soonest
						available appointment; 5
						10 minutes of medical
99441	\$10.21	\$9.36	_	_	_	discussion
						Telephone evaluation and
						management service by a
						physician or other
						qualified health care
						professional who may
						report evaluation and
						management services
						provided to an established
						patient, parent, or
						guardian not originating
						from a related E/M
						service provided within
						the previous 7 days nor
						leading to an E/M service
						or procedure within the
						next 24 hours or soonest
						available appointment;
						11-20 minutes of medical
99442	\$19.73	\$18.60	_	_	_	discussion

Code	NFAC	FAC	Global	PC	ŦC	Description
						Telephone evaluation and
						management service by a
						physician or other
						qualified health care
						professional who may
						report evaluation and
						management services
						provided to an established
						patient, parent, or
						guardian not originating
						from a related E/M
						service provided within
						the previous 7 days nor
						leading to an E/M service
						or procedure within the
						next 24 hours or soonest
						available appointment;
						21-30 minutes of medical
99443	\$28.81	\$27.97	_	_	_	discussion
						Online evaluation and
						management service
						provided by a physician
						or other qualified health
						care professional who
						may report evaluation and
						management services
						provided to an established
						patient or guardian, not
						originating from a related
						E/M service provided
						within the previous 7
						days, using the Internet or
						similar electronic
99444	_	_	I.C.	_		communications network
						Interprofessional
						telephone/Internet
						assessment and
						management service
						provided by a
						consultative physician
						including a verbal and
99446	_	_	I.C.	_		written report to the

Code	NFAC	FAC	Global	PC	ŦC	Description
						patient's
						treating/requesting
						physician or other
						qualified health care
						professional; 5-10
						minutes of medical
						consultative discussion
						and review
						Interprofessional
						telephone/Internet
						assessment and
						management service
						provided by a
						consultative physician
						including a verbal and
						written report to the
						patient's
						treating/requesting
						physician or other
						qualified health care
						professional; 11-20
						minutes of medical
						consultative discussion
99447	_	_	I.C.		_	and review
<i>77</i> 111			1.0.			Interprofessional
						telephone/Internet
						assessment and
						management service
						provided by a
						consultative physician
						including a verbal and
						written report to the
						patient's
						treating/requesting
						physician or other
						qualified health care
						professional; 21-30
						minutes of medical
						consultative discussion
00449			IC			
99448	_	_	I.C.	<u> </u>	_	and review

Code	NFAC	FAC	Global	PC	TC	Description
						Interprofessional
						telephone/Internet
						assessment and
						management service
						provided by a
						consultative physician
						including a verbal and
						written report to the
						patient's
						treating/requesting
						physician or other
						qualified health care
						professional; 31 minutes
						or more of medical
						consultative discussion
99449	_	_	I.C.	_	_	and review
						Basic life and/or
						disability examination
						that includes:
						Measurement of height,
						weight, and blood
						pressure; Completion of a
						medical history following
						a life insurance pro
						forma; Collection of
						blood sample and/or
						urinalysis complying with
						"chain of custody"
						protocols; and
						Completion of necessary
						documentation/certificate
99450		_	I.C.	_	_	S.
						Work related or medical
						disability examination by
						the treating physician that
						includes: Completion of a
						medical history
						commensurate with the
						patient's condition;
						Performance of an
						examination
99455	_	-	I.C.		_	commensurate with the

Code	NFAC	FAC	Global	PC	ŦC	Description
						patient's condition;
						Formulation of a
						diagnosis, assessment of
						capabilities and stability,
						and calculation of
						impairment;
						Development of future
						medical treatment plan;
						and Completion of
						necessary
						documentation/certificate
						s and report.
						Work related or medical
						disability examination by
						other than the treating
						physician that includes:
						Completion of a medical
						history commensurate
						with the patient's
						condition; Performance of
						an examination
						commensurate with the
						patient's condition;
						Formulation of a
						diagnosis, assessment of
						capabilities and stability,
						and calculation of
						impairment;
						Development of future
						medical treatment plan;
						and Completion of
						necessary
						documentation/certificate
99456	_	_	I.C.	_	_	s and report.
						Initial hospital or birthing
						center care, per day, for
						evaluation and
						management of normal
99460	_	_	\$95.73	_	_	newborn infant
						Initial care, per day, for
						evaluation and
99461	\$68.31	\$45.86	_	_	_	management of normal

Code	NFAC	FAC	Global	PC	TC	Description
						newborn infant seen in other than hospital or birthing center
99462	_	_	\$41.54	_	_	Subsequent hospital care, per day, for evaluation and management of normal newborn
			0110.20			Initial hospital or birthing center care, per day, for evaluation and management of normal newborn infant admitted and discharged on the
99463	_	_	\$119.20	_	_	Same date Attendance at delivery
99464	_	_	\$51.63	_	_	(when requested by the delivering physician or other qualified health care professional) and initial stabilization of newborn
99465			\$152.06			Delivery/birthing room resuscitation, provision of positive pressure ventilation and/or chest compressions in the presence of acute inadequate ventilation and/or cardiac output
	_	_		_	_	Critical care face to face services, during an interfacility transport of critically ill or critically injured pediatric patient, 24 months of age or younger; first 30-74 minutes of hands-on care
99466	_	_	\$166.39	_	_	during transport Critical care face to face services, during an
99467	_	_	\$84.81	_	_	interfacility transport of eritically ill or critically

Code	NFAC	FAC	Global	PC	TC	Description
						injured pediatric patient,
						24 months of age or
						younger; each additional
						30 minutes (List
						separately in addition to
						code for primary service)
						Initial inpatient neonatal
						critical care, per day, for
						the evaluation and
						management of a
						critically ill neonate, 28
99468	_	_	\$687.80	_	_	days of age or younger
						Subsequent inpatient
						neonatal critical care, per
						day, for the evaluation
						and management of a
						critically ill neonate, 28
99469	_	_	\$289.43	_	_	days of age or younger
						Initial inpatient pediatric
						critical care, per day, for
						the evaluation and
						management of a
						critically ill infant or
						young child, 29 days
99471	_	_	\$634.42	-	_	through 24 months of age
						Subsequent inpatient
						pediatric critical care, per
						day, for the evaluation
						and management of a
						critically ill infant or
						young child, 29 days
99472	_	_	\$297.16	_	_	through 24 months of age
						Initial inpatient pediatric
						critical care, per day, for
						the evaluation and
						management of a
						critically ill infant or
						young child, 2 through 5
99475	_	_	\$418.20	_	_	years of age

Code	NFAC	FAC	Global	PC	TC	Description
						Subsequent inpatient
						pediatric critical care, per
						day, for the evaluation
						and management of a
						critically ill infant or
						young child, 2 through 5
99476	_	_	\$251.53	_	_	years of age
						Initial hospital care, per
						day, for the evaluation
						and management of the
						neonate, 28 days of age or
						younger, who requires
						intensive observation,
						frequent interventions,
						and other intensive care
99477	_	_	\$260.84	_	_	services
						Subsequent intensive
						care, per day, for the
						evaluation and
						management of the
						recovering very low birth
						weight infant (present
						body weight less than
99478	_	_	\$99.32	_	_	1500 grams)
						Subsequent intensive
						care, per day, for the
						evaluation and
						management of the
						recovering low birth
						weight infant (present
						body weight of 1500
99479	_	_	\$90.64	_	-	2500 grams)
						Subsequent intensive
						care, per day, for the
						evaluation and
						management of the
						recovering infant (present
						body weight of 2501
99480	_	_	\$86.80	_	_	5000 grams)
						Supervision by a control
						physician of interfacility
99485	_	_	\$55.81	_	_	transport care of the

Code	NFAC	FAC	Global	PC	ŦC	Description
						critically ill or critically
						injured pediatric patient,
						24 months of age or
						younger, includes two-
						way communication with
						transport team before
						transport, at the referring
						facility and during the
						transport, including data
						interpretation and report;
						first 30 minutes
						Supervision by a control
						physician of interfacility
						transport care of the
						critically ill or critically
						injured pediatric patient,
						24 months of age or
						younger, includes two-
						way communication with
						transport team before
						transport, at the referring
						facility and during the
						transport, including data
						interpretation and report;
						each additional 30
						minutes (List separately
						in addition to code for
99486	_	1	\$48.57	-	_	primary procedure)
						Complex chronic care
						management services,
						with the following
						required elements:
						multiple (two or more)
						chronic conditions
						expected to last at least
						12 months, or until the
						death of the patient,
						chronic conditions place
						the patient at significant
						risk of death, acute
						exacerbation/decompensa
99487	_	_	I.C.	_	_	tion, or functional

Code	NFAC	FAC	Global	PC	TC	Description
						decline, establishment or
						substantial revision of a
						comprehensive care plan,
						moderate or high
						complexity medical
						decision making; 60
						minutes of clinical staff
						time directed by a
						physician or other
						qualified health care
						professional, per calendar
						month
						Complex chronic care
						management services,
						with the following
						required elements:
						multiple (two or more)
						chronic conditions
						expected to last at least
						12 months, or until the
						death of the patient,
						chronic conditions place
						the patient at significant
						risk of death, acute
						exacerbation/decompensa
						tion, or functional
						decline, establishment or
						substantial revision of a
						comprehensive care plan,
						moderate or high
						complexity medical
						decision making; each
						additional 30 minutes of
						clinical staff time directed
						by a physician or other
						qualified health care
						professional, per calendar
						month (List separately in
						addition to code for
99489	-	-	I.C.	-		primary procedure)

Code	NFAC	FAC	Global	PC	TC	Description
						Chronic care management
						services, at least 20
						minutes of clinical staff
						time directed by a
						physician or other
						qualified health care
						professional, per calendar
						month, with the following
						required elements:
						multiple (two or more)
						chronic conditions
						expected to last at least
						12 months, or until the
						death of the patient;
						chronic conditions place
						the patient at significant
						risk of death, acute
						exacerbation/decompensa
						tion, or functional
						decline; comprehensive
						care plan established,
						implemented, revised, or
99490	\$29.99	\$22.70	_	_	_	monitored.
						Transitional Care
						Management Services
						with the following
						required elements:
						Communication (direct
						contact, telephone,
						electronic) with the
						patient and/or caregiver
						within 2 business days of
						discharge Medical
						decision making of at
						least moderate
						complexity during the
						service period Face-to-
						face visit, within 14
						calendar days of
99495	\$122.85	\$80.47	_	_	_	discharge

Code	NFAC	FAC	Global	PC	TC	Description
						Transitional Care
						Management Services
						with the following
						required elements:
						Communication (direct
						contact, telephone,
						electronic) with the
						patient and/or caregiver
						within 2 business days of
						discharge Medical
						decision making of high
						complexity during the
						service period Face-to-
						face visit, within 7
						calendar days of
99496	\$172.83	\$116.42	_	_	_	discharge
						Advance care planning
						including the explanation
						and discussion of advance
						directives such as
						standard forms (with
						completion of such forms,
						when performed), by the
						physician or other
						qualified health care
						professional; first 30
						minutes, face to face with
						the patient, family
						member(s), and/or
99497	\$62.42	\$57.37	_	_	_	surrogate
						Advance care planning
						including the explanation
						and discussion of advance
						directives such as
						standard forms (with
						completion of such forms,
						when performed), by the
						physician or other
						qualified health care
						professional; each
						additional 30 minutes
99498	\$53.96	\$53.68	-	_	_	(List separately in

Code	NFAC	FAC	Global	PC	TC	Description
						addition to code for
						primary procedure)
						Unlisted evaluation and
99499	_	_	I.C.		_	management service
						Home visit for prenatal
						monitoring and
						assessment to include
						fetal heart rate, non-stress
						test, uterine monitoring,
						and gestational diabetes
99500	_	_	I.C.	_	_	monitoring
						Home visit for postnatal
						assessment and follow up
99501	_	_	I.C.	_	_	care
						Home visit for newborn
99502	_	_	I.C.	_	_	care and assessment
						Home visit for respiratory
						therapy care (eg,
						bronchodilator, oxygen
						therapy, respiratory
						assessment, apnea
99503	_	_	I.C.			evaluation)
						Home visit for
						mechanical ventilation
99504	_	-	I.C.	-	_	care
						Home visit for stoma care
						and maintenance
						including colostomy and
99505	_	_	I.C.	_	_	cystostomy
						Home visit for
99506	_	-	I.C.	-	_	intramuscular injections
						Home visit for care and
						maintenance of
						catheter(s) (eg, urinary,
99507			I.C.	<u> </u>		drainage, and enteral)
						Home visit for assistance
						with activities of daily
99509	_	_	I.C.	_	_	living and personal care
						Home visit for individual,
						family, or marriage
99510	_	_	I.C.	_	_	counseling

Code	NFAC	FAC	Global	PC	TC	Description
						Home visit for fecal
						impaction management
99511	_	-	I.C.	-	_	and enema administration
						Home visit for
99512	_	-	I.C.	-	_	hemodialysis
						Unlisted home visit
99600	_	1	I.C.	_	_	service or procedure
						Home infusion/specialty
						drug administration, per
99601	_	-	I.C.	_	_	visit (up to 2 hours);
						Home infusion/specialty
						drug administration, per
						visit (up to 2 hours); each
						additional hour (List
						separately in addition to
						code for primary
99602	_	-	I.C.	-	_	procedure)
						Medication therapy
						management service(s)
						provided by a pharmacist,
						individual, face-to-face
						with patient, with
						assessment and
						intervention if provided;
00605			T.C			initial 15 minutes, new
99605	_	_	I.C.	_	_	patient
						Medication therapy
						management service(s)
						provided by a pharmacist,
						individual, face to face with patient, with
						<u>*</u>
						assessment and intervention if provided;
						initial 15 minutes,
99606			I.C.			established patient
77000	_	_	1.0.	_	_	Medication therapy
						management service(s)
						provided by a pharmacist,
						individual, face to face
						_
99607	_	_	<u>IC</u>	_		
99607	_	-	I.C.	_	_	with patient, with assessment and intervention if provided;

Code	NFAC	FAC	Global	PC	TC	Description
						each additional 15
						minutes (List separately
						in addition to code for
						primary service)
						Performance
						Measurement, Evaluation
						of Patient Self
						Assessment, Depression
						Positive Screen:
						Perinatal care provider
						completed prenatal or
						postpartum depression
\$3005 -						screening and behavioral
U1	_	_	\$9.73	-	_	health need identified.
						Performance
						Measurement, Evaluation
						of Patient Self-
						Assessment,
						DepressionNegative
						Screen: Perinatal care
						provider completed
						prenatal or postpartum
						depression screening with
\$3005 -						no behavioral health need
U2	_	_	\$9.73	_	_	identified.
						Diabetes outpatient self-
						management training
						services, individual, per
G0108	_	_	\$38.98	-	ŀ	30 minutes
						Diabetes outpatient self-
						management training
						services, group session (2
G0109	_	_	\$10.49	_	_	or more), per 30 minutes
						Medical nutrition therapy;
						reassessment and
						subsequent
						intervention(s) following
						second referral in same
						year for change in
						diagnosis, medical
						condition or treatment
G0270	\$22.50	\$20.53	<u>-</u>	<u>-</u>	<u> </u>	regimen (including

Code	NFAC	FAC	Global	PC	TC	Description
						additional hours needed
						for renal disease),
						individual, face-to-face
						with the patient, each 15
						minutes
						Medical nutrition therapy,
						reassessment and
						subsequent
						intervention(s) following
						second referral in same
						year for change in
						diagnosis, medical
						condition, or treatment
						regimen (including additional hours needed
						for renal disease), group
C0271	¢11 00	¢11.22				(2 or more individuals),
G0271	\$11.89	\$11.33	_		_	each 30 minutes
						Preparation with instillation of fecal
						microbiota by any
						method, including
						assessment of donor
G0455			I.C.			specimen
00133	<u> </u>	_	1.0.			Injection, acetaminophen,
J0131	_	_	I.C.	_	_	10 mg
30131			1.0.			Injection, adalimumab, 20
J0135	_	_	I.C.	_	_	mg
30133			1.0.			Injection, alefacept, 0.5
J0215	_		I.C.	_		mg
30213			1.0.			Injection, apomorphine
J0364		_	I.C.	_	_	hydrochloride, 1 mg.
30301			1.0.			Injection, aripiprazole,
J0400		_	I.C.	_	_	intramuscular, 0.25 mg
J0571		_	I.C.	_		Buprenorphine, oral, 1 mg
JUJIT		_	1		_	Buprenorphine/naloxone,
						oral, less than or equal to
J0572		_	I.C.	_	_	3 mg
30312			1.0.			Buprenorphine/naloxone,
						oral, greater than 3 mg,
J0573	_	_	I.C.	_		but less than or equal to 6
JUSTS			1.0.			out less than or equal to 0

Code	NFAC	FAC	Global	PC	TC	Description
						mg
						Buprenorphine/naloxone,
						oral, greater than 6 mg,
						but less than or equal to
J0574	_	_	I.C.		_	10 mg
						Buprenorphine/naloxone,
						oral, greater than 10 mg
J0575	_		I.C.		_	buprenorphine
						Injection, C1 esterase
						inhibitor (recombinant),
J0596	_	_	I.C.		_	Ruconest, 10 units
						Injection, ceftizoxime
J0715	_	_	I.C.		_	sodium, per 500 mg
						Injection, Centruroides
						immune f(ab)2, up to 120
J0716	_		I.C.			mg
						Injection, cosyntropin,
						not otherwise specified,
J0833	_		I.C.		_	0.25 mg.
						Injection, argatroban, 1
J0883	_	_	I.C.	_	-	mg (for non-ESRD use)
						Injection, argatroban, 1
						mg (for ESRD on
J0884	_	_	I.C.	-	_	dialysis)
						Injection, peginesatide,
						0.1 mg (for ESRD on
J0890	_	_	I.C.	-	_	dialysis)
						Injection, dexamethasone
J1094	_	_	I.C.	_	-	acetate, 1 mg
						Injection, diclofenac
J1130	_	_	I.C.	_	-	sodium, 0.5 mg
						Injection, dolasetron
J1260	_	_	I.C.	_	_	mesylate, 10 mg
						Injection, amitriptyline
J1320	_	_	I.C.	_	_	HCI, up to 20 mg
						Injection, elosulfase alfa,
J1322	_	_	I.C.	_	_	1mg
						Injection, enfuvirtide, 1
J1324	_	_	I.C.	_	_	mg.
						Injection, etanercept, 25
J1438	_	_	I.C.	_	_	mg

Code	NFAC	FAC	Global	PC	TC	Description
						Injection, foscarnet
J1455	_	I	I.C.	ı		sodium, per 1000 mg.
J1562	_	1	I.C.	1	_	Injection, immune globulin, (Vivaglobin), 100 mg (
						Injection, hepatitis b immune globulin (hepagam b), intravenous,
J1573	_	_	I.C.	_	_	0.5 ml.
J1595	_	-	I.C.	_	_	Injection, glatiramer acetate, 20 mg
11500						Injection, immune globulin, intravenous, non-lyophilized (e.g., liquid), not otherwise
J1599	_	_	I.C.	_	_	specified, 500 mg
J1655	_	-	I.C.	1	_	Injection, tinzaparin sodium, 1000 IU
J1700	_	_	I.C.	_	_	Injection, hydrocortisone acetate, up to 25 mg
J1710	_	_	I.C.	_	_	Injection, hydrocortisone sodium phosphate, up to 50 mg
J1725	_	-	I.C.	-	_	Injection, hydroxyprogesterone caproate, 1 mg
						Injection, ibuprofen, 100
J1741	_	1	I.C.	1	_	mg.
J1744	_	_	I.C.	_	_	Injection, icatibant, 1 mg
J1790	_	_	I.C.	_	_	Injection, droperidol, up to 5 mg
J1826	_	ı	I.C.	I	_	Injection, interferon beta- 1a, 30 meg
J1830	_	1	I.C.	1	_	Injection interferon beta- 1b, 0.25 mg
J1840	_	_	I.C.	_	_	Injection, kanamycin sulfate, up to 500 mg.
J1850	_	_	I.C.	_	_	Injection, kanamycin sulfate, up to 75 mg.
J1890	_	_	I.C.	_	_	Injection, cephalothin sodium, up to 1 g

Code	NFAC	FAC	Global	PC	TC	Description
						Injection,
						chlordiazepoxide HCI, up
J1990	_	_	I.C.	-	_	to 100 mg
						Injection, mecasermin, 1
J2170	_		I.C.		_	mg.
						Injection, mepolizumab, 1
J2182	_	_	I.C.	_	_	mg
						Injection,
J2212	_	_	I.C.	_	_	methylnaltrexone, 0.1 mg
						Injection, minocycline
-J2265	_	_	I.C.	_	_	HCI, 1 mg
						Injection, papaverine
J2440	_	_	I.C.	_	_	HCI, up to 60 mg
						Injection, oxytetracycline
J2460	_		I.C.	_	_	hel, up to 50 mg
						Injection, pasireotide long
J2502	_	_	I.C.	_	_	acting, 1 mg
						Injection, phentolamine
J2760	_	_	I.C.	_		mesylate, up to 5 mg
						Injection, reslizumab, 1
J2786	_	_	I.C.	_		mg
J2793	_	_	I.C.	_	_	Injection, rilonacept, 1 mg
						Injection, sebelipase alfa,
J2840	_	_	I.C.	_	_	1 mg
						Injection,
						aurothioglucose, up to 50
J2910	_	_	I.C.	_	_	mg
J2940			I.C.		_	Injection, somatrem, 1 mg
32310			1.0.			Injection, somatropin, 1
J2941	_	_	I.C.			mg
02511			1.0.			Injection, sumatriptan
J3030			I.C.			succinate, 6 mg
33030			I.C.			Injection, teriparatide, 10
J3110	_	_	I.C.	_	_	meg
33110			1.0.	_	_	Injection, testosterone
J3145	_	_	I.C.	_	_	undecanoate, 1 mg (
33173			1.0.	_	_	Injection, triamcinolone
J3302			I.C.		_	diacetate, per 5 mg
13302	_		1.0.	_		Injection, triamcinolone
J3303	_	_	I.C.		_	hexacetonide, per 5 mg
	_	_	1	_	_	
J3472	_	_	I.C.	_	_	Injection, hyaluronidase,

Code	NFAC	FAC	Global	PC	TC	Description
						ovine, preservative free,
						per 1000 usp units
J3490	-	_	I.C.	-	_	Unclassified drugs
						Unclassified drugs
						(service provided as part
						of Medicaid family
						planning program) (Use
						for medications and
						injectables related to
						family planning services,
						with the exception of Rho
						(D) human immune
						globulin, and
						contraceptive injectables
						such as Depo Provera,
						items for which
						MassHealth will pay the
J3490-FP	_	_	I.C.	-	-	provider's costs.)
J3590	_	_	I.C.	_	_	Unclassified biologics
						Hypertonic saline
J7131	_	_	I.C.	_	_	solution, 1 ml
						Injection, human
						fibrinogen concentrate, 1
J7178	_	-	I.C.	-	_	mg
						Injection, factor XIII A-
 101						subunit, (recombinant),
J7181	_	_	I.C.	-	_	per IU
						Levonorgestrel-releasing
						intrauterine contraceptive
17207			T C			system, 52 mg, 3 year
J7297	_	_	I.C.	_	_	duration
						Levonorgestrel releasing
						intrauterine contraceptive
17200			IC			system, 52 mg, 5 year
J7298	_	_	I.C.	-	_	duration
						Levonorgestrel-releasing
17201			IC			intrauterine contraceptive
J7301	<u> </u>	_	I.C.	_	_	system, 13.5 mg
						Contraceptive supply,
17202			IC			hormone containing
J7303	_	_	I.C.	_	_	vaginal ring, each

Code	NFAC	FAC	Global	PC	TC	Description
						Contraceptive supply,
						hormone containing
J7304	_	_	I.C.	-	_	patch, each
						Etonogestrel
						(contraceptive) implant
						system, including implant
J7307		_	I.C.		_	and supplies
						Methyl aminolevulinate
						(MAL) for topical
J7309	_	_	I.C.			administration, 16.8%, 1 g
						Ganciclovir, 4.5 mg, long-
J7310	_	_	I.C.	_	_	acting implant.
						Mitomycin, ophthalmic,
J7315	_	_	I.C.	_	_	0.2 mg.
						Hyaluronan or derivative,
						Hymovis, for intra-
J7322	_	_	I.C.	_	-	articular injection, 1 mg
						Hyaluronan or derivative,
						for intra-articular
J7328	_	_	I.C.	_	_	injection, 0.1 mg
						Carbidopa 5 mg/levodopa
J7340	_	_	I.C.	_	_	20 mg enteral suspension
						Installation, ciprofloxacin
J7342		_	I.C.	-	_	otic suspension, 6 mg
						Immunosuppressive drug,
J7599	_	_	I.C.	-	_	not otherwise specified
						Budesonide, inhalation
						solution, FDA approved
						final product,
						noncompounded,
						administered through
						DME, concentrated form,
J7633	_	_	I.C.	_	_	per 0.25 mg
						Mannitol, administered
J7665	_	_	I.C.	_	_	through an inhaler, 5 mg
						Metaproterenol sulfate,
						inhalation solution, FDA-
						approved final product,
						noncompounded,
						administered through
J7669	_	_	I.C.	_	_	DME, unit dose form, per

Code	NFAC	FAC	Global	PC	TC	Description
						10 mg
						Pentamidine isethionate,
						inhalation solution,
						compounded product,
						administered through
						DME, unit dose form, per
J7676	_	_	I.C.	_	_	300 mg
						NOC drugs, inhalation
						solution administered
J7699	-	_	I.C.	_	_	through DME
						NOC drugs, other than
						inhalation drugs,
						administered through
J7799	_	_	I.C.	_	_	DME
						Compounded drug, not
J7999	_	_	I.C.	_	_	otherwise classified
						Fludarabine phosphate,
J8562	_	_	I.C.	_	_	oral, 10 mg
J8670	_	_	I.C.	_	_	Rolapitant, oral, 1 mg
						Injection, asparaginase,
						not otherwise specified,
J9020	_	-	I.C.	-	_	10,000 units
						Injection, denileukin
J9160	_	-	I.C.		_	diftitox, 300 micrograms.
						Injection, interferon
						alfacon-1, recombinant, 1
J9212	_	_	I.C.	_	_	meg
						Injection, interferon, alfa-
						2a, recombinant, 3 million
J9213	_	_	I.C.	_	_	units
						Injection, interferon alfa-
						N3 (human leukocyte
J9215	_	_	I.C.	_	_	derived), 250,000 IU
						Injection, interferon
J9216	_	_	I.C.	_	_	gamma1-b, 3 million units
						Leuprolide acetate
J9219	_	_	I.C.	_	_	implant, 65 mg
						Injection, omacetaxine
J9262	_	_	I.C.	_	-	mepesuccinate, 0.01 mg
						Injection, gemtuzumab
J9300	_	_	I.C.	_	_	ozogamicin, 5 mg

Code	NFAC	FAC	Global	PC	TC	Description
J9340	_	_	I.C.	_	_	Injection, thiotepa, 15 mg
						Not otherwise classified,
19999	_	_	I.C.	_	_	antineoplastic drugs
						Injection, fosphenytoin,
						50 mg phenytoin
Q2009	_	_	I.C.	_	_	equivalent.
						-Injection, teniposide, 50
Q2017	_	_	I.C.			mg
						Influenza virus vaccine,
						split virus, when
						administered to
						individuals 3 years of age
						and older, for
						intramuscular use
Q2036	_	_	I.C.			(flulaval)
						Influenza virus vaccine,
						split virus, when
						administered to
						individuals 3 years of age
						and older, for
						intramuscular use
Q2038	_	_	I.C.			(Fluzone)
						Injection, doxorubicin
						hydrochloride, liposomal,
Q2049	_	_	I.C.	-	_	imported lipodox, 10mg
						Oasis burn matrix, per sq
Q4103	_	_	I.C.	-	_	em
						Integra bilayer matrix
						wound dressing
Q4104	_	_	I.C.	_	_	(BMWD), per sq cm
Q4108	_	-	I.C.	-	_	Integra matrix, per sq cm
Q4110	_	_	I.C.	_	_	PriMatrix, per sq cm
						Bio ConneKt wound
Q4161	_	_	I.C.	_	_	matrix, per sq cm
						AmnioPro Flow, BioSkin
						Flow, BioRenew Flow,
						WoundEx Flow,
						Amniogen-A, Amniogen-
Q4162	_	_	I.C.	_	_	C, 0.5 cc
						AmnioPro, BioSkin,
Q4163	_	_	I.C.	_	_	BioRenew, WoundEx,

101 CMR 317.00: MEDICINE

Code	NFAC	FAC	Global	PC	TC	Description
						Amniogen 45,
						Amniogen-200, per sq cm
Q4164	_	1	I.C.	1	_	Helicoll, per sq cm
Q4165	-	1	I.C.	1	_	Keramatrix, per sq cm
						Hyaluronan or derivative,
						for intra-articular
Q9980	_	-	I.C.	-	_	injection, 1 mg
						Injection, bupivicaine
\$0020	_	-	I.C.	-	_	HCI, 30 ml
						Injection, cefoperazone
\$0021	_	_	I.C.	_	_	sodium, 1 g
						Injection, cimetidine HCI,
\$0023	_	_	I.C.	_	_	300 mg
						Injection, clindamycin
\$0077	_	_	I.C.	_	_	phosphate, 300 mg
						Mifepristone, oral, 200
S0190	_	_	I.C.	_	_	mg
						Misoprostol, oral, 200
S0191	_	_	I.C.	_	_	meg
20171			1.0.			Completed early periodic
						screening diagnosis and
						treatment (EPSDT)
						service (list in addition to
						code for appropriate
						evaluation and
S0302	_	ı	I.C.	I	_	management service)
						Screening to determine
						the appropriateness of
						consideration of an
						individual for
						participation in a
						specified program,
						project or treatment
T1023	_	1	I.C.	1	_	protocol, per encounter

Tobacco Cessation

Codes

Code	NFAC	FAC	Global	PC	TC	Description	
------	------	-----	--------	----	----	--------------------	--

Code	NFAC	FAC	Global	PC	TC	Description
						Smoking and tobacco use
						cessation counseling visit;
						intensive, greater than 10
						minutes (at least 30
						minutes). (Eligible
						providers are physician,
						physician assistant,
						certified nurse
						practitioner, clinical nurse
						specialist, psychiatric
						clinical nurse specialist
						and certified nurse
99407	\$55.05	\$51.22	_	_	_	midwife.)
						Smoking and tobacco use
						cessation counseling visit;
						intensive, greater than 10
						minutes (at least 30
						minutes). (Eligible
						provider is a certified
						nurse practitioner
99407						employed by an eligible
SA	\$55.05	\$51.22		_		billing entity
211	400.00	Ψ01122				Smoking and tobacco use
						cessation counseling visit;
						intensive, greater than 10
						minutes (at least 30
						minutes). (Eligible
						providers are registered
99407						nurses employed by an
TD	\$46.79	\$43.54	_	_	_	eligible billing entity.)
TD	Ψ+0.77	Ψτ3.3τ				Smoking and tobacco use
						cessation counseling visit;
						intensive, greater than 10
						minutes (at least 30
						minutes). (Eligible
						providers are tobacco
						cessation counselors
99407						employed by an eligible
	\$46.70	\$42.54				
U1	\$46.79	\$43.54		_		billing entity.)

Code	NFAC	FAC	Global	PC	ŦC	Description
						Smoking and tobacco use
						cessation counseling visit;
						intensive (intake
						assessment for an
						individual, at least 45
						minutes). (Eligible
						providers are physician,
						physician assistant,
						certified nurse
						practitioner, clinical nurse
						specialist, psychiatric
						clinical nurse specialist
						and certified nurse
99407 TF	\$82.58	\$76.83	_	-	_	midwife.)
						Smoking and tobacco use
						cessation counseling visit;
						intensive (intake
						assessment for an
						individual, at least 45
						minutes). (Eligible
						providers are registered
						nurse, and tobacco
						cessation counselor
99407						employed by an eligible
U2	\$70.19	\$65.31	_	_	_	billing entity.)
						Smoking and tobacco use
						cessation counseling visit;
						intensive (for an
						individual in a group
						setting, 60-90 minutes).
						(Eligible providers are
						physician, physician
						assistant, certified nurse
						practitioner, clinical nurse
						specialist, psychiatric
						clinical nurse specialist
99407						and certified nurse
HQ	\$35.09	\$32.65	_	-	-	midwife.)

Code	NFAC	FAC	Global	PC	TC	Description
						Smoking and tobacco use
						cessation counseling visit;
						intensive (for an
						individual in a group
						setting, 60-90 minutes).
						(Eligible providers are
						registered nurse and
						tobacco cessation
99407						counselor employed by
U3	\$29.83	\$27.75	_		_	an eligible billing entity.)

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
90281			I.C.			
90283			I.C.			
90284			I.C.			
90287			I.C.			
90288			I.C.			
90291			I.C.			
90296			I.C.			
90378			I.C.			
90384			I.C.			
90385			I.C.			
90386			I.C.			
90389	•		I.C.			
90393	•		I.C.			
90396	•		I.C.			
90399			I.C.			
90460			\$20.45			
90460-SL			\$17.70			
90461	•	•	\$9.84		•	
90461-SL	•		\$8.52			
90471			\$20.45		•	
90471-SL			\$17.70			
90472			\$9.84		•	
90473	•		\$20.45			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
90473-SL		•	\$17.70	•		
90474			\$9.84	•		
90476			I.C.		•	
90477			I.C.			
90581			I.C.			
90586			I.C.			
90587	-	-	I.C.	-	-	
90620			I.C.			
90621		•	I.C.			
90625			I.C.	•		
90633			I.C.			
90634			I.C.			
90644			I.C.			
90647			I.C.			
90648			I.C.			
90649			I.C.			
90650			I.C.	•		
90651			I.C.	•		
90653			I.C.	•		
90654			I.C.			
90655			I.C.			
90657			I.C.			
90658			I.C.			
90660			I.C.			
90661			I.C.			
90664			I.C.			
90666			I.C.			
90667			I.C.			
90668			I.C.			
90676			I.C.			
90680			I.C.			
90681			I.C.			
90682			I.C.			
90685			I.C.			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
90687			I.C.	•	•	
90690			I.C.			
90696			I.C.			
90697			I.C.		•	
90698			I.C.			
90700			I.C.			
90702			I.C.	•		
90707			I.C.			
90710			I.C.			
90713			I.C.		•	
90716			I.C.	•		
90717			I.C.			
90723			I.C.			
90733			I.C.	•		
90734			I.C.			
90736			I.C.	•	•	
90738			I.C.	•	•	
90739			I.C.			
90743			I.C.	•	•	
90744			I.C.	•	•	
90748			I.C.			
90749			I.C.			
90750			I.C.			
90756	-	-	I.C.	-	-	
90785			\$10.56			
90791	\$100.32	\$96.77				
90792	\$110.83	\$107.27				
90832	\$48.45	\$48.15	•			
90833	\$50.10	\$49.50	•			
90834	\$64.36	\$64.06				
90836	\$63.60	\$63.01	•			
90837	\$96.77	\$95.88	•			
90838	\$83.85	\$83.26				
90839	\$100.87	\$100.28	•			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
90840	\$48.15	\$47.86				
90845	\$69.59	\$69.30				
90846	\$78.16	\$77.57		•		
90847	\$80.86	\$80.27				
90849	\$26.50	\$23.54				
90853	\$19.52	\$19.23	•		•	
90863			I.C.		•	
90865	\$130.05	\$98.66	•		•	
90867			I.C.		•	
90868			I.C.		•	
90869			I.C.		•	
90870	\$140.24	\$84.58				
90875	\$46.91	\$46.62	\$47.19		•	
90876	\$83.63	\$74.75				
90880	\$77.65	\$71.43	•		•	
90882			I.C.		•	
90885			\$38.14		•	
90887	\$68.70	\$58.34				
90889			I.C.		•	
90899			I.C.		•	
90901	\$30.35	\$15.25	•		•	
90911	\$67.07	\$34.21			•	
90935			\$55.80		•	
90937			\$79.99		•	
90940			I.C.		•	
90945			\$66.72		•	
90947			\$95.41			
90951			\$723.18			
90952			I.C.		•	
90953			I.C.		•	
90954			\$627.25		•	
90955			\$352.59		•	
90956			\$246.43		•	
90957			\$496.97		•	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
90958			\$336.68			
90959			\$229.34		•	
90960		•	\$220.07	•	•	
90961			\$185.21		•	
90962		•	\$143.42	•	•	
90963		•	\$419.38	•	•	
90964			\$366.85		•	
90965		•	\$349.30	•	•	
90966			\$184.75			
90967			\$13.93		•	
90968			\$11.99		•	
90969			\$11.72		•	
90970			\$6.02		•	
90989			I.C.		•	
90993			I.C.		•	
90997			\$71.94		•	
90999			I.C.			
91010			\$142.64	\$52.18	\$90.47	
91013			\$18.65	\$7.40	\$11.25	
91020			\$190.49	\$58.70	\$131.78	
91022			\$135.09	\$58.54	\$76.55	
91030			\$110.67	\$36.79	\$73.89	
91034			\$154.83	\$39.79	\$115.04	
91035			\$395.04	\$65.06	\$329.99	
91037			\$130.52	\$39.46	\$91.06	
91038			\$371.05	\$44.62	\$326.44	
91040			\$359.65	\$39.13	\$320.51	
91065			\$64.35	\$7.94	\$56.42	
91110		•	\$724.66	\$148.34	\$576.32	
91111			\$600.90	\$40.86	\$560.04	
91112		•	\$894.51	\$85.48	\$809.03	
91117			\$107.90			
91120			\$351.12	\$38.90	\$312.22	
91122			\$183.22	\$69.79	\$113.43	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
91132			\$126.68	\$21.41	\$105.27	
91133		•	\$141.36	\$26.91	\$114.45	
91200		•	\$25.39	\$10.12	\$15.26	
91299		•	I.C.			
92018			\$113.89.			
92019			\$56.05.			
92020	\$21.11	\$16.38				
92025			\$30.51	\$15.84	\$14.67	
92060			\$52.13	\$30.06	\$22.07	
92065			\$43.19	\$14.01	\$29.18	
92071	\$29.84	\$26.28				
92072	\$106.78	\$80.43				
92081		\$27.09	\$12.71	\$14.38		
92082		\$38.67	\$16.89	\$21.78		
92083		\$52.03	\$21.96	\$30.07		
92100	\$64.77	\$26.58				
92132			\$27.84	\$14.95	\$12.89	
92133			\$35.15	\$21.96	\$13.19	
92134			\$36.04	\$22.55	\$13.49	
92136			\$73.54	\$24.52	\$49.02	
92145			\$12.03	\$6.53	\$5.49	
92225	\$21.39	\$16.65				
92226	\$19.74	\$15.00				
92227			\$12.01.			
92228			\$27.50	\$16.38	\$11.12	
92230	\$46.61	\$26.18				
92235			\$89.12	\$37.15	\$51.98	
92240			\$209.63	\$50.48	\$159.15	
92242	-	-	\$187.58	\$44.08	\$143.50	
92250			\$64.32	\$18.86	\$45.46	
92260	\$14.75	\$8.53				
92265			\$63.40	\$33.63	\$29.77	
92270			\$73.76	\$32.15	\$41.61	
92275			\$120.75	\$42.55	\$78.19	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
92283			\$45.48	\$7.13	\$38.36	
92284			\$50.33	\$9.61	\$40.73	
92285			\$16.78	\$2.40	\$14.38	
92286			\$30.68	\$17.48	\$13.19	
92287		•	\$111.79	\$36.85	\$74.94	
92310	\$75.98	\$46.08				
92311	\$81.05	\$43.45			•	
92312	\$93.32	\$49.50			•	
92313	\$78.05	\$36.89				
92314	\$64.00	\$27.00			•	
92315	\$59.26	\$16.93				
92316	\$74.36	\$25.51				
92317	\$61.93	\$17.22				
92325			\$34.80			
92326			\$29.18			
92352	\$32.53	\$14.47		•		
92353	\$37.69	\$19.63		•		
92354			\$11.12			
92355			\$17.34			
92358			\$9.34	•		
92371			\$9.64			
92499			I.C.			
92502			\$76.65			
92504	\$24.57	\$7.40				
92507			\$62.00			
92508			\$18.55	•		
92511	\$92.04	\$31.05		•	•	
92512	\$48.97	\$22.32			•	
92516	\$57.41	\$18.03				
92520	\$60.62	\$32.20				
92521			\$87.08			
92522			\$72.46			
92523			\$152.46			
92524			\$70.10			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
92526			\$67.81	•		
92531			I.C.			
92532			I.C.	•	•	
92533			I.C.			
92534			I.C.	•		
92537			\$31.80	\$24.83	\$6.97	
92538			\$16.13	\$12.41	\$3.72	
92540			\$80.29	\$62.07	\$18.22	
92541			\$18.83	\$16.30	\$2.53	
92542			\$21.75	\$19.51	\$2.24	
92544			\$12.95	\$11.01	\$1.94	
92545			\$11.82	\$10.17	\$1.64	
92546			\$85.01	\$11.55	\$73.46	
92547			\$5.03			
92548			\$83.87	\$20.35	\$63.52	
92550			\$16.59			
92551			\$9.93			
92552			\$25.92			
92553			\$30.96			
92555			\$19.41			
92556			\$30.96			
92557	\$29.43	\$25.58				
92558			I.C.			
92559			I.C.			
92560			I.C.			
92561			\$31.42			
92562			\$38.65			
92563			\$25.63			
92564			\$23.26			
92565			\$13.19			
92567	\$11.49	\$8.53				
92568	\$12.31	\$12.01			•	
92570	\$25.12	\$23.35				
92571			\$22.67			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
92572			\$29.77			
92575			\$60.13			
92576			\$29.77			
92577			\$13.78			
92579	\$32.76	\$28.91				
92582			\$56.29			
92583			\$43.69			
92584			\$61.02			
92585			\$111.57	\$20.94	\$90.63	
92586			\$71.09			
92587			\$16.89	\$14.36	\$2.53	
92588			\$25.85	\$22.72	\$3.12	
92596			\$34.97			
92597			\$56.21			
92601	\$110.62	\$92.86				
92602	\$70.61	\$53.74				
92603	\$119.57	\$95.59		•		
92604	\$71.01	\$52.95				
92605	\$72.01	\$68.76		•		
92606	\$64.89	\$55.12				
92607			\$99.85			
92608			\$41.91	•		
92609			\$87.83	•		
92610	\$67.19	\$56.83		•		
92611			\$68.17	•		
92612	\$151.68	\$53.09		•		
92613			\$29.64			
92614	\$117.93	\$52.80				
92615	\$26.26	\$25.97				
92616	\$168.23	\$78.81				
92617			\$32.53			
92618	\$26.21	\$25.62				
92620	\$74.08	\$64.60				
92621	\$17.61	\$14.95				

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
92625	\$54.98	\$48.77				
92626	\$70.62	\$59.66		•		
92627	\$17.67	\$14.11				
92630	•		I.C.			
92633			I.C.			
92640	\$89.26	\$75.05				
92700	•		I.C.			
92920			\$413.04			
92921	•		I.C.			
92924	•		\$490.56			
92925			I.C.			
92928			\$458.41			
92929			I.C.			
92933			\$512.75			
92934			I.C.			
92937			\$458.14			
92938			I.C.			
92941			\$513.75	•		
92943			\$513.59			
92944			I.C.			
92950	\$239.80	\$142.69				
92953			\$8.61			
92960	\$164.80	\$95.22				
92961			\$198.40			
92970			\$143.42			
92971			\$76.75			
92973			\$134.07			
92974			\$122.40			
92975			\$295.48			
92977			\$50.09			
92978				\$72.89		
92979				\$58.17		
92986			\$1,017.39			
92987		•	\$1,050.14	•		

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
92990			\$829.27		•	
92992			I.C.			
92993		•	I.C.		•	
92997			\$496.01			
92998			\$244.65			
93000			\$13.51			
93005			\$6.97			
93010			\$6.53			
93015			\$61.18			
93016			\$17.22	•		
93017			\$32.73			
93018			\$11.23			
93024			\$89.74	\$44.40	\$45.33	
93025			\$130.76	\$28.45	\$102.31	
93040			\$10.01	•		
93041			\$4.60	•		
93042			\$5.40			
93050			\$13.80	\$6.53	\$7.27	
93224			\$74.21	•		
93225			\$22.07			
93226			\$31.55			
93227			\$20.59	•		
93228			\$20.17			
93229			\$606.15			
93260			\$53.23	\$35.00	\$18.22	
93261			\$48.32	\$30.09	\$18.22	
93268			\$169.55	•		
93270			\$7.57			
93271			\$142.28			
93272			\$19.71			
93278			\$24.25	\$9.58	\$14.67	
93279			\$39.37	\$24.99	\$14.38	
93280			\$46.03	\$29.88	\$16.15	
93281			\$53.99	\$34.87	\$19.11	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
93282		•	\$49.67	\$32.93	\$16.74	
93283		•	\$64.46	\$44.75	\$19.70	
93284			\$71.17	\$48.80	\$22.37	
93285		•	\$33.49	\$20.30	\$13.19	
93286			\$21.76	\$11.82	\$9.93	
93287			\$28.64	\$17.81	\$10.82	
93288			\$29.28	\$16.39	\$12.89	
93289			\$51.57	\$35.41	\$16.15	
93290			\$24.54	\$16.68	\$7.86	
93291			\$28.69	\$16.68	\$12.01	
93292			\$25.73	\$16.68	\$9.05	
93293			\$43.32	\$12.07	\$31.25	
93294			\$26.21			
93295			\$52.02			
93296			\$21.48			
93297			\$20.46			
93298			\$20.46			
93299			I.C.			
93303		•	\$194.96	\$49.56	\$145.40	
93304			\$127.80	\$28.45	\$99.35	
93306		•	\$186.08	\$49.26	\$136.82	
93307		•	\$106.04	\$35.12	\$70.93	
93308		•	\$102.45	\$19.98	\$82.47	
93312			\$247.48	\$93.92	\$153.56	
93313			\$17.10			
93314			\$242.56	\$79.52	\$163.04	
93315		•		\$109.69		
93316			\$29.15			
93317				\$80.76		
93318				\$89.54		
93320			\$44.18	\$14.28	\$29.90	
93321			\$22.28	\$5.70	\$16.58	
93325			\$21.14	\$2.48	\$18.65	
93350			\$196.62	\$55.36	\$141.26	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
93351			\$220.77	\$66.03	\$154.75	
93352			\$27.67			
93355			\$174.07			
93451			\$643.26	\$109.54	\$533.72	
93452			\$716.34	\$191.64	\$524.70	
93453			\$922.97	\$252.73	\$670.24	
93454			\$726.70	\$193.70	\$532.99	
93455			\$846.10	\$223.83	\$622.27	
93456			\$909.85	\$248.49	\$661.36	
93457			\$1,028.69	\$278.51	\$750.18	
93458			\$871.31	\$236.61	\$634.71	
93459			\$962.13	\$266.73	\$695.40	
93460			\$1,030.75	\$297.15	\$733.60	
93461			\$1,180.22	\$327.73	\$852.49	
93462			\$158.69			
93463			\$76.30			
93464			\$223.90	\$67.84	\$156.06	
93503			\$98.71			
93505			\$617.78	\$176.44	\$441.34	
93530				\$168.42		
93531				\$330.22		
93532				\$403.90		
93533				\$269.65	•	
93561				\$19.66	•	
93562				\$6.26		
93563			\$44.68			
93564			\$46.34		•	
93565			\$34.90	•	•	
93566	\$139.15	\$34.94			•	
93567	\$113.30	\$39.58				
93568	\$124.30	\$35.77				
93571				\$72.59	•	
93572				\$58.17		
93580			\$742.10			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
93581			\$1,007.71			
93582			\$506.23			
93583			\$572.45			
93590	-	-	\$938.03	-	-	
93591	-	1	\$778.65	1	1	
93592	-	1	\$342.71	1	1	
93600			•	\$90.08		
93602				\$88.14		
93603				\$88.14		
93609			•	\$210.88		
93610				\$125.18		
93612				\$124.13		
93613			\$301.86			
93615				\$41.02		
93616				\$49.40		
93618				\$180.14		
93619				\$307.32		
93620				\$487.73		
93621				\$88.95		
93622				\$129.90		
93623				\$120.85		
93624				\$199.33		
93631				\$300.83		
93640				\$146.01		
93641				\$248.59		
93642			\$333.05	\$206.26	\$126.78	
93644			\$223.20	\$135.53	\$87.67	
93650			\$458.84			
93653			\$644.08			
93654			\$857.86			
93655			\$322.04			
93656			\$858.40			
93657			\$321.91			
93660			\$125.96	\$73.23	\$52.73	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
93662			•	\$111.34		
93668			\$15.86			
93701			\$20.00		•	
93702			\$90.17			
93724			\$211.64	\$188.38	\$23.26	
93740			\$6.26			
93745			I.C.		•	
93750	\$43.07	\$35.38			•	
93770			\$6.26			
93784			\$43.62			
93786			\$24.74			
93788			\$4.31			
93790			\$14.58			
93792	_	-	\$45.61	-	-	
93793	_	-	\$9.67	-	-	
93797	\$13.02	\$6.80				
93798	\$20.03	\$10.85				
93799			I.C.			
93880			\$157.21	\$30.75	\$126.45	
93882			\$106.60	\$19.10	\$87.51	
93886			\$162.98	\$36.69	\$126.29	
93888			\$122.39	\$19.79	\$102.60	
93890			\$166.73	\$40.14	\$126.59	
93892			\$123.04	\$47.08	\$75.96	
93893			\$122.25	\$46.30	\$75.96	
93895			I.C.			
93922			\$73.73	\$9.61	\$64.12	
93923			\$114.56	\$17.12	\$97.44	
93924			\$144.04	\$19.07	\$124.97	
93925			\$156.59	\$30.29	\$126.29	
93926			\$126.87	\$18.47	\$108.39	
93930			\$157.08	\$30.62	\$126.45	
93931			\$106.87	\$19.07	\$87.80	
93970			\$153.16	\$26.71	\$126.45	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
93971			\$99.73	\$17.25	\$82.47	
93975			\$170.82	\$44.53	\$126.29	
93976			\$134.51	\$31.02	\$103.49	
93978			\$156.95	\$30.49	\$126.45	
93979			\$99.04	\$18.93	\$80.10	
93980			\$97.23	\$47.62	\$49.61	
93981			\$59.65	\$16.85	\$42.80	
93990			\$94.33	\$18.67	\$75.66	
93998			I.C.			
94002			\$70.89	•		
94003			\$51.25			
94004			\$37.64			
94005			\$72.50			
94010			\$29.49	\$6.53	\$22.96	
94011			\$79.26			
94012			\$121.61			
94013		•	\$25.85		•	
94014		•	\$45.33		•	
94015			\$25.63			
94016		•	\$19.71		•	
94060		•	\$49.96	\$10.12	\$39.84	
94070			\$47.95	\$22.33	\$25.63	
94150			\$20.58	\$2.94	\$17.63	
94200			\$20.47	\$4.32	\$16.15	
94250			\$21.36	\$4.02	\$17.34	
94375			\$31.80	\$11.50	\$20.30	
94400			\$45.35	\$15.28	\$30.07	
94450			\$55.71	\$15.58	\$40.13	
94452			\$47.19	\$11.20	\$35.99	
94453			\$65.48	\$14.69	\$50.79	
94610			\$46.11		•	
94617	-	-	\$78.67	\$26.50	\$52.17	
94618	-		\$27.66	\$18.13	\$9.53	
94621			\$132.05	\$53.56	\$78.49	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
94640			\$15.26			
94642			I.C.			
94644			\$36.58			
94645			\$11.71			
94660	\$50.24	\$29.21				
94662			\$28.49			
94664			\$14.38			
94667			\$21.64			
94668			\$24.01			
94669			\$27.27			
94680			\$47.03	\$9.85	\$37.17	
94681			\$43.33	\$7.64	\$35.69	
94690			\$41.30	\$2.94	\$38.36	
94726			\$43.18	\$9.56	\$33.62	
94727			\$34.29	\$9.56	\$24.74	
94728			\$32.81	\$9.85	\$22.96	
94729			\$44.84	\$7.07	\$37.77	
94750			\$66.64	\$8.75	\$57.90	
94760			\$2.53			
94761			\$4.01			
94762			\$20.30			
94770			\$5.70			
94772			I.C.			
94774			I.C.			
94775			I.C.			
94776			I.C.			
94777			I.C.			
94780	\$45.30	\$17.47				
94781	\$18.67	\$6.53				
94799			I.C.			
95004			\$5.47			
95012			\$15.86			
95017	\$6.20	\$2.65				
95018	\$16.68	\$5.43				

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
95024	\$6.36	\$0.73				
95027			\$3.69			
95028			\$11.12	•		
95044			\$4.60	•		
95052			\$5.49	•		
95056			\$36.74			
95060			\$29.18	•		
95065			\$21.19	•		
95070			\$25.20			
95071			\$29.05	•		
95076	\$92.73	\$56.90				
95079	\$65.05	\$52.02				
95115			\$7.27			
95117			\$8.45			
95120			I.C.			
95125			I.C.			
95130			I.C.			
95131			I.C.			
95132			I.C.			
95133			I.C.			
95134	\$10.07	\$2.38				
95144	\$17.77	\$2.38				
95145	\$32.28	\$2.38				
95146	\$29.02	\$2.38				
95147	\$43.23	\$2.38				
95148	\$58.33	\$2.38				
95149	\$10.37	\$2.38				
95165	\$7.71	\$2.38				
95170	\$10.07	\$2.38				
95180	\$105.65	\$78.71				
95199			I.C.			
95249	-	-	\$46.49	-	-	
95250			\$131.52			
95251			\$33.55	•		

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
95782			\$849.23	\$98.27	\$750.96	
95783			\$890.34	\$109.02	\$781.32	
95800			\$145.84	\$40.27	\$105.57	
95801			\$72.41	\$38.20	\$34.21	
95803			\$115.44	\$33.85	\$81.58	
95805			\$353.26	\$45.97	\$307.29	
95806			\$136.90	\$47.32	\$89.58	
95807			\$395.55	\$48.30	\$347.26	
95808			\$521.57	\$68.45	\$453.12	
95810			\$512.86	\$94.51	\$418.34	
95811			\$538.98	\$98.27	\$440.71	
95812			\$287.94	\$44.97	\$242.97	
95813			\$347.74	\$71.90	\$275.84	
95816			\$299.19	\$44.97	\$254.23	
95819			\$342.58	\$44.97	\$297.62	
95822			\$308.37	\$44.97	\$263.40	
95824				\$30.71		
95827			\$579.11	\$44.67	\$534.44	
95829			\$1,552.86	\$261.00	\$1,291.86	
95830	\$199.52	\$71.32				
95831	\$24.34	\$11.61				
95832	\$23.29	\$12.04				
95833	\$29.61	\$16.58				
95834	\$40.85	\$24.27				
95851	\$14.85	\$5.97				
95852	\$13.20	\$4.62				
95857	\$43.40	\$22.97				
95860			\$99.00	\$40.51	\$58.49	
95861		•	\$138.28	\$64.69	\$73.59	
95863			\$172.07	\$78.05	\$94.02	
95864			\$194.19	\$84.19	\$110.01	
95865			\$115.14	\$65.83	\$49.31	
95866		•	\$107.88	\$52.65	\$55.23	
95867			\$76.34	\$32.66	\$43.69	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
95868			\$106.91	\$49.31	\$57.60	
95869			\$76.51	\$15.65	\$60.86	
95870			\$76.51	\$15.36	\$61.15	
95872			\$154.61	\$119.81	\$34.80	
95873		·	\$60.49	\$15.79	\$44.71	
95874			\$60.06	\$15.65	\$44.41	
95875		•	\$100.61	\$45.97	\$54.64	
95885		•	\$47.98	\$14.82	\$33.16	
95886			\$73.63	\$36.33	\$37.31	
95887		•	\$65.43	\$29.61	\$35.82	
95905			\$58.23	\$2.11	\$56.12	
95907			\$76.56	\$41.75	\$34.80	
95908			\$95.02	\$52.22	\$42.80	
95909			\$115.85	\$62.69	\$53.16	
95910			\$154.43	\$83.80	\$70.63	
95911			\$186.33	\$104.74	\$81.58	
95912		•	\$207.73	\$124.07	\$83.66	
95913			\$237.26	\$146.80	\$90.47	
95921			\$69.25	\$35.33	\$33.92	
95922		•	\$81.23	\$37.84	\$43.39	
95923		•	\$134.12	\$35.96	\$98.16	
95924		•	\$118.58	\$69.27	\$49.31	
95925		•	\$128.21	\$21.89	\$106.32	
95926		•	\$113.11	\$21.30	\$91.81	
95927		•	\$116.83	\$21.30	\$95.53	
95928			\$182.93	\$62.56	\$120.37	
95929		•	\$184.15	\$62.89	\$121.26	
95930			\$107.06	\$14.65	\$92.41	
95933			\$60.71	\$24.43	\$36.28	
95937			\$65.88	\$26.93	\$38.95	
95938			\$282.72	\$35.90	\$246.82	
95939			\$411.30	\$93.55	\$317.75	
95940			\$25.32			
95941			I.C.	•		

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
95943			I.C.	•		
95950			\$271.76	\$62.54	\$209.22	
95951			•	\$249.55		
95953			\$342.76	\$127.91	\$214.85	
95954			\$368.77	\$97.04	\$271.73	
95955			\$177.65	\$42.19	\$135.47	
95956			\$1,360.75	\$149.37	\$1,211.38	
95957			\$256.95	\$81.94	\$175.01	
95958			\$463.90	\$175.72	\$288.17	
95961			\$234.97	\$125.26	\$109.71	
95962			\$208.20	\$134.91	\$73.29	
95965				\$327.86		
95966				\$166.18		
95967			•	\$144.78		
95970	\$55.15	\$18.44				
95971	\$39.10	\$31.40				
95972	\$45.72	\$32.10				
95974	\$162.78	\$126.37				
95975	\$87.47	\$71.78				
95978	\$195.50	\$148.72				
95979	\$84.66	\$69.27				
95980			\$34.76			
95981	\$25.34	\$13.79				
95982	\$41.24	\$27.92				
95990			\$76.29			
95991	\$98.77	\$30.67				
95992	\$33.65	\$28.91				
95999			I.C.			
96000			\$73.69			
96001			\$81.53			
96002			\$16.90			
96003			\$13.42		•	
96004			\$90.64			
96020				\$126.67		

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
96040			\$38.68			
96101	\$60.87	\$60.58				
96102	\$51.31	\$17.85		•		
96103	\$21.24	\$20.65	•	•		
96105			\$84.12			
96110			\$10.27			
96111	\$99.61	\$94.28				
96116	\$71.43	\$66.69				
96118	\$75.97	\$59.99				
96119	\$65.22	\$18.15				
96120	\$38.42	\$20.06				
96125			\$92.67			
96127			\$10.27			
96150	\$16.50	\$16.20				
96151	\$15.66	\$15.37				
96152	\$15.12	\$14.83				
96153			\$3.46			
96154	\$14.85	\$14.56				
96155			\$17.41			
96160	-	-	\$3.86	-	-	
96161	-	-	\$3.86	-	-	
96360			\$46.83			
96361			\$12.37	•		
96365			\$56.66			
96366			\$15.09			
96367			\$24.71			
96368			\$16.60			
96369			\$159.53	•		
96370			\$11.84			
96371			\$60.69			
96372			\$20.45			
96373			\$15.71			
96374			\$46.38			
96375			\$18.26		•	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
96376			I.C.			
96377	-	-	I.C.	-		
96379			I.C.			
96401			\$60.97			
96402			\$26.19		•	
96405	\$66.65	\$23.42				
96406	\$94.67	\$36.35				
96409			\$90.83			
96411			\$50.77			
96413			\$111.02			
96415			\$22.93			
96416			\$115.64		•	
96417			\$51.04			
96420			\$86.57			
96422			\$139.76			
96423			\$64.33			
96425			\$149.27			
96440	\$693.48	\$105.19				
96446	\$163.05	\$19.75				
96450	\$146.63	\$62.55				
96521			\$113.70			
96522			\$92.85			
96523			\$20.49			
96542	\$98.52	\$32.79				
96549			I.C.			
96567			\$112.54			
96570			\$43.36			
96571			\$20.71			
96573	-	-	\$158.92	-	-	
96574	-	-	\$203.77	-	-	
96900			\$17.04			
96902	\$16.73	\$16.14	•			
96904			\$52.14			
96910			\$59.38			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114 3 17)
96912			\$75.96	•		
96913			\$108.85	•		
96920	\$126.20	\$52.48				
96921	\$138.84	\$59.50				
96922	\$191.48	\$95.84				
96931			I.C.			
96932			I.C.			
96933			I.C.	•		
96934			I.C.			
96935			I.C.	•		
96936			I.C.			
96999			I.C.			
97010			\$4.75			
97012			\$12.54			
97014			\$12.72			
97016			\$15.39			
97018			\$8.89			
97022			\$18.97			
97024			\$5.04			
97026			\$4.75			
97028			\$5.88	•		
97032			\$15.21			
97033			\$21.10	•		
97034			\$14.42	•		
97035			\$9.98	•		
97036			\$26.68			
97039			I.C.			
97110			\$25.51			
97112			\$26.70			
97113			\$34.55			
97116			\$22.52			
97124			\$20.87			
97127	-	-	I.C.	-	-	
97139			I.C.			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
97140			\$23.62			
97150			\$13.62			
97161	-	-	\$63.94	-	-	
97162	-	-	\$63.94	-	-	
97163	-	-	\$63.94	-	-	
97164	-	-	\$43.62	-	-	
97165	-	-	\$61.87	-	-	
97166	-	-	\$61.87	-	-	
97167	-	-	\$61.87	-	-	
97168	-	-	\$41.02	-	-	
97169	_	-	I.C.	-	-	
97170	_	-	I.C.	-	-	
97171	_	1	I.C.	1	-	
97172	_	-	I.C.	-	-	
97530			\$27.74			
97533		•	\$23.01			
97535		•	\$27.88			
97537			\$23.74			
97542			\$24.33			
97545		•	I.C.			
97546			I.C.			
97597	\$61.18	\$17.96	•			
97598	\$19.68	\$8.42				
97602			I.C.			
97605	\$32.66	\$19.33				
97606	\$38.74	\$20.98				
97607			I.C.			
97608		•	I.C.			
97610	\$98.74	\$12.28				
97750		•	\$26.10			
97755			\$28.03			
97760		•	\$30.25			
97761			\$26.10			
97763	-	-	\$39.61	-	-	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
97799			I.C.		•	
97802	\$27.38	\$25.60				
97803	\$23.74	\$21.66				
97804	\$12.54	\$11.95				
97810	\$28.41	\$23.68				
97811	\$21.11	\$19.63				
97813	\$30.36	\$25.62				
97814	\$23.94	\$21.57		•		
98925	\$24.76	\$18.25				
98926	\$35.83	\$27.83		•		
98927	\$46.30	\$36.53		•		
98928	\$56.77	\$46.11				
98929	\$67.83	\$55.40				
98940	\$22.23	\$17.49				
98941	\$31.94	\$26.91				
98942	\$41.53	\$36.20				
98943	\$21.21	\$18.25				
98960			\$23.13			
98961			\$11.12			
98962			\$8.16			
98966	\$10.77	\$9.88				
98967	\$20.81	\$19.63				
98968	\$30.39	\$29.50				
98969			I.C.			
99000			I.C.			
99001			I.C.			
99002			I.C.			
99024			I.C.			
99026			I.C.			
99027			I.C.			
99050			I.C.			
99051			I.C.			
99053			I.C.		•	
99056			I.C.			

99058 . I.C. . 99060 . I.C. . 99070 . I.C. . 99071 . I.C. . 99075 . I.C. . 99078 . I.C. . 99080 . I.C. . 99090 . I.C. . 99091 . \$43.30 . 99100 . I.C. . 99135 . I.C. . 99140 . I.C. . 99151 \$63.14 \$18.25 \$0.00 - 99152 \$42.31 \$9.61 \$0.00 - 99153 - - \$9.14 -			C FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
99070 . I.C. . 99071 . I.C. . 99075 . I.C. . 99080 . I.C. . 99082 . I.C. . 99091 . I.C. . 99100 . I.C. . 99116 . I.C. . 99135 . I.C. . 99151 \$63.14 \$18.25 \$0.00 - 99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -				I.C.			
99071 . I.C. .<				I.C.			
99075 . I.C. .<				I.C.			
99078 . I.C. . 99080 . I.C. . 99082 . I.C. . 99090 . I.C. . 99091 . \$43.30 . 99100 . I.C. . 99116 . I.C. . 99135 . I.C. . 99140 . I.C. . 99151 \$63.14 \$18.25 \$0.00 - 99152 \$42.31 \$9.61 \$0.00 - 99153 - - \$9.14 -	1	-		I.C.			
99080 . . I.C. . . 99082 . I.C. . . 99090 . I.C. . . 99091 . \$43.30 . . 99100 . I.C. . . 99116 . I.C. . . 99135 . I.C. . . 99140 . I.C. . . 99151 \$63.14 \$18.25 \$0.00 - - 99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -	5	5		I.C.			
99082 . I.C. . 99090 . I.C. . 99091 . \$43.30 . 99100 . I.C. . 99116 . I.C. . 99135 . I.C. . 99140 . I.C. . 99151 \$63.14 \$18.25 \$0.00 - 99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -	8	3		I.C.			
99090 . . I.C. . . 99091 . . \$43.30 . . 99100 . . I.C. . . 99116 . . I.C. . . 99135 . I.C. . . 99140 . I.C. . . 99151 \$63.14 \$18.25 \$0.00 - - 99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -	0)		I.C.			
99091 . . \$43.30 . . 99100 . . I.C. . . 99116 . . I.C. . . 99135 . I.C. . . 99140 . I.C. . . 99151 \$63.14 \$18.25 \$0.00 - - 99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -	2	2		I.C.			
99100 . I.C. . 99116 . I.C. . 99135 . I.C. . 99140 . I.C. . 99151 \$63.14 \$18.25 \$0.00 - - 99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -	0)		I.C.			
99116 . I.C. . 99135 . I.C. . 99140 . I.C. . 99151 \$63.14 \$18.25 \$0.00 - 99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -	1	_		\$43.30			
99135 . I.C. . 99140 . I.C. . 99151 \$63.14 \$18.25 \$0.00 - - 99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -	0)		I.C.			
99140 . I.C. . 99151 \$63.14 \$18.25 \$0.00 - 99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -	6	5		I.C.			
99140 . . I.C. . . 99151 \$63.14 \$18.25 \$0.00 - - 99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -	5	5		I.C.			
99152 \$42.31 \$9.61 \$0.00 - - 99153 - - \$9.14 - -	0)					
99153 \$9.14	1 9	\$63	14 \$18.25	\$0.00	_	_	
	2	\$42	31 \$9.61	\$0.00	_	_	
	3	3		\$9.14	_	-	
99155 - \$72.02	5	5		\$72.02	_	_	
99156 \$58.54	6	5		\$58.54	_	_	
99157 - \$44.42	7	7			_	_	
99170 \$139.09 \$68.92	0 \$1	\$139	09 \$68.92				
99172 . I.C			. , , ,	I.C.			
99174 . I.C	4			+			
99175 . \$14.08							
99177 . I.C					•		
99183 . \$83.90							
99184 . \$176.93						·	
99188 . I.C	8	3			•	·	
99190 . I.C							
99191 . I.C							
99192 . I.C					•	·	
99195 . \$82.70					•	·	
99199 . I.C					•	·	
99201 \$34.51 \$20.30			51 \$20.30				

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
99202	\$58.71	\$38.58				
99203	\$84.35	\$58.59		•		
99204	\$128.18	\$99.46				
99205	\$160.27	\$129.18				
99211	\$15.98	\$7.10				
99212	\$34.35	\$19.25		•		
99213	\$57.26	\$39.20				
99214	\$84.21	\$60.23		•		
99215	\$113.05	\$85.22				
99217			\$56.19	•		
99218			\$76.24			
99219			\$103.99			
99220			\$142.16			
99221			\$77.19			
99222			\$104.75			
99223			\$155.23			
99224			\$30.40	•		
99225			\$55.90			
99226			\$80.74	•		
99231			\$30.10			
99232			\$55.31			
99233			\$79.72			
99234			\$102.35			
99235			\$129.50			
99236			\$166.78			
99238			\$56.03			
99239			\$82.91			
99241	\$37.49	\$25.05				
99242	\$70.08	\$52.61				
99243	\$95.82	\$73.62				
99244	\$142.57	\$118.29				
99245	\$173.56	\$146.32				
99251			\$37.47			
99252			\$57.40			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
99253			\$88.33			
99254			\$128.42	•		
99255			\$154.64			
99281			\$16.07			
99282			\$31.30	•		
99283			\$46.76			
99284			\$88.63			
99285			\$130.61			
99288			I.C.			
99291	\$212.65	\$170.01				
99292	\$94.10	\$85.22				
99304			\$70.68			
99305			\$100.59			
99306			\$128.12	•		
99307			\$34.68	•		
99308			\$53.67	•		
99309			\$70.75	•		
99310			\$104.90			
99315			\$56.62			
99316			\$81.59			
99318			\$74.06			
99324			\$42.65			
99325			\$61.95			
99326			\$107.00			
99327			\$142.98			
99328			\$166.87			
99334			\$46.64			
99335			\$73.44			
99336			\$103.72			
99337			\$148.32			
99339			\$60.38			
99340			\$84.48			
99341			\$42.35			
99342			\$60.77			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
99343			\$99.56			
99344			\$140.09			
99345			\$169.73			
99347			\$42.67			
99348			\$64.67			
99349			\$98.73			
99350			\$136.80			
99354	\$77.19	\$71.27				
99355	\$74.95	\$69.03				
99356			\$70.80			
99357			\$70.21	•		
99358			\$83.57	•		
99359			\$40.44			
99360			\$47.19	•		
99366	\$33.04	\$32.15				
99367			\$43.30			
99368			\$28.40			
99374	\$54.55	\$43.30				
99375	\$81.54	\$67.92				
99377	\$54.55	\$43.30				
99378	\$81.54	\$67.92				
99379	\$54.55	\$43.30				
99380	\$81.54	\$67.92				
99381	\$86.71	\$58.88				
99382	\$90.59	\$62.76				
99383	\$94.35	\$66.81				
99384	\$106.33	\$78.50				
99385	\$102.82	\$75.29				
99386	\$119.13	\$91.59				
99387	\$129.22	\$98.42				
99391	\$78.00	\$53.72				
99392	\$83.15	\$58.88				
99393	\$82.86	\$58.88				
99394	\$90.79	\$66.81				

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
99395	\$92.74	\$68.76				
99396	\$98.73	\$74.75				
99397	\$106.33	\$78.50		•		
99401	\$28.56	\$18.79		•		
99402	\$48.19	\$38.41				
99403	\$66.97	\$57.50				
99404	\$86.33	\$76.86				
99406	\$10.96	\$9.48				
99407	\$27.10	\$25.62				
99408	\$27.10	\$25.62				
99409	\$52.72	\$51.24				
99411	\$13.10	\$5.99				
99412	\$16.98	\$9.88				
99415			\$7.27			
99416			\$4.01			
99429			I.C.			
99441	\$10.77	\$9.88				
99442	\$20.81	\$19.63				
99443	\$30.39	\$29.50				
99444			I.C.			
99446			I.C.	•		
99447			I.C.			
99448			I.C.	•		
99449			I.C.	•		
99450			I.C.	•		
99455			I.C.	•		
99456			I.C.			
99460			\$100.99			
99461	\$72.07	\$48.38				
99462			\$43.82			
99463			\$125.76			
99464			\$54.47			
99465			\$160.43			
99466			\$175.55			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
99467			\$89.47			
99468			\$725.63			
99469			\$305.35			
99471			\$669.32			
99472			\$313.50			
99475			\$441.20			
99476			\$265.37			
99477			\$275.19			
99478			\$104.78			
99479			\$95.63	•		
99480			\$91.58			
99483	\$191.33	\$139.12	-	1	-	
99484	\$38.64	\$25.52	-	1	-	
99485			\$58.88			
99486			\$51.24			
99487			I.C.			
99489			I.C.			
99490	\$31.64	\$23.95				
99492	\$129.11	\$70.34	-	-	-	
99493	\$102.71	\$63.63	-	-	-	
99494	\$53.01	\$33.91	-	-	-	
99495	\$129.60	\$84.90				
99496	\$182.33	\$122.82				
99497	\$65.85	\$60.52				
99498	\$56.93	\$56.64				
99499			I.C.	•		
99500			I.C.			
99501			I.C.	•		
99502			I.C.	•		
99503			I.C.			
99504			I.C.	•		
99505			I.C.			
99506			I.C.	•		
99507			I.C.			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
99509			I.C.			
99510			I.C.			
99511			I.C.			
99512			I.C.			
99600			I.C.			
99601			I.C.			
99602			I.C.			
99605			I.C.			
99606			I.C.			
99607			I.C.	•		
G0108			\$41.12			
G0109			\$11.06			
G0270	\$23.74	\$21.66				
G0271	\$12.54	\$11.95	•			
G0455			I.C.	•		
J0131		•	I.C.			
J0135		•	I.C.	•		
J0215		•	I.C.			
J0364		•	I.C.			
J0400		•	I.C.	•		
J0565	-	-	I.C.	-	-	
J0571		•	I.C.	•		
J0572		•	I.C.	•		
J0573		•	I.C.			
J0574		•	I.C.			
J0575			I.C.			
J0604	-	-	I.C.	-	-	
J0715			I.C.	•		
J0716			I.C.	•		
J0833		•	I.C.	•		
J0883		•	I.C.			
J0884			I.C.			
J0890			I.C.			
J1094		•	I.C.			

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
J1130			I.C.			
J1260			I.C.			
J1320		•	I.C.	•		
J1322			I.C.			
J1324		•	I.C.	•		
J1428	-	-	I.C.	-	-	
J1438			I.C.			
J1455		•	I.C.	•		
J1562		•	I.C.	•		
J1573			I.C.			
J1595			I.C.			
J1599			I.C.			
J1655			I.C.			
J1700			I.C.			
J1710			I.C.			
J1726	-	-	I.C.	-	-	
J1741			I.C.	•		
J1744			I.C.	•		
J1790			I.C.	•		
J1826			I.C.	•		
J1830			I.C.			
J1840			I.C.			
J1850			I.C.			
J1890	•		I.C.	•	•	
J1990			I.C.			
J2170			I.C.	•		
J2182			I.C.			
J2212			I.C.			
J2265			I.C.			
J2326	-	1	I.C.	1	1	
J2440		•	I.C.	•		
J2460			I.C.			
J2502			I.C.		•	
J2760		•	I.C.	•		

J2786 I.C	
J2793 I.C	
J2840 I.C	
J2910 I.C	
J2940 I.C	
J2941 I.C	
J3030 I.C	
J3110 I.C	
J3145 I.C	
J3302 I.C	
J3303 I.C	
J3472 I.C	
J3490 I.C	
J3590 I.C	
J7131 . I.C	
J7175 . I.C	
J7178 I.C	
J7179 I.C	
J7181 . I.C	
J7202 I.C	
J7207 I.C	
J7209 I.C	
J7210 I.C	
J7211 I.C	
J7296 I.C	
J7297 I.C	
J7298 I.C	
J7301 . I.C	
J7303 I.C	
J7304 I.C	
J7307 I.C	
J7309 I.C	
J7310 . I.C	
J7315 . I.C	

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114_3_17)
J7322			I.C.	•		
J7328			I.C.		•	
J7340			I.C.			
J7342			I.C.			
J7345	-	1	I.C.	1	-	
J7599			I.C.			
J7633			I.C.			
J7665		•	I.C.	•		
J7669			I.C.			
J7676			I.C.			
J7699			I.C.			
J7799			I.C.			
J7999			I.C.			
J8562			I.C.			
J8670			I.C.			
J9015			I.C.			
J9020			I.C.			
J9022	-	-	I.C.	-	-	
J9023	-	-	I.C.	-	-	
J9160			I.C.		•	
J9212			I.C.			
J9213			I.C.			
J9215		•	I.C.			
J9216		•	I.C.			
J9219		•	I.C.		•	
J9262		•	I.C.			
J9340			I.C.			
J9999			I.C.			
Q2009		•	I.C.			
Q2017			I.C.	•		
Q2028	-	-	I.C.	-	-	
Q2036			I.C.		•	
Q2038			I.C.			
Q2049		•	I.C.	•	•	

101 CMR 317.00: MEDICINE

Code	NFAC	FAC	Global	PC	TC	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/la ws-regs/hhs/community-health-care-providers-ambulatory-care.html#114 3 17)
Q4103		•	I.C.			
Q4104			I.C.			
Q4108			I.C.			
Q4110			I.C.			
Q4161			I.C.			
Q4162			I.C.	•		
Q4163			I.C.			
Q4164			I.C.			
Q4165			I.C.	•		
Q9980			I.C.			
S0020			I.C.			
S0021			I.C.			
S0023		•	I.C.			
S0077			I.C.			
S0190	•	•	I.C.	•		
S0191	•	•	I.C.	•		
S0302	•	•	I.C.	•		
S3005-U1		•	\$10.27	•		
S3005-U2	•		\$10.27	•		
S3005-U3			\$10.27	•		
S3005-U4			\$10.27			
T1023		•	I.C.			

Tobacco Cessation Codes

Tobacco Cessation

Codes

CodeNFACFACGlobalPCTCDescription	
----------------------------------	--

99407	\$55.05	\$51.22	_	-	-	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes (at least 30 minutes). (Eligible providers are physician, physician assistant, certified nurse practitioner, clinical nurse specialist, psychiatric clinical nurse specialist and certified nurse midwife.)
99407 SA	\$55.05	\$51.22	-		-	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes (at least 30 minutes). (Eligible provider is a certified nurse practitioner employed by an eligible billing entity
99407 TD	\$46.79	\$43.54	J	J	ł	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes (at least 30 minutes). (Eligible providers are registered nurses employed by an eligible billing entity.)
99407 U1	\$46.79	\$4 3.54	-	_	-	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes (at least 30 minutes). (Eligible providers are tobacco cessation counselors employed by an eligible billing entity.)

99407 TF	\$82.58	\$76.83	_	_	-	Smoking and tobacco use cessation counseling visit; intensive (intake assessment for an individual, at least 45 minutes). (Eligible providers are physician, physician assistant, certified nurse practitioner, clinical nurse specialist, psychiatric clinical nurse specialist and certified nurse midwife.)
99407 U2	\$70.19	\$65.31	_	_	1	Smoking and tobacco use cessation counseling visit; intensive (intake assessment for an individual, at least 45 minutes). (Eligible providers are registered nurse, and tobacco cessation counselor employed by an eligible billing entity.)
99407 HQ	\$35.09	\$32.65	_	_	-	Smoking and tobacco use cessation counseling visit; intensive (for an individual in a group setting, 60-90 minutes). (Eligible providers are physician, physician assistant, certified nurse practitioner, clinical nurse specialist, psychiatric clinical nurse specialist and certified nurse midwife.)

101 CMR 317.00: MEDICINE

99407	\$29.83	\$27.75	_	_	_	Smoking and tobacco use
U3						cessation counseling visit;
						intensive (for an
						individual in a group
						setting, 60-90 minutes).
						(Eligible providers are
						registered nurse and
						tobacco cessation
						counselor employed by
						an eligible billing entity.)

			Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/laws-regs/hhs/community-health-care-
Code	NFAC	FAC	providers-ambulatory-care.html#114 3 17)
99407	\$58.08	\$54.04	
99407 SA	\$58.08	\$54.04	
99407 TD	\$49.37	\$45.93	
99407 U1	\$49.37	\$45.93	
99407 TF	\$87.12	\$81.06	
99407 U2	\$74.05	\$68.90	
99407 HQ	\$37.03	\$34.45	
99407 U3	\$31.47	\$29.28	

Behavioral Health Screening Services

Code	Rate	Description
		Developmental testing; limited (e.g. Developmental Screening Test II,
		Early Language Milestone Screen), with interpretation and report.
		(Eligible providers are Physician, Certified Nurse Midwife, Certified
		Nurse Practitioner, Physician Assistant, Community Health Center (CHC),
		Outpatient Hospital Department (OPD), completed behavioral health
96110 U1	\$9.73	screening with no behavioral health need identified.)
		Developmental testing; limited (e.g. Developmental Screening Test II,
		Early Language Milestone Screen), with interpretation and report.
		(Eligible providers are Physician, Certified Nurse Midwife, Certified
		Nurse Practitioner, Physician Assistant, Community Health Center (CHC),
		Outpatient Hospital Department (OPD), completed behavioral health
96110 U2	\$9.73	screening and behavioral health need identified.)
		Developmental testing; limited (e.g. Developmental Screening Test II,
		Early Language Milestone Screen), with interpretation and report.
		(Eligible providers are Certified Nurse Midwife employed by a CHC,
		completed behavioral health screening with no behavioral health need
96110 U3	\$9.73	identified.)

101 CMR 317.00: MEDICINE

Code	Rate	Description
		Developmental testing; limited (e.g. Developmental Screening Test II,
		Early Language Milestone Screen), with interpretation and report.
		(Eligible providers are Certified Nurse Midwife employed by a CHC,
		completed behavioral health screening and behavioral health need
96110 U4	\$9.73	identified.)
		Developmental testing; limited (e.g. Developmental Screening Test II,
		Early Language Milestone Screen), with interpretation and report.
		(Eligible providers are Certified Nurse Practitioners employed by
		Physician or CHC, completed behavioral health screening with no
96110 U5	\$9.73	behavioral health need identified.)
		Developmental testing; limited (e.g. Developmental Screening Test II,
		Early Language Milestone Screen), with interpretation and report.
		(Eligible providers are Certified Nurse Practitioners employed by
		Physician or CHC, completed behavioral health screening and behavioral
96110 U6	\$9.73	health need identified.)
		Developmental testing; limited (e.g. Developmental Screening Test II,
		Early Language Milestone Screen), with interpretation and report.
		(Eligible providers are Physician Assistants employed by a CHC,
		completed behavioral health screening with no behavioral health need
96110 U7	\$9.73	identified.)
		Developmental testing; limited (e.g. Developmental Screening Test II,
		Early Language Milestone Screen), with interpretation and report.
		(Eligible providers are Physician Assistants employed by a CHC,
		completed behavioral health screening and behavioral health need
96110 U8	\$9.73	identified.)

Code	Rate	Description (see medicine services code spreadsheet at www.mass.gov/eohhs/gov/laws-regs/hhs/community-health-care-providers-
		ambulatory-care.html#114_3_17)
96110 U1	\$10.27	
96110 U2	\$10.27	
96110 U3	\$10.27	
96110 U4	\$10.27	
96110 U5	\$10.27	
96110 U6	\$10.27	
96110 U7	\$10.27	
96110 U8	\$10.27	

317.05: Severability

101 CMR 317.00: MEDICINE

The provisions of 101 CMR 317.00 are severable, and if any such provision or the application of such provisions to any person or circumstances shall be held to be invalid or unconstitutional, such invalidity shall not be construed to affect the validity or constitutionality of any remaining provisions to eligible providers or circumstances other than those held invalid.

REGULATORY AUTHORITY

101 CMR 317.00: M.G.L. c. 118E.